

LUXURY ENGINEERED PLANKS & TILES with Waterproof Stone Core Technology



WWW.IWTTESORO.COM

LUXURY ENGINEERED PLANKS & TILES

Shown on front cover: SierraLux Live Oak

- Luxury Engineered Planks & Tiles are 100% waterproof stone core floor that is extremely dent resistant. It looks and feels like real hardwood & Stone.
- Luxury Engineered Planks & Tiles can be installed in virtually any room in the home or business including kitchens, full bathrooms and basements.
- Luxury Engineered Planks & Tiles are quick and easy to install! It has a Unilin® Click locking Installation method that can be installed immediately with no acclimation waiting time needed.
- Luxury Engineered Planks & Tiles No tear out required! They are extra rigid and can be installed directly over most existing subfloors with no subfloor telegraphing concerns (See installation details for further information regarding your application).
- Luxury Engineered Planks & Tiles do not require glue, nails or underlayment for installation. To cut the product, simply score it with a utility knife and snap it, or use a miter saw.
- Luxury Engineered Planks & Tiles has an anti-microbial coating on top and a pre-attached rubber underlayment for a quieter warmer floor.
- Luxury Engineered Planks & Tiles is Floorscore® Certified and Formaldehyde Free (meets California Air Resource Board requirements).

Coordinating Floor Moldings



Square Nose Stairtread



End cap



Square Nose Landing Step with Locking Edge



T-Molding See page 55 for Floor Molding Information Chart. For more information visit: www.iwttesoro.com




Rounded Flush Stairnose Molding with Locking Edge



COMPARISON CHART							
TECHNICAL SPECIFICATIONS:	LUXWOOD	SierraLux	CHATEAU	TimberLux	V-Lux	Aspen Rídge	
Size	7.25″x48″	9″x60″	7.25″x48″	9″x60″	12″x24″	7″x48″	
Limited Lifetime Residential Warranty	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Limited Commercial Warranty	15 YR	15 YR	10 YR	10 YR	10 YR	None	
Wear Layer	Ceramic Bead 20 Mil	Ceramic Bead 20 Mil	Ceramic Bead 12 Mil	Ceramic Bead 12 Mil	Ceramic Bead 12 Mil	Scratch Resistant 12 Mil	
Stone Core	70%	70%	70%	50%	50%	50%	
Packaging	10 PC/ 24.14 SF per box	8 PC/ 30.20 SF per box	10 PC/ 24.14 SF per box	8 PC/ 29.92 SF per box	12 PC/ 24.00 SF per box	10 PC/ 23.90 SF per box	
Thickness	6.5 MM 5.0MM Core+ 1.5MM Eva Pad	5 MM 4.0MM Core + 1MM IXPE Pad	5 MM 4.0MM Core + 1MM Eva Pad	5 MM 4.0MM Core + 1MM IXPE Pad	5 MM 4.0MM Core + 1MM IXPE Pad	4.2 MM 3.2MM Core + 1MM Eva Pad	
TEST DATA:							
ASTM-E90-09 Airborne Sound Conduction	STC 63 db	STC 53 db	STC 55 db	STC 53 db	STC 53 db	See Website for Details.	
ASTM-E492-09 Impact Sound Conduction	IIC 65 db/ ΔIIC 21	IIC 53 db	IIC 55 db/ ΔIIC 22	IIC 55 db/ ΔIIC 21	IIC 54 db/ ΔIIC 20	See Website for Details.	
ANSI A137.1 Dynamic Coefficient of Friction Test	0.52 DCOF	See Website for Details.	0.52 DCOF	See Website for Details.	See Website for Details.	See Website for Details.	
ASTM-F970-00 Static Load	1500 PSI (0.008 of inch)	See Website for Details.	1500 PSI (0.008 of inch)	1500 PSI (0.008 of inch)	1500 PSI (0.008 of inch)	See Website for Details.	
ASTM F 1515 Color Resistance to Light	Meets <8.0 ∆ E Requirement	See Website for Details.	Meets <8.0 ∆ E _{Requirement}	Meets <8.0 ∆ E Requirement.	Meets <8.0 ∆ E Requirement	See Website for Details.	
ASTM F 1514 Color Resistance to Heat	Meets <8.0 ∆ E Requirement	See Website for Details.	Meets <8.0 ∆ E Requirement	Meets <8.0 ∆ E Requirement	Meets <8.0 Δ E Requirement	See Website for Details.	

ACACIA SUNRISE

LUXWOOD



COLOR:Acacia SunriseSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



ANTIQUE CHESTNUT

LUXWOOD



COLOR:Antique ChestnutSIZE:7.25" x 48"EDGE:4-Sided Micro V-BevelWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BARN WOOD

LUXWOOD







CEDAR

LUXWOOD



COLOR:CedarSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

COOL WHITE





COLOR: Cool White SIZE: 7.25" x 48" EDGE: 4-Sided Micro V-Bevel WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box THICKNESS: 6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Driftwood Grey

LUXWOOD



COLOR:Driftwood GreySIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



FADED SEASHORE

LUXWOOD



COLOR:Faded SeashoreSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



HEART PINE

LUXWOOD



COLOR:Heart PineSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



HICKORY NUT









Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

HONEY CHESTNUT

LUXWOOD



COLOR:Honey ChestnutSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



HONEY OAK

LUXWOOD



COLOR: Honey Oak SIZE: 7.25" x 48" EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box THICKNESS: 6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad





LUXWOOD




COLOR:MapleSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

RUSTIC LOFT

LUXWOOD



COLOR:	Rustic Loft
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted V-Groove
WEAR LAYER:	Ceramic Bead 20 Mil
PACKAGING:	10 PC / 24.14 SF per box
THICKNESS:	6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



RUSTIC TIMBER

LUXWOOD



COLOR:Rustic TimberSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



SAND DUNE





COLOR:	Sand Dune	
SIZE:	7.25″ × 48″	
EDGE:	4-Sided Painted V-Groove	
WEAR LAYER:	Ceramic Bead 20 Mil	
PACKAGING:	10 PC / 24.14 SF per box	
THICKNESS:	6.5 MM: 5.0 MM Core + 1.5 MM	Eva Pad



SANIBEL SHELL

LUXWOOD



COLOR:Sanibel ShellSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



SILVER BIRCH

LUXWOOD



COLOR:Silver BirchSIZE:7.25" x 48"EDGE:4-Sided Micro V-BevelWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

URBAN LOFT






COLOR:Urban LoftSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

WALNUT ESPRESSO

LUXWOOD



COLOR:Walnut EspressoSIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



WEATHERED OAK

LUXWOOD



COLOR:Weathered OakSIZE:7.25" x 48"EDGE:4-Sided Micro V-BevelWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

WHISKEY BARREL

LUXWOOD














COLOR:Winter GreySIZE:7.25" x 48"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:10 PC / 24.14 SF per boxTHICKNESS:6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

LIVE OAK

SierraLux



COLOR:Live OakSIZE:9" x 60"EDGE:4-Sided PaWEAR LAYER:Ceramic IPACKAGING:8 PC / 30THICKNESS:5 MM: 4 J

9" x 60" 4-Sided Painted V-Groove Ceramic Bead 20 Mil 8 PC / 30.20 SF per box 5 MM: 4 MM Core + 1.0 MM IXPE Pad





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SierraLux



SierraLux



COLOR:PecanSIZE:9" x 60"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:8 PC / 30.20 SF per boxTHICKNESS:5 MM: 4 MM Core + 1.0 MM IXPE Pad





SierraLux



COLOR:PewterSIZE:9" x 60"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:8 PC / 30.20 SF per boxTHICKNESS:5 MM: 4 MM Core + 1.0 MM IXPE Pad



SILVER ASH

SierraLux



COLOR:Silver AshSIZE:9" x 60"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 20 MilPACKAGING:8 PC / 30.20 SF per boxTHICKNESS:5 MM: 4 MM Core + 1.0 MM IXPE Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SUGAR MAPLE

SierraLux



COLOR: Suga SIZE: 9" x EDGE: 4-Sida WEAR LAYER: Ceraa PACKAGING: 8 PC THICKNESS: 5 MM

Sugar Maple 9" x 60" 4-Sided Painted V-Groove R: Ceramic Bead 20 Mil G: 8 PC / 30.20 SF per box 5 MM: 4 MM Core + 1.0 MM IXPE Pad





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SierraLux

Beachwood

TIMBERLUX




COLOR:BeachwoodSIZE:9" x 60"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:8 PC / 29.92 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



GOLDEN OAK

TimberLux



Golden Oak COLOR: 9″ x 60″ SIZE: 4-Sided Painted V-Groove EDGE: WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box 5 MM: 4.0 MM Core + 1.0 MM IXPE Pad THICKNESS:





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TimberLux

IVORY OAK

TimberLux




COLOR: SIZE:	Ivory Oak 9″ x 60″
EDGE:	4-Sided Painted V-Groove
WEAR LAYER:	Ceramic Bead 12 Mil
PACKAGING:	8 PC / 29.92 SF per box
THICKNESS:	5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



MOCHAWOOD

TIMBERLUX



COLOR:MochawoodSIZE:9" x 60"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:8 PC / 29.92 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



0




Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TimberLux

SANDALWOOD

TIMBERLUX



COLOR: Sandalwood SIZE: 9" x 60" EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box THICKNESS: 5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



Silver Oak





Г

COLOR:	Silver Oak	<u>ца</u> ,
SIZE:	9″ x 60″	
EDGE:	4-Sided Painted V-Groove	12
WEAR LAYER:	Ceramic Bead 12 Mil	
PACKAGING:	8 PC / 29.92 SF per box	
THICKNESS:	5 MM: 4.0 MM Core + 1.0 MM IXPE	Pad



TOASTED OAK

TIMBERLUX



COLOR: Toasted Oak SIZE: 9" x 60" EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box THICKNESS: 5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



VANILLA OAK

TIMBERLUX



COLOR: SIZE: EDGE: WEAR LAYER: PACKAGING: THICKNESS:

Vanilla Oak 9″ x 60″ 4-Sided Painted V-Groove Ceramic Bead 12 Mil 8 PC / 29.92 SF per box 5 MM: 4.0 MM Core + 1.0 MM IXPE Pad





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TimberLux

LIMESTONE





COLOR:LimestoneSIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad









COLOR: Marfil 미났 12″ <u>x 2</u>4″ SIZE: 4-Sided Painted V-Groove EDGE: WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box 5 MM: 4.0 MM Core + 1.0 MM IXPE Pad THICKNESS:





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

V-Lux

MARMO CREAM

V-Lux



COLOR:Marmo CreamSIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



MARMO SAND





COLOR:Marmo SandSIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

V-Lux

STATUARIO





COLOR:StatuarioSIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



VEIN-CUT BEIGE





COLOR:Vein-Cut BeigeSIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

V-Lux

VEIN-CUT GREY

V-Lux



COLOR:Vein-Cut GreySIZE:12" x 24"EDGE:4-Sided Painted V-GrooveWEAR LAYER:Ceramic Bead 12 MilPACKAGING:12 PC / 24.00 SF per boxTHICKNESS:5 MM: 4.0 MM Core + 1.0 MM IXPE Pad



Dover Grey





COLOR: SIZE: EDGE: THICKNESS:

Dover Grey 06 7″ x 48″ 4-Sided Beveled WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad



Mountain Lodge

Aspen Rídge



COLOR:Mountain LodgeSIZE:7" x 48"EDGE:4-Sided BeveledWEAR LAYER:Scratch ResistantPACKAGING:10 PC / 23.90 SFTHICKNESS:4.2 MM: 3.2 MM

7" x 48" 4-Sided Beveled Scratch Resistant 12 Mil 10 PC / 23.90 SF per box 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad



SADDLE BROOK



COLOR: SIZE: EDGE: THICKNESS:

Saddle Brook 7″ x 48″ 4-Sided Beveled WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad





Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Aspen Ridge

SAND CASTLE

Aspen Rídge




COLOR:Sand CastleSIZE:7" x 48"EDGE:4-Sided BeveledWEAR LAYER:Scratch Resistant 12 MilPACKAGING:10 PC / 23.90 SF per boxTHICKNESS:4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad



LUXURY ENGINEERED PLANKS & TILES









LUXWOOD Cedar







LUXWOOD Faded Seashore




























LUXURY ENGINEERED PLANKS & TILES















Pewter















TIMBERLUX Mochawood









TIMBERLUX Silver Oak

LUXURY ENGINEERED PLANKS & TILES






















Coordinating Moldings

Matches Color Design & Shade of Floor 100%

	Te Molding 94" No TRACK NECESSARY.* Used as thresholds in doorways and to transition between two types of floors. *Glue down required	End Cap / Reducer 94 " NO TRACK NECESSARY.* Used primarily to go against exterior thresholds and against walls with no baseboard. Also can be used as a reducer against floors with minimum height difference of 3/4"	Square Nose Full Size StairTread* 1.38" x12" x 48" Best selection for full size seamless look. *tot Available in V-Lux & Aspen Ridge. *Glue down required.	Square Nose Landing Step with Locking Edge* 1.38" x 5" x 48" † 1.38" x 5" x 60" ‡ Designed for landing steps deeper than 12". Suitable for top steps connecting to the second floor. thot Available in Timberlux. #Or Landing Step Available in Timberlux.	Rounded Flush Stairnose Molding with Locking Edge* 1.38" x 5" x 94" More economical- get two steps from one pc. Connects to our glued down flooring on stair. *Not Available in V-Lux. *Glue down required.
LUXWOOD	\checkmark	\checkmark	\checkmark	\checkmark^{\dagger}	\checkmark
SierraLux	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
CHATEAU	\checkmark	\checkmark	\checkmark	\checkmark †	\checkmark
TimberLux	\checkmark	\checkmark	\checkmark	✓‡	\checkmark
V-Lux	\checkmark	\checkmark			
Aspen Rídge	\checkmark	\checkmark		\checkmark	\checkmark





TESORO

Quality Products for Life

LIMITED LIFETIME WARRANTY

AVAILABLE AT FINE FLOOR COVERING SHOWROOMS.



INTERNATIONAL WHOLESALE TILE, LLC Tel: (800) 340-TILE (8453) | Fax: (888) 765-TILE (8453) | info@iwttesoro.com | www.iwttesoro.com April 2022 Edition