



LUXWOOD

SierraLux

CHATEAU

TIMBERLUX

V-Lux

Aspen Ridge

BossWood

2023 CATALOG

WWW.IWTTESORO.COM









TIMBERLUX

V-Lux

Aspen Ridge

BossWood

LUXWOOD	
Acacia Sunrise	6
Antique Chestnut	7
Barn Wood	8
Bonewood	
Brown Sugar	10
Cedar	
Cool White	
Driftwood Grey	13
Faded Seashore	
Heart Pine	15
Hickory Nut	
Honey Chestnut	
Honey Oak	
Maple	
Rustic Loft	20
Rustic Timber	
Sand Dune	
Sand Piper	
Sanibel Shell	
Silver Birch	
Urban Loft	
Walnut Espresso	
Weathered Oak	
Whiskey Barrel	
Winter Grey	30
SierraLux	
Live Oak	31
Pecan	32
Pewter	33
Silver Ash	34
Sugar Maple	35
CHATEAU	
Acacia Sunrise	
Cool White	
Driftwood Grey	
Faded Seashore	
Maple	
Sanibel Shell	
Weathered Oak	
Minton Cook	20

Tilliber Lux	
eachwood	37 38 39 40 41
anilla Oak4 V-Lux	.ئ
imestone4	
larfil4	
larmo Cream	
tatuario	
ein-Cut Beige	
ein-Cut Grey5	
Aspen Ridge	
cadia Beige5	1
over Grey 5	
Iountain Lodge5	3
addle Brook5	4
and Castle5	5
BossWood	
rgento Oak5	6
innamon Oak5	
haki Oak5	
earl Oak5	
andy Oak	
weet Oak	
Learn more at www.iwttesoro.com	
1	

ENGINEERED PLANKS & TILES

- **Luxury Engineered Planks & Tiles** are waterproof (see Limited Warranty on our website) flooring that is extremely dent resistant. It looks and feels like real hardwood & Stone.
- **Luxury Engineered Planks & Tiles** can be installed in virtually any room in the home or business including kitchens, full bathrooms and basements.
- Luxury Engineered Planks & Tiles are quick and easy to install! It has a Unilin® Click locking Installation method that can be installed immediately (except for BossWood).
- Luxury Engineered Planks & Tiles No tear out required and can be installed directly over most existing subfloors. (except over existing finished hardwood floors) They are extra rigid with no subfloor telegraphing concerns. (See installation details on our website and on the back of the box, for further info regarding your existing floor application).
- Luxury Engineered Planks & Tiles only requires an additional 6mil vapor barrier for floating installation or you can glue it down. To cut the product simply use a miter saw or laminate cutter.
- Luxury Engineered Planks & Tiles have an anti-microbial coating on top and a pre-attached rubber underlayment for a quieter warmer floor.
- Luxury Engineered Planks & Tiles are Greenguard Gold & Floorscore® Certified. They meet California Air Resource Board requirements.

LVP Coordinating Moldings



94" T-Molding



94" End Cap & Reducer



12x24 Square Nose Full Size StairTread



5x48 Square Nose Landing Step



5x94 Rounded Flush Stairnose


BossWood Coordinating Moldings



94" T-Molding



94" End Cap



94" Reducer



12x48 Square Nose Full Size StairTread



5x94" Sauare Flush Stairnose

Luxury Engineered Planks & Tiles

SF ox	
M ore + M Pad	
db	
db/ 20	
bsite ails.	
bsite ails.	

	CON	NPARI	SON	CHAR	T		
TECHNICAL SPECIFICATIONS:	LUXWOOD	SierraLux	CHATEAU	TimberLux	V-Lux	Aspen Ridge	BossWood
Size	7.25"x48"	9″x60″	7.25"x48"	9″x60″	12"x24"	7″×48″	9.5"x72"
Limited Lifetime Residential War- ranty	/	/	✓	/	✓	✓	✓
Limited Commercial Warranty	15 YR	15 YR	10 YR	10 YR	10 YR	None	15 YR
Wear Layer	Ceramic Bead 20 Mil	Ceramic Bead 20 Mil	Ceramic Bead 12 Mil	Ceramic Bead 12 Mil	Ceramic Bead 12 Mil	Scratch Resistant 12 Mil	Scratch Resistant EIR + AC4
Stone Core	70%	70%	70%	50%	50%	50%	Advanced Core
Packaging	10 PC/ 24.14 SF per box	8 PC/ 30.20 SF per box	10 PC/ 24.14 SF per box	8 PC/ 29.92 SF per box	12 PC/ 24.00 SF per box	10 PC/ 23.90 SF per box	6 PC/ 28.04 SF per box
Thickness	6.5 MM 5.0MM Core+ 1.5MM Eva Pad	5 MM 4.0MM Core + 1 MM IXPE Pad	5 MM 4.0MM Core + 1MM Eva Pad	5 MM 4.0MM Core + 1MM IXPE Pad	5 MM 4.0MM Core + 1MM IXPE Pad	4.2 MM 3.2MM Core + 1MM Eva Pad	12 MM 10MM Core + 2 MM Rubber Pad
TEST DATA:							
ASTM-E90-09 Airborne Sound Conduction	STC 63 db	STC 53 db	STC 55 db	STC 53 db	STC 53 db	See Website for Details.	STC 53 db
ASTM-E492-09 Impact Sound Conduction	IIC 65 db/ ΔIIC 21	IIC 53 db	IIC 55 db/ ΔIIC 22	IIC 55 db/ ΔIIC 21	IIC 54 db/ ΔIIC 20	See Website for Details.	IIC 53 db/ ΔIIC 20
ANSI A137.1 Dynamic Coefficient of Friction Test	0.52 DCOF	See Website for Details.	0.52 DCOF	See Website for Details.	See Website for Details.	See Website for Details.	See Website for Details.
ASTM-F970-00 Static Load	1500 PSI (0.008 of inch)	See Website for Details.	1500 PSI (0.008 of inch)	1500 PSI (0.008 of inch)	1500 PSI (0.008 of inch)	See Website for Details.	See Website for Details.

For more information visit: www.iwttesoro.com

ACACIA SUNRISE



Acacia Sunrise COLOR: 7.25" x 48" SIZE:

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box

6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad THICKNESS:

















ANTIQUE CHESTNUT

LUXWOOD



Antique Chestnut 7.25" x 48" COLOR:

SIZE:

4-Sided Micro V-Bevel **EDGE**: WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box

6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad THICKNESS:

















BARN WOOD

LUXWOOD



COLOR: Barn Wood SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















BONEWOOD

LUXWOOD



COLOR: Bonewood SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Bevel
WEAR LAYER: Ceramic Bead 22 Mil
PACKAGING: 11 PC / 26.56 SF per box

THICKNESS: 7 MM: 6 MM Core + 1 MM Rubber Pad















Brown Sugar

LUXWOOD



COLOR: Brown Sugar SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Bevel
WEAR LAYER: Ceramic Bead 22 Mil
PACKAGING: 11 PC / 26.56 SF per box

THICKNESS: 7 MM: 6 MM Core + 1 MM Rubber Pad















CEDAR

LUXWOOD



COLOR: Cedar

SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box

















COOL WHITE

LUXWOOD



COLOR: Cool White SIZE: 7.25" x 48"

EDGE: 4-Sided Micro V-Bevel
WEAR LAYER: Ceramic Bead 20 Mil
PACKAGING: 10 PC / 24.14 SF per box
















DRIFTWOOD GREY

LUXWOOD



COLOR: Driftwood Grey SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















FADED SEASHORE





COLOR: Faded Seashore SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box
















HEART PINE

LUXWOOD



COLOR: **Heart Pine** 7.25" x 48" SIZE:

4-Sided Painted V-Groove **EDGE**:

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box

6.5 MM: 5.0 MM Core + 1.5 MM Eva Pad THICKNESS:

















HICKORY NUT

LUXWOOD



COLOR: Hickory Nut SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















HONEY CHESTNUT

LUXWOOD



COLOR: Honey Chestnut SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















HONEY OAK

LUXWOOD



COLOR: Honey Oak SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box


















COLOR: Maple

SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















Rustic Loft

LUXWOOD



COLOR: Rustic Loft SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box
















RUSTIC TIMBER

LUXWOOD



COLOR: Rustic Timber SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















SAND DUNE

LUXWOOD



COLOR: Sand Dune SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















SAND PIPER

LUXWOOD



COLOR: Sand Piper SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Bevel
WEAR LAYER: Ceramic Bead 22 Mil
PACKAGING: 11 PC / 26.56 SF per box

THICKNESS: 7 MM: 6 MM Core + 1 MM Rubber Pad















SANIBEL SHELL





COLOR: Sanibel Shell SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















SILVER BIRCH

LUXWOOD



COLOR: Silver Birch SIZE: 7.25" x 48"

EDGE: 4-Sided Micro V-Bevel
WEAR LAYER: Ceramic Bead 20 Mil
PACKAGING: 10 PC / 24.14 SF per box















URBAN LOFT

LUXWOOD



COLOR: Urban Loft SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















WALNUT ESPRESSO

LUXWOOD



COLOR: Walnut Espresso SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















WEATHERED OAK

LUXWOOD



COLOR: Weathered Oak SIZE: 7.25" x 48"

EDGE: 4-Sided Micro V-Bevel
WEAR LAYER: Ceramic Bead 20 Mil
PACKAGING: 10 PC / 24.14 SF per box

















WHISKEY BARREL

LUXWOOD



COLOR: Whiskey Barrel SIZE: 7.25" x 48"

EDGE: 4-Sided Micro V-Bevel
WEAR LAYER: Ceramic Bead 20 Mil
PACKAGING: 10 PC / 24.14 SF per box















WINTER GREY

LUXWOOD



COLOR: Winter Grey SIZE: 7.25" x 48"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 10 PC / 24.14 SF per box















COLOR: Live Oak SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 8 PC / 30.20 SF per box















PECAN

SierraLux



COLOR: Pecan SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 20 Mil

PACKAGING: 8 PC / 30.20 SF per box















COLOR: Pewter SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 8 PC / 30.20 SF per box















SILVER ASH

SierraLux



COLOR: Silver Ash SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 20 Mil

PACKAGING: 8 PC / 30.20 SF per box















SUGAR MAPLE

SierraLux



Sugar Maple 9" x 60" COLOR:

SIZE:

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 20 Mil PACKAGING: 8 PC / 30.20 SF per box















BEACHWOOD

TIMBERLUX



COLOR: Beachwood SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box
















GOLDEN OAK

TIMBERLUX



COLOR: Golden Oak

SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box















IVORY OAK

TIMBERLUX



COLOR: Ivory Oak SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box















MOCHAWOOD

TIMBERLUX



COLOR: Mochawood SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box
















SANDALWOOD

TIMBERLUX



COLOR: Sandalwood SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box















SILVER OAK

TIMBERLUX



COLOR: Silver Oak SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box















TOASTED OAK

TIMBERLUX



COLOR: Toasted Oak SIZE: 9" x 60"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box















VANILLA OAK

TIMBERLUX



COLOR: Vanilla Oak SIZE: 9" x 60"

4-Sided Painted V-Groove **EDGE**:

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 8 PC / 29.92 SF per box

















LIMESTONE





COLOR: Limestone SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove WEAR LAYER: Ceramic Bead 12 Mil

PACKAGING: 12 PC / 24.00 SF per box















MARFIL





COLOR: Marfil

SIZE: 12" × 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















MARMO CREAM





COLOR: Marmo Cream SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















Marmo Sand





COLOR: Marmo Sand SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















STATUARIO





COLOR: Statuario SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















VEIN-CUT BEIGE





COLOR: Vein-Cut Beige SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















VEIN-CUT GREY





COLOR: Vein-Cut Grey SIZE: 12" x 24"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: Ceramic Bead 12 Mil PACKAGING: 12 PC / 24.00 SF per box















Acadia Beige

Aspen Ridge



COLOR: Acadia Beige SIZE: 7" x 48"

EDGE: 4-Sided Beveled

WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box

THICKNESS: 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad











DOVER GREY

Aspen Ridge



COLOR: Dover Grey SIZE: 7" x 48"

EDGE: 4-Sided Beveled

WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box

THICKNESS: 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad











Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Mountain Lodge

Aspen Ridge



COLOR: Mountain Lodge

SIZE: 7" x 48"

EDGE: 4-Sided Beveled

WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box

THICKNESS: 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad











SADDLE BROOK

Aspen Ridge



COLOR: Saddle Brook SIZE: 7" x 48"

EDGE: 4-Sided Beveled

WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box

THICKNESS: 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad











Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SAND CASTLE

Aspen Ridge



COLOR: Sand Castle
SIZE: 7" x 48"
EDGE: 4-Sided Beveled

WEAR LAYER: Scratch Resistant 12 Mil PACKAGING: 10 PC / 23.90 SF per box

THICKNESS: 4.2 MM: 3.2 MM Core + 1.0 MM Eva Pad











Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

ARGENTO OAK

BossWood



COLOR: Argento Oak SIZE: 9.5"x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 - Very Scratch Resistant

PACKAGING: 6 PC / 28.04 SF PER BOX

THICKNESS: 12 MM: 10 MM Core + 2 MM Rubber Pad















BossWood

CINNAMON OAK

BossWood



COLOR: Cinnamon Oak

SIZE: 9.5"x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 – Very Scratch Resistant PACKAGING: 6 PC / 28.04 SF PER BOX















Khaki Oak

BossWood



COLOR: Khaki Oak SIZE: 9.5" x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 – Very Scratch Resistant PACKAGING: 6 PC / 28.04 SF PER BOX
















Pearl Oak

BossWood



COLOR: Pearl Oak SIZE: 9.5" x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 - Very Scratch Resistant

PACKAGING: 6 PC / 28.04 SF PER BOX















SANDY OAK

BossWood



COLOR: Sandy Oak SIZE: 9.5"x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 - Very Scratch Resistant PACKAGING: 6 PC / 28.04 SF PER BOX















SWEET OAK

BossWood



COLOR: Sweet Oak SIZE: 9.5" x 72"

EDGE: 4-Sided Painted V-Groove

WEAR LAYER: EIR + AC4 - Very Scratch Resistant

PACKAGING: 6 PC / 28.04 SF PER BOX


























































































































Luxury Engineered Planks & Tiles

























Luxury Engineered Planks & Tiles

LVP Coordinating Moldings

Matches Color Design & Shade of Floor 100%

	T- Molding 94" NO TRACK NECESSARY.* Used as thresholds in doorways and to transition between two types of floors. *Glue down required	End Cap / Reducer 94" NO TRACK NECESSARY.* Used primarily to go against exterior thresholds and against walls with no baseboard. Also can be used as a reducer against floors with minimum height difference of 3/4" *Glue down required.	Square Nose Full Size StairTread* 1.38" x12" x 48" Best selection for full size seamless look. *Not Available in V-Lux & Aspen Ridge. *Glue down required.	Square Nose Landing Step with Locking Edge* 1.38" x 5" x 48" † 1.38" x 5" x 60" ‡ Designed for landing steps deeper than 12". Suitable for top steps connecting to the second floor. †Not Available in V-lux †60" Landing Step Available in Timberlux. *Glue down required.	Rounded Flush Stairnose Molding with Locking Edge* 1.38" x 5" x 94" More economical - get two steps from one pc. Connects to our glued down flooring on stair. *Not Available in V-Lux. *Glue down required.
LUXWOOD	\checkmark	√	\checkmark	/ †	√
SierraLux	√	✓	\checkmark	\checkmark	✓
CHATEAU	\checkmark	✓	√	/ †	\checkmark
TimberLux	√	/	✓	/ ‡	/
V-Lux	✓	✓			
Aspen Ridge	√	✓		✓	



BossWood Coordinating Moldings

Matches Color Design & Shade of Floor 100%

	Square Flush Stairnose with Locking Edge* 1" x 4.5" x 94" More economical- get two steps from one pc. Connects to our glued down flooring on stair. *Glue down required.	Square Nose Full Size StairTread* 1" x12" x 48" Best selection for full size seamless look. *Glue down required.	End Cap 94" NO TRACK NECESSARY.* Used primarily to go against exterior thresholds, cabinets, and against walls with no baseboard. *Glue down required.	Reducer 94" NO TRACK NECESSARY.* Used primarily to reduce floor height between floors of varying thicknesses. *Glue down required.	T- Molding 94" NO TRACK NECESSARY.* Used as thresholds in doorways and to transition between two types of floors. *Glue down required
BossWood	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark



LIMITED LIFETIME WARRANTY AVAILABLE AT FINE

FLOOR COVERING SHOWROOMS.



INTERNATIONAL WHOLESALE TILE, LLC