



PRODUCT
CATALOG
2026-2027



TESORO®
Quality Products for Life



LIMITED LIFETIME WARRANTY

Customers have trusted Tesoro branded products for over 30 years. We are now elevating our commitment to that trust with our new LIMITED LIFETIME WARRANTY! It is our promise to you that our products are free from defects and are of the highest level of quality. Our goal is to be your most trusted partner as we are confident in the reliability of our products. If you are seeking quality products for life, look for the Tesoro logo!

Tesoro offers a diverse selection of porcelain and ceramic tiles, natural stone, luxury engineered planks and tiles, hardwood, laminate, and decorative glass products—including pool tiles. These are complemented by a variety of installation systems available at numerous retail floor covering stores, design centers, and specialty tile and stone shops throughout the United States. The Tesoro Builder Division provides builders in the Southeastern United States with the latest trends and innovations in porcelain, ceramic, stone, glass, mosaics, accents, pool tiles, luxury stone-core engineered planks, hardwood, and laminate sourced from around the globe. Tesoro is also a manufacturer of bullnose, mosaic and custom-cut finished goods.



Tile Studio provides quality, value and reliable service associated with the fabrication of ceramic, porcelain and stone bullnose, mosaic and additional cut-to-size services. Our state of the art facility and its staff are committed to providing our customers with finished goods suitable for both residential and commercial projects.



FRONT COVER:

Top Left: Naturalux Herringbone, Top Middle: Kaia, Top Right: Dolomina, Bottom Left Marrakech, Bottom Middle: Bellagio, Bottom Right: Icon

Table of Contents

Limited Lifetime Warranty	3-5
Terms & Definitions	6
Tile Studio	7
Merchandising Options	8-9
Porcelain & Ceramic Collection	10-159
Tesoro Decorative Collection	160-217
Aquatica Pool Tile Collection	218-293
Luxury Engineered Planks & Tiles	294-363



www.iwttesoro.com

Learn more at www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all ceramic, porcelain and stone products. Samples must be used to confirm current materials available at time of specifying.

TESORO, PORCELAIN, CERAMIC & STONE TILES



Tesoro porcelain & stone tiles have many "Green" qualities making them environmentally friendly.

For Green benefits of Tesoro products visit: www.iwttesoro.com.



LIMITED LIFETIME WARRANTY

Please see full details at www.iwttesoro.com

International Wholesale Tile, LLC. ("The Company") warrants that its products are first quality and are manufactured according to industry standards and meet or exceed these specifications. When installed and maintained properly, products will perform as such for the life of this warranty. The Company warrants that it purchases products that are first choice quality and therefore required to be free of manufacturing defects. The material must be inspected prior to installation. Any material that appears to be defective should not be installed. The Company will not be responsible for or consider any claim for material installed with visual defects. Installation constitutes acceptance.

WARRANTY COVERAGE OVERVIEW

- The Company warrants that all of its products are of first quality and are required to be free of manufacturing defects. All products meet or exceed industry manufacturing standards.
- The Company warrants that should the product, properly installed according to manufacturer's requirements in a residential setting under normal residential traffic conditions, wear-through*, they will replace the affected material that is the closest in shade, style and size of the original material.
 - *Wear-through is defined as loss of surface finish, to the point that the body of the product shows through, due to normal household use.
 - This replacement will include furnished material only and not labor.
- This warranty only applies to the original purchase and installation site and are not transferable.
- The company reserves the right to inspect any claim and request photographs and/or samples prior to approving such claim.
- For warranty to be considered, proof of purchase, proof of use, proof of ownership and proof of unused full pieces of product from the installation must be provided. Warranty registration required within (1) year of purchase.

TESORO PORCELAIN & CERAMIC

The Company warrants its premium Porcelain & Ceramic tile not to wear through to the body of the tile or any other latent defect determined to be in the material, provided that the material was installed in accordance with the manufacturer's requirements, and, will perform as intended when installed residentially and in accordance with appropriate ANSI specifications and standard industry practices by competent professional licensed installers. All porcelain & ceramic should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

EXCLUSIONS:

- Polished porcelain tiles are beautiful and elegant, however, if they are left unprotected are prone to scratching. IWT purchases porcelain tiles that meet or exceed the MOHS standards for polished porcelain tiles. Scratching is not considered a manufacturing defect. Scratching is considered normal wear and tear, and additional maintenance may be required to minimize scratching. This includes, but is not limited to, using walk-off mats at every entry point and more frequent cleaning to remove potentially damaging particulates from the floor.
- Stairs, steps, areas subject to any type of wheeled or vehicular traffic.
- Cracking or loss of bond due to movement, shrinkage, or moisture in the substrate.
- Structural failure or for workmanship not in accordance with the manufacturer's instructions and standard industry practice guidelines, nor is International Wholesale Tile, LLC. liable for losses due to delay or any other consequential damages.
- Optical hazing
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

SCAN QR CODE

Porcelain and Ceramic
Maintenance Care Guide:



AQUATICA POOL & SPA | TESORO DECORATIVE GLASS

The Aquatica Pool & Spa Tile and Tesoro Decorative Glass Collection glass mosaics will perform as intended when installed in accordance with the appropriate ANSI specifications and standard industry practices by competent licensed professional installers. All sizes stated are nominal as per industry standard. All pool & spa tile should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

EXCLUSIONS:

- This warranty excludes chips, scratches and cracking due to substrate movement, shrinkage, moisture or failure due to poor workmanship or a lack of properly-placed perimeter and/or movement joints not consistent with standard industry practices and guidelines. Warranty is null in void if proper installation guidelines are not followed and/or material is not properly maintained.
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

PIETRA ANTICA & METROPOLITAN NATURAL STONE

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.. Please refer to proration of warranty period.

TRAVERTINE FILL (EPOXY & CEMENT)

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.

MARBLE & LIMESTONE

It is common in some marbles and limestones (Crema Marfil for example) for a resin to be used to fill naturally occurring fissures, veins and voids. In time this resin may come loose or fracture or lose its finish, this is normal and can be repaired by a qualified stone refinishing contractor.

STONE FINISH

It is common for the finish on the surface of the stone to show wear patterns and dull over time. This is common and is considered part of the regular maintenance of a stone floor. As the finish deteriorates, refinishing should be performed by a qualified contractor in regular intervals, contact the Natural Stone Institute of America for more information.

SCAN QR CODE

Natural Stone
Maintenance Care Guide:



EXCLUSIONS:

- Installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone, improper layouts, anything beyond the scope of the composition of the natural stone.
- Cracking and/or voids due to the implosion of naturally occurring veins above and/or below the surface of the installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone improper layouts, anything beyond the scope of the composition of the natural stone.
- Chipping and small breaks around the perimeter of natural stone products is completely normal and expected over time. These small breaks can be repaired with grout or resin by a qualified contractor along with other periodic maintenance.
- Discoloration due to natural element exposure, is a normal occurrence with natural stone products and can vary from small spots of color to complete color changes in certain stones. This is a natural phenomenon due to interactions of certain natural elements in the stone and the exposure to environmental elements introduced through a variety of different means (including but not limited to cleaners, foot traffic, moisture intrusion, ground minerals, etc.)
- Moisture intrusion and darkening of light colored stones. This is generally a temporary occurrence during the initial curing stage of the stone installation and again when the stone is exposed to moisture. The re-occurrence post-cure can be partially mitigated by applying a penetrating sealer periodically.
- Damage to the stone via substrate movement settlement and cracking.
- Damage related to wear and tear, accidental implosion, pressure related breaks, weight related breaks.
- Naturally occurring shearing in sedimentary formed stones (Travertine, Marble, Limestone, Onyx).
- Issues involving and related to grouts, adhesives, underlayment, sealers, surfaces applications and cleaners.
- Staining is a common occurrence with natural stone products. This can be minimized and partially prevented by sealing the stone with a penetrating or enhancing sealer in periodic intervals, contact the Natural Stone Institute of America for more information.
- Etching due to acid and harsh chemical exposure. Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

LUXURY VINYL PLANKS (LVP) & TESORO LAMINATE PLANKS (LP)

The factories warrant that the top wear layer of the LVP & LP will not wear through, for the lifetime of the product, "under normal everyday residential foot-traffic". "Wear Through" is defined as the plank surface that has been worn to such an extent as to expose and damage the core material of the plank. This 'Wear Through' must be present in over 5% or more of the total installation. All LVP & LP should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

EXCLUSIONS:

- LVP or LP that were determined to be defective or damaged, resulting from: Shipping, Retail Dealer warehouse improper handling, improper installer or customer handling to or on the job site, improper handling on the job site and/or improper installation methods, will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this Limited Warranty.
- Failure to use a 6 mil vapor barrier over any concrete subfloor, when installing the LVP or LP as a floating floor, will void this Limited Warranty.
- Installing cabinets on top of any LVP or LP floating floor, will void this Limited Warranty.
- Installing the baseboard and/or quarter round on top of a floating floor and not allowing 1/16" gap at the bottom of the baseboard and/or quarter round, for expansion & contraction movement, will void this warranty.
- Improper expansion space at all exterior door thresholds, against all cabinets and against any vertical surface (as defined by the LVP or LP installation guidelines) - will void this Limited Warranty.
- For glued down installations for LVP or LP - a premium floor adhesive, made for LVP and/or LP, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- Defects or changes in color, caused by extended exposure to UV light will void this Limited Warranty
- Noncompliance with installation instructions and maintenance guidelines as recommended by the factory. Floor covering installed in inappropriate locations or installed using inappropriate methods.
- This limited warranty does not cover moisture damage caused by flooding on top or from moisture problems below. Flooding is defined as constant exposure to a liquid of any kind for more than 48 hours

LIMITED LIFETIME WARRANTY CONTINUED

- This Limited Warranty covers the original owner only and is not transferable. Please see www.iwttesoro.com for details on Limited Commercial Warranty for LVP and/or LP.

SCAN QR CODE

LVP & Laminate Flooring
Maintenance Care Guide:



LUXURY ENGINEERED HARDWOOD PLANKS (LEHP)

The factories warrant that the top finish layer of the LEHP planks will not wear through "under normal everyday foot-traffic". "Wear Through" is defined as surface that has been worn to such an extent as to expose and damage the core material. This "Wear Through" must be present in over 5% or more of the total installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

EXCLUSIONS:

- Products that were determined to be defective or damaged resulting from shipping, improper handling or improper installation will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this limited warranty.
- Hardwood must be acclimated for minimum of 48 hours in an air-conditioned room with AC between 65-80 degrees and humidity at 45-55%. Wood Plank & Subfloor Moisture Content (MC%) must be within 2-4% of each other at the time of installation. So both the wood planks and subfloor must be tested before installation to confirm this, or it will void this Limited Warranty.
- Hardwood is recommended to be glued down - with a premium wood adhesive, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by shoes, improper rolling loads, caster wheels, chair or other furniture without proper floor protectors and cuts from sharp objects, or scratching of the finish.
- Changes in color or sheen from exposure to sunlight or due to use of rubber-backed mats.
- Defects caused by extended exposure to UV light.
- Problems caused by not acclimating the wood flooring before installation, installation of hardwood in un-airconditioned rooms or installations not following the installation guidelines, as explained in the Tesoro Hardwood Installation Instructions, will not be covered under this Limited Warranty.
- This Limited Warranty does not apply to moisture damage or stains of any origin.
- Hardwood Flooring is a natural product and changes in color, shade, character, and dimensional size are normal over the life of the floor and not covered under this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- This Limited Warranty only covers the original owner. Please see www.iwttesoro.com for details on our Tesoro Hardwood Limited Commercial Warranty.

SCAN QR CODE

Hardwood Flooring
Maintenance Care Guide:



PRORATION OF WARRANTY PERIOD

Pro Ration of Warranty Period. The Limited Lifetime Residential warranty period is pro rata over 20 years for flooring and accessories. A pro rata warranty is one that provides for a refund or credit that decreases according to a set formula as the warranty period progresses. The Tesoro original warranty value is reduced by the amount of time that you own it. When a claim is made, the value of the warranty becomes a percentage of ownership per year based upon the 20 years for the general warranty for flooring, and accessories. Any services provided as part of this warranty do not extend the original warranty period. If the product for which a claim is made is no longer available, the customer will be able to choose a Tesoro product of equal value from the current product range. Warranty coverage is limited to a one time floor replacement.

1-2 years = 100%	10-15 years = 25%
3-5 years = 80%	16-20 years = 5%
6-9 years = 50%	21+ years = 0%

ALL PRODUCTS SOLD ARE COVERED ONLY BY THIS LIMITED LIFETIME WARRANTY. THE COMPANY HEREBY DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY, ANY AND ALL IMPLIED WARRANTIES THAT MAY ARISE FROM COURSE OF DEALING OR USAGE OF TRADE, AS WELL AS THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

DAMAGE OF ANY KIND IS NOT CONSIDERED WEAR, AND NOT COVERED BY THIS WARRANTY.
Detailed information at www.iwttesoro.com

AS IS

Any product sold second choice, close-out, discontinued or in "as-is" condition with no returns is not covered by this warranty.



TYPE (WATER ABSORPTION) – ASTM C373-88

Dust-pressed ceramic tiles with water absorption levels of < 0.5% and high mechanical and chemical characteristics. The surface may be glazed or unglazed.

Refer to **Type**, to determine whether it is Porcelain, Gres Porcelain or Ceramic.

Porcelain	Impervious < 0.5%
Gres Porcelain	Vitreous > 0.51%-3%
Ceramic	Semi & Non-Vitreous > 3%



DCOF (DYNAMIC COEFFICIENT OF FRICTION)

The standard for COF for ceramic tile floors has changed! And there is now a >0.42 requirement, measured per the DCOF AcuTestSM, for level interior tiles that will be walked on when wet.

What is the DCOF AcuTest?

The DCOF AcuTest is an evaluation of the COF of a tile surface under known conditions using a standardized sensor prepared according to a specific protocol. Measurements are made with the BOT-3000, an automated and portable device that measures DCOF. The ANSI standard A137.1-2012 also allows the use of other equivalent tribometers.

IWT will continue to phase out and update where necessary the technical data for all of its product lines.

PEI RATING / ABRASION RESISTANCE CLASS – ASTM C1027-99

The PEI Rating defines the wear and durability of a tile's glazed surface.

2	Residential wall & soft-soled foot traffic
3	Residential wall & floor residential
4	Residential and light commercial floor traffic
5	Heavy and extra-heavy commercial traffic



FROST RESISTANCE


Defines whether the tile is frost resistant. Product manufactured for use where freeze and thaw conditions exist, based on water absorption may or may not be frost proof.

Yes	< 3% water absorption
No	> 3% water absorption



SHADE VARIATION

Source: Ceramic Tile Distributors Association



The color, shade or shades of all tile varies in some degree from piece to piece and from production run to run. At least several pieces from the same production should be reviewed whenever possible to determine acceptable color shade variations.

Any questions or concerns about your tile selection should be clarified prior to installation.

V1	Uniform/Low
V2	Slight/Medium
V3	Moderate/High
V4	Random/Extreme



DEEP ABRASION TEST

Surface hardness test is done to determine durability of unglazed tiles. Only tiles with test results of <175mm² pass.



VILLA REAL "Premium Products, Value Pricing"

Denotes series included in the Villa Real Program.

TERMS & DEFINITIONS



GUIDELINES & STANDARDS FOR GROUT JOINT SIZES & PATTERN CONSIDERATIONS

The TCNA handbook outlines their recommendations as to the type of grout joint to be used, regardless of size, for rectified and pressed tiles as determined by the ANSI A108.02 specification.


This specification states that regardless of size, but especially for large format tiles, rectified and pressed tiles laid with a straight or offset joint should be utilized with a minimum grout joint to take into account for warpage.

The minimum recommended grout joints are as follows:

- Pressed Tiles – 3/16" minimum grout joint regardless of pattern**
- Rectified Tiles – 1/8" minimum grout joint regardless of pattern**
- Natural Stone – 1/16" minimum, patterns may vary**

In addition, ANSI A108.02 Section 4.3.8.2 states that for running bond/joint brick patterns utilizing tiles (square or rectangle) where the side being offset is greater than 14" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the manufacture. Use constitutes acceptance.

50% - Is Not Recommended



Max 33% - Recommended



To help overcome much of the tile size and facial dimensional issues, IWT-Tesoro offers an installation system that allows for smaller grout joints to be used.

The Eventile system aligns the tile surfaces to eliminates lippage, minimizes floor prep of uneven substrates and prevents tiles from shifting while drying. *(see page.5)*




On-site production facility for custom mosaic, bullnose, and cut-to-size fabrication



Custom Mosaics

- Industry standard formats
- High-quality designer look formats
- Custom blend options available
- Turn the low value odd lots into high value trim options



2x2

3x3



2x4

4x4

Cut-to-Size

- Chipped Corners? Broken Box?
- Utilizing broken boxes reduces loss
- Reformatting your tile creates a new profit center!



(Chipped Corners)



(Broken Box)



12x24



Cut to 4x24

Custom Bullnose

- Width capabilities ranging from 2" up to 23".
- Producing bullnose up to 60" in length.
- Expertly matched glazes and finishes.
- Stocking orders or custom cut jobs.
- Special industrial grade finishes for commercial installations available.



MERCHANDISING OPTIONS



20-Slot Waterfall

Display only

Dimensions: 15" (W) x 29" (D) x 34 1/2" (H)

White: IWTDISP20SLOTWHT
Black: IWTDISP20SLOTBLA

Also Available in:

11-Slot Waterfall

White: IWTDISP11VLXTIM



PremierLux 10 Slot

Display only

Dimensions: 19" (W) x 31 3/4" (D) x 23 1/4" (H)

Black: IWTDISP10PREMLUX
Footer (Sold Separately): IWTPREMFOTTER

NaturaLux 10 Slot

Display only

Dimensions: 19" (W) x 31 3/4" (D) x 23 1/4" (H)

Black: IWTDISP10SLOTWF
Naturalux Footer (Included)



24-Slot Large Format

Display only

Dimensions: 18" (W) x 24" (D) x 21" (H)

White: IWTDISP24SLOTWHI
Black: DNDISPB24SLOTWF

Large 10 Slot

Display only

Dimensions: 14 1/2" (W) x 29 1/2" (D) x 22 3/4" (H)

Black: IWTDISPDN10SLOTL



Aquatica Tower

Display only

Dimensions: 24" (W) x 24" (D) x 72" (H)

White: IWTAQSWTOWER



TDC Gridwall Tower

Display only

Dimensions: 38" (W) x 78" (H) Without header
38" (W) x 86" (H) With header

Glossy White: IWTDISPGRIDWAWHT
Matte Black: IWTDISPGRIDWABLA



4-Slot Sliding Display

Display only

Dimensions: 24" (W) x 20" (D) x 13" (H)

(Without tile inserted)

40" (W) x 20" (D) x 13" (H)

(Fully extended, without tile inserted)

White: IWTDISPSLIDE4SLO



7-Slot Sliding Display

Display only

Dimensions: 28" (W) x 21" (D) x 16" (H)

(Without tile inserted)

44" (W) x 21" (D) x 16" (H)

(Fully extended, without tile inserted)

Glossy White: IWTDISP7SLOTWHT
Matte Black: IWTDISP7SLOTBLAC

Tesoro's Marketing and Sample Departments are able to develop custom displays to fit the ever-changing needs of our customers and the market.



Book Display

Display only: Holds up to 36" x 36" tiles

Dimensions: 57"(W) x 24"(D) x 32"(H)

Matte Black: IWTDISPBOOKBLACK
Glossy White: IWTDISPBOOKDISPL

Also Available:

Acrylic Header (Not Shown)
 IWTHEADBOKHEADER



15-Slot Large Format

Display only

Dimensions: 45"(W) x 11 3/4"(D) x 21"(H)

Black (Left Facing): EXSDISP15LLARFOR
Black (Right Facing): EXSDISP15RLARFOR



48 Wing Rack

Display only

Dimensions: 53"(W) x 25"(D) x 85"(H) With header
 53"(W) x 25"(D) x 73"(H) Without header

Matte Black: IWTDISPWING48BLA



64 Large Wing Rack

Display only:

Dimensions: 85"(W) x 19"(D) x 94"(H)

Black: POLDISPLG16WDR

Made from only the finest materials, our product lines are available in hundreds of hand-picked styles to appeal to a variety of tastes and environments.



NEW PORCELAIN & CERAMIC



<p>ALBERO</p>	<p>BELLAGIO</p>	<p>CHELSEA</p>	<p>DAMA</p>
<p>DOLOMINA</p>	<p>DOVER</p> <p>NEW SIZE</p>	<p>ETHEREAL</p>	<p>GROVES</p>
<p>ICON</p> <p>NEW ADD-ONS</p>	<p>KENTIA</p>	<p>NATIVE WOOD</p>	<p>NATURA</p>
<p>NOHO</p> <p>NEW COLOR</p>	<p>PORTOFINO</p>	<p>RELIEFS</p>	<p>SABINA</p>
<p>TINSEL</p>	<p>UDDO</p>	<p>VOLTRA</p>	<p>WALK</p>

PORCELAIN & CERAMIC

BY INTERNATIONAL WHOLESALE TILE, LLC

TESORO offers an array of Porcelain Ceramic elegantly coordinated to highlight the charming characteristics inherent in each. Utilizing our extensive sourcing capacity, supplier relationships and an experienced Design Team we strive to offer innovative, cutting-edge designs at affordable pricing. A timeless, contemporary design is our goal.

TABLE OF CONTENTS

Adrock.....13	Dover NEW!49	Larix.....90	Pulpis.....127
Aequa.....14	Esamarine.....50	Larvic.....91	Reliefs NEW!128
Agatha.....15	Ethereal NEW!51	Linea.....92	Rock Ledgerstone.....129
Agra Fort ☀.....16	Evolution.....52	Linewood.....93	Rover.....130
Alaska ☀.....17	Finlandia.....53	Lizart ☀.....94	Royal Oakmont ☀.....131
Albatross.....18	Form.....54-56	Lucca.....95	Sabina NEW!132
Albatross Hex.....19	Fratto.....57	Luminus ☀.....96	Shellstone.....133
Albero NEW!20	Fuoritono.....58-59	Madras.....97	Soho.....134-137
Alcazar.....21	Fusion Fabric.....60	Majestic.....98	Super ☀.....138
Allegheny.....22	Galaxy.....61	Malheur.....99	Taj Mahal.....139
Altea.....23	Gallery Porcelain.....62	Marmi.....100	Tavol ☀.....140
Aravali ☀.....24	Glassalike.....63	Marrakech.....101	Terreno ☀.....141
Argos.....25	Gleeze.....64	Marrow.....102-103	Tinsel NEW!142-143
Armani ☀.....26	Graffiti.....65	Mayfair.....104-107	Tirreno Toscane ☀.....144
Asha Onice ☀.....27	Groves NEW!66	Memento.....108	Tivolazio.....145
Aspen ☀.....28	Grunge.....67	Merrick ☀.....109	Trunk.....146
Bellagio NEW!29	Havana.....68	Missouri ☀.....110	Turin ☀.....147
Bella Legno.....30	Hawa Mahal.....69	Mother of Pearl.....111	Tuscany.....148
Bosco.....31	Helena.....70	Native Wood NEW!112	Uddo NEW!149
Buteo ☀.....32	Hydra Isles.....71	Natura NEW!113	Venatto NEW!150
Cami ☀.....33	Icon ☀ NEW!72-73	Neo ☀.....114	Vetri.....151
Castello ☀.....34	Indigo.....74	Ninsba ☀.....115	Vibrant.....152
Chelsea NEW!35	Industrial NEW!75	Noe.....116	Voltra NEW!153
Chicago Brick.....36	Isla.....76	Noho NEW!117	Vulcani.....154
Classic (Wall) ☀.....37	Joyful.....77	Ocean.....118	Walk NEW!155
Cortina.....38	Kalkarea NEW!78	Old Savannah.....119	Whisteria ☀.....156
Cosmos.....39	Kasbah.....79	Olimpo.....120	Yosemite.....157
Cotto Del Campiano.....40-43	Kentia NEW!80	Oyster.....121	Zafira ☀.....158
Craft.....44	Krea.....81	Paonazzo.....122	Zerra Annex.....159
Crayons.....45	La Dolce Vita NEW!82-84	Portofino.....123	
Dama NEW!46	La Marca.....85-87	Powder.....124	
Dany.....47	Lapietra ☀.....88	Prisma ☀.....125	
Dendric ☀.....48	Lanse.....89	Pukka.....126	

Learn more at www.iwttesoros.com 



Galaxy Blue [Pg. 61]

FIELD TILE



Espresso



Frost



Latte



Nickel



Shadow



Shown: Latte 12x24

SPECIFICATIONS

Application	Floor
Visual	Stone
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20


SIZES




12x24 Matte



3x24 Bullnose Matte



2x2 Mosaic
Matte 12x12 Sheet
(1PC per SF)



2x6 Staggered Mosaic
Matte 12x12 Sheet
(1PC per SF)



V3



Made in USA

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Castor



Cirrus



Nix



Silva



Tur



Shown: Tur 12x48

SPECIFICATIONS

Application	Floor
Visual	Wide Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30



SIZES



12x48 Matte



Aequa Castor

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Blue



Cream



MADE WITH
REAL 24K GOLD*



Shown: Cream 4x24 Glossy

SPECIFICATIONS

Application	Wall
Visual	Stone
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Random/Extreme
Screens/Faces	6

SIZES



4x24 Glossy



12x36 Glossy

Note: Wall use only. Not rated for floor use.
*All colors and sizes include 24 Karat Gold in the glaze



Blue 4x24



V4



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Bianco



Gris



Natural



Taupe



Shown: Taupe 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium, *Moderate/High
Screens/Faces	8



(*Natural & Bianco)



SIZES



8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



White




Shown: White 24x24 Matte


SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x48, 24x24 (6), 12x24 (12)

SIZES




24x48 Matte & Polished




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose
Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Cream



Deep Sea



Grey



Pumice



Sea



Sky




Smoke




White



Smoke Arrow Deco




Deep Sea, Sky, Grey



Pumice, Smoke, White



Sea, Cream, Grey



White, Cream, Pumice



Shown: Smoke 3x12


SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES




3x12 Wall
Glossy



3x12 Arrow Deco Wall
Glossy



3x12 Wall Bullnose
Glossy



.75" Penny Round Blend
Mosaic Matte & Glossy
12x11.5 Sheet (1.04 Pc. per SF)



V2



Made in Spain


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALBATROSS HEX

PRESSED




FIELD TILE




Cream

Sea




Deep Sea

Sky



Grey

Smoke



Pumice

White



Deco Hex
(Deep Sea)*




Shown: Deep Sea 7x8 Glossy Hex

SPECIFICATIONS

Application	Wall
Visual	Artisan Hex
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES



7x8
Matte & Glossy
Hex

7x8
Matte & Glossy
Deco Hex



V2 Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bosco



Pianta



Shown: 8x24 Pianta Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Ceramic
Slip Resistant	No
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	8



V3



Made in Brazil

SIZES



8x24

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Cream



Nut



Pearl



Shown: Nut 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	15

SIZES



9x48 Matte



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALLEGHENY

RECTIFIED



FIELD TILE



Beige



Blanco



Gris



Natural



Taupe



Shown: Gris 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6



V3 Made in Ecuador



SIZES



8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE




Ash Blue 4x4 (Range)



Matcha 4x4 (Range)



Smoke 4x4 (Range)



Thistle Blue 4x4 (Range)



White 4x4 (Range)




Shown: Ash Blue 4x4

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	3
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES



Altea White 3x6



V2 Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Onyx



Shown: Onyx 24x24 Matte


SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)



Made in India


SIZES



24x24 Matte & Polished



12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ARGOS (SATIN & TEXTURED)

PRESSED



FIELD TILE



Atelier White (Satin)



Dolomite (Satin)



Black (Textured)



Thassos Gold (Satin)



White (Textured)

SPECIFICATIONS (TEXTURED)

Application	Floor & Wall
Visual	Solid Color
Type	Pressed Porcelain
Slip Resistance	No
PEI Rating	Black: 3, White: 4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1



Shown: Thassos Gold 19x22 Satin Hex


SPECIFICATIONS (SATIN)

Application	Floor & Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	20

SPECIFICATIONS (ATELIER WHITE SATIN)

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	16

SIZES



19x22 Satin & Textured Hex



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Light Grey



Shown: Light Grey 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (20), 24x24 (10)




V2



Made in India

SIZES




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Grigio




Shown: Grigio 24x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)

SIZES



V3



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Noce



White



Shown: Beige 6x26 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	9



V2



Made in Turkey


SIZES



6x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



White Neve



White Lecco Deco



Shown: 24x48 White Neve, White Lecco

SPECIFICATIONS

Application	Wall
Visual	Flat, Floral High Relief
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Uniform/Low
Screens/Faces	1




V1



Made in Spain

SIZES



24x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Avana



Bianco



Brown



Grigio



Natural



Shown: Brown 12x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	21



V3



Made in Italy

SIZES



12x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Light Grey



Teak



Shown: Teak 8x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10

SIZES



8x48 Matte




V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Cream



Grey



White



Surge (Shown: White)



Tide (Shown: White)



Drift (Shown: White)



Shown: White 5x16 Surge Glossy


SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

SIZES



5x16 Glossy & Matte*



5x16 Surge
Glossy & Matte*



5x16 Tide
Glossy & Matte*



3x12 Glossy & Matte*



3x12 Drift
Glossy & Matte*



V2



Made in Ecuador

*Matte only available in White

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Levante



Nuvole



Ponente



Sereno



Shown: Ponente 20x20

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (12 20x20 (6)




V3



Made in India

SIZES




20x20 Matte



12x24 Matte



3x24 Bullnose Matte



3x3 Mosaic
Matte 12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige




Shown: Beige 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Coffee House



High Line



King's Road



Main Street



Whitehall



Shown: 2.5x10 King's Road

SPECIFICATIONS

Application	Floor & Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme

SIZES



2.5x10 Matte



V4



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CHICAGO BRICK

PRESSED



FIELD TILE



Old Chicago



South Side**



State Street ***



Wrigley****



City Mix (South Side shown)

Please Note:
 8x16 and 8x8 can be utilized in a modular pattern.
 The Chicago brick name appears in each color approximately four times in every 56, 4x8 brick. The City Mix is available in Old Chicago & South Side. There are 26 designs and are available in one box only. Names cannot be ordered separately and are randomly packed.




Shown: Wrigley 4x8

SPECIFICATIONS

Application	Floor/Wall
Visual	Reclaimed Chicago Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8x16 & 9x11 (40), 4x8 (56)



SIZES



16x16 Matte




8x16 Matte




8x8 Matte



4x8 Matte



9x11 Matte Hexagon




3x3 Staggered Mosaic Matte 12x16 Sheet

**South Side is no longer available in 16x16
 ***State Street is no longer available in 16x16, 8x16, 8x8, 3x3 staggered mosaic
 ****Wrigley is no longer available in 8x8, 8x16, 16x16

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



White



Undulated Picket
(White Shown)



Beveled White




Shown: White 2x8 Matte

SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES



V2



Made in Vietnam

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



FIELD TILE



Almond



Honey



Natural



Tobacco



Shown: Almond 10x60

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	30



V4



Made in Italy

SIZES



10x60 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Calcare



Ossido



Cemento



Gesso



Grafite



Shown: Cemento 12x24 (textured outdoor finish)

SPECIFICATIONS

Application	Floor
Visual	Stone Quarzite
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	26

SIZES



12x24 Textured Outdoor



Cosmos Calcare



V3



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

COTTO DEL CAMPIANO

PRESSED

FIELD TILE



Cotto Dorato



Giallo Umbria



Rosso Siena



Terra di Pienza




SPECIFICATIONS

Application	Floor & Wall
Visual	Cotto
Type	H.D.I.T. Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Extreme/Random
Screens/Faces	16x24 (30), 16x16 (25), 8x16 (30), 8x8 (35), 4x8 (65), 6x7 (30)




V4 Made in Italy

SIZES



16x24



16x16*



8x16*



8x8



4x8




6x7 Hex

*Only included in modular pattern.

Note: Modular pattern contains 6 pieces in 4 different sizes. 16x24(1), 16x16(2), 8x16(1), & 8x8(2)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Shown: Cotto Dorato 16x24



Terra di Pienza 16x24, 16x16, 8x16, & 8x8



Giallo Umbria 16x24

COTTO DEL CAMPIANO (CONTINUED)

PRESSED

FIELD TILE



Bianco Antico



Mix Deco*



Terre Emiliane Mix*†




Shown: Bianco Antico & Mix Deco 8x8

SPECIFICATIONS

Application	Floor & Wall
Visual	Cotto
Type	H.D.I.T. Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	8x8 (35), 6x7 (30)

SIZES



V2



***Please Note:** This material is packaged randomly. We are unable to accommodate requests for specific colors/faces. No specific deco or combination of decos can be assumed within an individual box.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Mix Deco 8x8 (Range)



Terre Emiliane Mix 8x8 (Range)



Mix Deco 6x7 Hex (Range)



Terre Emiliane Mix 6x7 Hex (Range)



Terre Emiliane Mix 6x7 Hex



Bianco Antico 8x8

FIELD TILE



Cotton



Quilt




Rope



Wool



Yarn



Mosaic (Cotton shown)



Shown: Rope 12x24

SPECIFICATIONS

Application	Floor
Visual	Fabric
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	16



V2



Made in USA


SIZES



12x24 Matte



3x24 Matte Bullnose



2x2 Matte Mosaic
12x12 Sheet



POWERFUL ACTION

eliminates microbes and prevents their reproduction



CONTINUE PROTECTION

always active, 24 hours a day, with and without sunlight



ETERNAL EFFECTIVENESS

thanks to the technology permanently integrated into the product



GUARANTEED QUALITY

by the partnership with **MICROBAN**

*Made with a three color combination; Cotton, Quilt & Yarn Only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bright White Glossy



Caramel Glossy



Charcoal Glossy



Matte White



Smoke Glossy



Storm Glossy



Shown: Bright White Glossy 3x12

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium




V2




Made in Italy

SIZES



3x12 Glossy Picket



3x12 Matte Picket*



1/2x12 Quarter Round Trim

*Only Available in Matte White.
Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Crayons Caramel

FIELD TILE



Bardiglio



Botticino




Carrara



Nero



Pulpis



Verde



Shown: Nero, Carrara 10x10

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4, (Nero, Pulpis 3)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x10 (16), 2.5x10 (90)

SIZES



10x10 Matte




2.5x10 Matte



V2



Made in Italy



Shown: Classico, Pulpis 2.5x10

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Cocco (Range)



Ghiaccio (Range)



Mirtillo (Range)



Vaniglia (Range)



Shown: Mirtillo 6.25x15.25

SPECIFICATIONS

Application	Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30




V3



Made in Italy

SIZES



6.25x15.25 Matte
Interlocking Brick Porcelain



Dany Ghiaccio

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Statuary



Shown: Statuary 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	40



V2




Made in India

SIZES



12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Camel



Sand



White

DOVER
coordinates with
LINWOOD
WALL TILE!



Shown: White 10x60 Matte

SPECIFICATIONS SIZES

Application	Wall & Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4 (White) 3 (Sand, Camel)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x60 (21), 12x71 (19)



10x60 Matte



12x71 Matte **NEW!**



Shown: Linewood Coordinating Wall Collection



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



Bianco Hex



Petrolio Hex



Verde Hex



Shown: Verde 6.25x7.25 Hex

SPECIFICATIONS

Application	Wall
Visual	Solid Color Hex
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	20




V3



Made in Italy

SIZES



6.25x7.25 Glossy Hex

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige




Beige Deco



White



White Deco



Shown: Beige Matte, Beige Deco 12x36

SPECIFICATIONS

Application	Wall
Visual	Cross Cut Travertine
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	Field (15), Deco (2)

SIZES



12x36 Matte



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

EVOLUTION

RECTIFIED



FIELD TILE



Grey



Sugar



Titanium



White



Shown: Titanium 24x48 & 12x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	H.D.I.T Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (36), 24x24 (24), 24x48 (12)




V3



Made in Italy

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Abedul



Acacia



Arce



Shown: Arce 24x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	6



V4



Made in Spain

SIZES



24x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FORM

PRESSED

FIELD TILE



Graphite



Ice



Ivory



Sand



Tide



Shown: Ice Baroque 8x8


SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme*
Screens/Faces	20

SIZES




8x8 Matte



2x8 Matte
Bullnose



8x8 Matte
Deco



7x8 Matte
Hex



V4*



Made in Turkey

*Solid colors are V2. All others are V4.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Ice Baroque




Ice Clover



Ice Compass



Ice Diamond



Ice Zenith



Sand Baroque




Sand Clover



Sand Compass



Sand Diamond



Sand Zenith



Tide Baroque



Tide Clover



Tide Compass



Tide Diamond



Tide Zenith



Monochrome Geo



Monochrome Lotus



Monochrome Stella



Ice Northstar



Sand Northstar



Tide Northstar



Form Tide Diamond



Form Sand

FORM (CONTINUED)

PRESSED



FIELD TILE



Graphite Hex



Graphite Frame Hex



Ice Hex



Ice Frame Hex



Ivory Hex



Ivory Frame Hex



Sand Hex



Sand Frame Hex



Tide Hex



Tide Frame Hex



Ice Deco Blend (Range)



Sand Deco Blend (Range)



Tide Deco Blend (Range)



Shown: Ice Hexagon 7x8

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme*
Screens/Faces	20



V4*



Made in Turkey


SIZES




8x8 Matte



8x8 Matte Deco



2x8 Matte Bullnose



7x8 Matte Hex



Form Sand Deco Blend

*Solid colors are V2. All others are V4.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Bianco



Greige



Gris



Shown: Beige 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4, 5 (Bianco)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (44), 24x24 (22), 24x48 (11)




V2



Made in Poland

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FUORITONO

PRESSED

FIELD TILE



Beige 4x12 (Range)



Bianco 4x12 (Range)




Grigio 4x12 (Range)



SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4 (Bianco only - PEI Rating 5)
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	4x12 (30), Hexagon (16)

SIZES



9.25x10.75
Glossy & Matte Hex



4x12 Glossy & Matte



V4



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Muschio 4x12 (Range)



Nero 4x12 (Range)



Petrolio 4x12 (Range)



Shown: Nero Hex & Hex, Bianco 4x12



Fuoritono Bianco & Nero 4x12 Matte



Fuoritono Petrolio 4x12

FUSION FABRIC

PRESSED



FIELD TILE



Carbon



Chalk



Graphite



Greige



Sand



Silver



Shown: Graphite 12x24

SPECIFICATIONS

Application	Floor
Visual	Concrete Linen
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20



V3



Made in USA


SIZES




12x24 Matte



3x24 Matte Bullnose



2x2 Matte Mosaic
12x12 Sheet



2x6 Matte Mosaic
12x12 Sheet

FIELD TILE



Beige



Blue



Brown



Grey



Shown: Beige 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	H.D.I.T. Rectified Porcelain
Slip Resistant	No
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	17



V3



Made in Spain

SIZES



24x48 Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GALLERY PORCELAIN MOSAICS

PRESSED



FIELD TILE



Marble Satin 3x3 Mosaic



Tuscan Beige 3x3 Mosaic



Marble Satin
2" Hex Mosaic



Tuscan Beige
2" Hex Mosaic



Biscuit Textured 3x3
Mosaic



Tuscan Bianco 3x3 Mosaic



Biscuit Textured
2" Hex Mosaic



Tuscan Bianco
2" Hex Mosaic



Light Grey Textured 3x3
Mosaic



Tuscan Grigio 3x3 Mosaic



Light Grey Textured
2" Hex Mosaic



Tuscan Grigio
2" Hex Mosaic



White Textured 3x3
Mosaic



White Textured
2" Hex Mosaic



Biscuit Textured
2x4 Mosaic



Light Grey Textured
2x4 Mosaic



White Textured
2x4 Mosaic




Shown: White Textured 2" Hex Mosaic




SPECIFICATIONS

Application	Floor & Wall
Visual	Fume
Type	Pressed Porcelain
Slip Resistant	Yes (Textured Only)
PEI Rating	N/A
Frost Resistant	Yes
Shade	Slight/Medium


SIZES



3x3 Textured Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)



2" Textured
Hex Mosaic
11x12.5 Sheet
(1.04 Pcs per SF)



2x4 Textured
Staggered Mosaic
11.25x11.5 Sheet
(1.11 Pcs. per SF)



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Azzuro Block



Bianco Block



Blu Block



Grigio Block



Lime Block



Nero Block



Rosa Block



Taupe Block



Bianco



Grigio



Nero



Taupe



Azzuro Fluted



Azzuro Groove



Shown: Lime Groove 4x12 (Wall) & Nero 12x24 (Floor)



SPECIFICATIONS

Application	Floor & Wall
Visual	Glass Block & Fluted Glass
Type	Pressed Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	2, 3 & 4*
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	30

SIZES



12x24 Matte



4x12 Block
(Glossy & Matte*)



4x12 Fluted Glossy



4x12 Groove Glossy



4x12 Bullnose



V4



Made in Italy

*Glossy: PEI 2 (Blu & Nero), PEI 3 (Grigio), PEI 4 (Bianco, Taupe, Azzurro, Rosa & Lime). Matte: PEI 3 (Nero), PEI 4 (Bianco, Taupe & Grigio)
*Matte is only available in colors Bianco, Taupe, Grigio & Nero.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige 4x4 (Range)



Beige 4x4 Egg Deco



Beige 3x8 Eye Deco



Bianco 4x4 (Range)



Giada 4x4 (Range)



Grigio 4x4 (Range)



Turchese 4x4 (Range)



Shown: Beige 4x4 & Beige Egg Deco 4x4

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume
Type	Pressed Porcelain
Slip Resistant	Not Rated
PEI Rating	4 (Decos Not Rated)
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	40




V4



Made in Italy

SIZES

 4x4 Glossy	 4x4 Glossy 3D Egg Deco
 2x6 Glossy	
 3x8 Glossy	 3x8 Glossy 3D Eye Deco
 .5 x 11.75 Quarter Round Glossy	




Gleeze Grigio 3x8 Eye Deco

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



Acquamarine




Beige




Blue



Sky



White



Nolita Pearl



Nolita Sand



Nolita Sunset



Shown: White 2x18 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Brick
Type	Pressed Porcelain
PEI Rating	4 (Nolita Sand, Nolita Pearl & White 5)
Slip Resistant	Yes
Frost Resistant	Yes
Shade Variation	Slight/Medium*
Screens/Faces	70



V2




V3

*(All Nolita)



Made in Italy

SIZES



2x18 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Honey



Sand



Walnut



Shown: Sand 10x63 & 36x36 Intarsio Deco

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Plank/Parquet
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x36 (9), 36x36 (4)




V2



Made in Italy

SIZES



36x36 Intarsio Deco Matte



10x63 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Aqua (Range)



Blue (Range)



Grey (Range)



Iron (Range)



Oxid (Range)



Aqua Picket (Range)



Shown: Iron 3x12

SPECIFICATIONS

Application	Wall
Visual	Oxidized Brick
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	24



V3





Made in Spain

SIZES

 3x12 Wall Matte

 3x12 Wall Bullnose Matte

 2x10 Picket Matte*

 5/8x12 Quarter Round Matte

*Available in Aqua, Blue, Iron & Oxid only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Grunge Blue

FIELD TILE



Cohiba



Malecon



Mojito



Old Havana Mix¹



Sky



Sugar Cane



Tropicana



4x8 Cuba Deco Mix³



8x8 Finca Deco Mix²



8x8 Floridita Deco⁶



Shown: Havana Sugar Cane 8x16


SPECIFICATIONS

Application	Floor & Wall
Visual	Cuban-Inspired Weathered Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	16x16 Sugar Cane (14), Cohiba (19) Malecon (18), 8x16 (25), 8x8 (40), 4x8 (56)



V4 Made in Italy

SIZES



- 1 Old Havana Blend. Available only in 4x8.
- 2 Finca Deco Mix. Available only in 8x8.
- 3 Cuba Deco Mix. Available only in 4x8.
- 4 16x16. Available only in Cohiba, Malecon, and Sugar Cane.
- 5 4x16x2 Stair Tread. Available only in Cohiba, Malecon, and Sugar Cane.
- 6 Floridita Deco special order only.

Please Note:
The 4x8 Cuba Deco Mix is available in 12 unique designs, with 36 total pieces packed randomly in one box.
The 8x8 Finca Deco Mix is available in 12 stunning designs, with 26 pieces packed randomly per box.
Names and Designs cannot be ordered separately and are randomly packed.

FIELD TILE



Beige



Bianco



Gris



Taupe



Shown: Beige 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	8

SIZES



8x48



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Blanco



Gris



Taupe



Shown: Blanco 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

SIZES



8x48 Matte



V3 Made in Ecuador

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

HYDRA ISLES

RECTIFIED



FIELD TILE




Grey



Silver



White



Mosaic (White)



Shown: Grey 20x20

SPECIFICATIONS

Application	Floor
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	20x20 (6), 12x24 (8)

SIZES




20x20 Matte



12x24 Matte



3x24 Bullnose Matte



3x3 Mosaic
11.75x11.75 Sheet
Matte



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Creta **NEW!**



Mixit Blanco Art **NEW!**



Mixit Blanco Concept **NEW!**




Mixit Blanco Plain **NEW!**



Serene Bianco



Snow



Super White Plain* **NEW!**



Super White Wind* **NEW!**



SPECIFICATIONS

Application	Wall
Visual	Décor Wall
Type	Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

SIZES



12x36 Matte*



V2



Made in Spain

*Available in Matte & Glossy

Note: Wall use only. Not rated for floor use.


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.




Shown: Mixit Blanco Art & Mixit Blanco Plain 12x36 Matte



FIELD TILE



Calacatta Blue



Shown: Calacatta Blue 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	6




V3



Made in India

SIZES



12x24
Matte & Polished


24x48
Matte & Polished




3x24 Bullnose
Matte & Polished



4x12 Polished



3" Hex Mosaic
Matte & Polished
12x12 sheet



Basketweave Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Grey



Old Rose



Rainbow




Shown: Grey 6.25x15.25 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Grunge Brick
Type	Pressed Gres Porcelain
PEI Rating	5 (R-10)
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	14

SIZES



6.25x15.25 Matte



V4




Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



White



Shown: White 12x24

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20


SIZES



12x24 Matte



3x24 Bullnose Matte



3x3 Mosaic
12x12 Sheet
Matte



V3



Made in Turkey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Aqua



Ash



Avocado



Azure



Bone



Cherry



Greige



Lava



Lime



Mango



Milk



Navy



Papaya



Pitaya



Sage



Sky



Steel



Turquoise



Shown: Azure 4x16, Mango 4x16 & Milk 4x16



SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium



V2



Made in Italy

SIZES



4x16 Wall Glossy



3/8x8 Quarter Round Trim Glossy



Joyful Turquoise

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Ivory



Pearl



White



Shown: 24x48 Ivory Outdoor

SPECIFICATIONS

Application	Floor & Wall
Visual	Limestone look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (96), 24x48 (24)



V2




Made in Italy


SIZES



24x48 Matte
Outdoor finish also available



3x3 Mosaic Matte
12x12 Sheet
(1 Pc Per SF)
Indoor finish only



3" Hex Mosaic Matte
12x12 Sheet
(1 Pc. per SF)
Indoor finish only

Special order available in 48x48 (indoor finish), 24x24 2cm paver & 24x48 2cm paver
(Stocked in Italy. Call for ETA)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Shown: Fawn Matte Base & Star

SPECIFICATIONS

Application	Floor & Wall
Visual	Solid Color
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	48




Made in Spain

SIZES



4.75x4.75
Matte Base



6.5x6.5
Matte Star




1.25x1.25 Taco
Matte & Glossy



Mud Matte Base & Star

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Crayon White



Crayon White Palm



Shown: Crayon White Palm Deco 12x36

SPECIFICATIONS

Application	Wall
Visual	Solid/Floral
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Uniform/Low
Screens/Faces	1

SIZES




12x36 Glossy



V1 Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



Arctic



Arctic Ripple



Arctic Station



Shown: 4x16 Arctic , Arctic Ripple

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium



V2



Made in USA

SIZES



4x16 Matte & Glossy Wall



1/4x8 Quarter Round Trim

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LA DOLCE VITA

RECTIFIED

FIELD TILE



Audrey Bianco



Marilyn Beige



Sophia Grigio



SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (40), 24x24 (28) 24x48 (14)




V2*



Made in Italy

SIZES



24x48

24x24

12x24

4x12**

3x12 Bullnose

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Brigitte

Elizabeth



Shown: Audrey Bianco 24x24

** Not available in Brigitte & Elizabeth

LA DOLCE VITA (MOSAICS)

RECTIFIED



FIELD TILE



Audrey Bianco
Onda




Marylin Beige
Onda



Sophia Grigio
Onda




Audrey Bianco
Rombo



Marylin Beige
Rombo



Sophia Grigio
Rombo



Audrey Bianco
2x2 Basketweave



Marylin Beige
2x2 Basketweave



Sophia Grigio
2x2 Basketweave



Audrey Bianco
2" Hex




Marylin Beige
2" Hex



Sophia Grigio
2" Hex



Brigitte
Chisel Brick



Brigitte
Basketweave




Brigitte
Diamante



Brigitte
Herringbone



Elizabeth
Chisel Brick




Elizabeth
Basketweave



Elizabeth
Diamante



Elizabeth
Herringbone



Shown: Brigitte Herringbone

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium*
Screens/Faces	12x24 (40), 24x24 (28) 24x48 (14)




V2*




Made in Italy


SIZES




Diamante Mosaic
14.25x11 Sheet†




Basketweave Mosaic
11.5x11.5 Sheet†



Herringbone Mosaic
12x9.75 Sheet†




Brick Chisel Mosaic
11.75x11.75 Sheet†




9x12 Rombo
Mosaic Sheet‡



10x11 Onda
Mosaic Sheet‡



2x2 Basketweave
11.75x11.75 Sheet‡



2" Hex Mosaic
11x11.5 Sheet‡

* Audrey Bianco is [V4]
† Brigitte & Elizabeth
‡ Marilyn Beige, Audrey Bianco
& Sophia Grigio

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Arabescato



Paradiso Argento




Calacatta Paonazzo



Statuarietto



Carrara Gioia



Statuario Nuovo



Nero Venato



Travertino Instrata



Onyx Nuvolato



Shown: Statuarietto 24x48 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI	4
Frost Resistant	Yes
Shade	Slight/Medium
Screens/Faces	24x48 (30), 24x24 (54), 32x32 (30), 12x24 (60)



V2




Made in India



Made in Turkey

SIZES




24x48 Matte & Polished



4x12 Matte & Polished



3x12 Bullnose Matte & Polished



32x32 Matte & Polished*



24x24 Matte & Polished*

*Not Available in Travertino Instrata

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LA MARCA (MOSAICS)

RECTIFIED

FIELD TILE



Arabescato Modella Mosaic



Calacatta Ponazzo Modella Mosaic



Carrara Goia Modella Mosaic



Paradiso Argento Modella Mosaic



Statuarietto Modella Mosaic



Statuario Nuovo Modella Mosaic



Arabescato Picco Mosaic



Calacatta Ponazzo Picco Mosaic



Carrara Goia Picco Mosaic



Paradiso Argento Picco Mosaic



Statuarietto Picco Mosaic



Statuario Nuovo Picco Mosaic

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI	4
Frost Resistant	Yes
Shade	Slight/Medium
Screens/Faces	24x48 (30), 24x24 (54), 32x32 (30), 12x24 (60)



V2




Made in India




Made in Turkey


SIZES




2" Hex Mosaic
Matte & Polished
11.75 x 13.25 Sheet



Modella Polished
13.75 x 11.75 Sheet**
††



Picco Matte
8x8 Sheet* ††



2x2 Mosaic Matte
11.75x11.75 Sheet*

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Arabescato
6" Hexagon Mosaic



Calacatta Paonazzo
6" Hexagon Mosaic



Arabescato
2" Hexagon Mosaic



Calacatta Paonazzo
2" Hexagon Mosaic



Carrara Gioia
2" Hexagon Mosaic



Nero Venato
2" Hexagon Mosaic



Carrara Gioia
6" Hexagon Mosaic



Nero Venato
6" Hexagon Mosaic



Onyx Nuvolato
2" Hexagon Mosaic



Paradiso Argento
2" Hexagon Mosaic



Statuarietto
2" Hexagon Mosaic



Statuario Nuovo
2" Hexagon Mosaic



Onyx Nuvolato
6" Hexagon Mosaic



Paradiso Argento
6" Hexagon Mosaic



Travertino Instrata
2" Hexagon Mosaic



Arabescato
2"x2" Mosaic



Calacatta Paonazzo
2"x2" Mosaic



Carrara Gioia
2"x2" Mosaic



Statuarietto
6" Hexagon Mosaic



Statuario Nuovo
6" Hexagon Mosaic



Nero Venato
2"x2" Mosaic



Onyx Nuvolato
2"x2" Mosaic



Paradiso Argento
2"x2" Mosaic



Statuarietto
2"x2" Mosaic



Travertino Instrata
6" Hexagon Mosaic




Statuario Nuovo
2"x2" Mosaic



Travertino Instrata
2"x2" Mosaic



Shown: Paradiso Argento Picco Matte Mosaic



6" Hex Mosaic
Matte & Polished
11.5x12 Sheet

*Matte only.
**Polished only
†Not Available in Travertino Instrata
**Not Available in Travertino Instrata, Nero Venato or Onyx Nuvolato

FIELD TILE



Beige



Shown: Beige 24x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (22)




V2



Made in India


SIZES



24x24 Matte & Polished



12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE




Black (Range)



Blue (Range)



Grey (Range)



White (Range)



Mint (Range)



Navy (Range)



Silver (Range)*



Gold (Range)*



Shown: Blue 2x10

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	White Body Ceramic
Slip Resistant	Not rated
PEI Rating	3
Frost Resistant	No
Shade Variation	Moderate/High

SIZES



Made in Spain

* Must be sealed if installed in wet areas.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Fresh



Natural



Shade



Sun



Shown: Shade 6x30

SPECIFICATIONS

Application	Floor
Visual	Textured/Weathered Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	10x60 (36)



V3



Made in Italy

SIZES



10x60 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Blanco



Ceniza



Cerezo



Haya



Shown: Cerezo 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	15

SIZES



9x48 Matte




V3



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE




White Amplitude



White Modulation



White Oblique



White Plane



White Prismatic



Shown: White Modulation 12x24

SPECIFICATIONS

Application	Wall
Visual	Modern Pattern
Type	Rectified Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium



V2

SIZES



12x24

1/4x12 Quarter Round Trim

Note: Wall use only. Not rated for floor use.
 Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Ice




Shown: Ice 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)



SIZES




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose
Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Calacatta



Volakis



Crema Marfil



Dolomite



Onyx



Statuario



Shown: Volakis 12x24, 3" Hex Matte


SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (16) Onyx (24), Crema Marfil (20) 24x48 (6) Dolomite & Volakis (4) 24x24 (8)





V3 Made in India

SIZES



24x48 Matte & Polished



*Available in polished only.


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



FIELD TILE



Perla



Shown: Perla 12x24 Matte


SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	48

SIZES



12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bianco



Grigio



Perla



Shown: Grigio 24x24

SPECIFICATIONS

Application	Floor
Visual	Onyx
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	48x48 (3), 24x48 (4), 32x32 (4), 24x24 (8), 12x24 (6)




V3



Made in India

SIZES



*Available in Polished only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Gold



Gris



Perla



Shown: Gold 13x26

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified* Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	12x24 (PEI 3), 13x26 (PEI 4)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	17

SIZES




12x24 Glossy




3x24 Glossy Bullnose



13x26 Matte



3x26 Matte Bullnose



3x3 Matte Mosaic
12x12 Sheet



V3



Made in Spain

*12x24 Rectified. 13x26 Pressed.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Sand



Tobacco



White



Shown: White 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

SIZES



8x48 Matte



V3 Made in Ecuador



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Black

Grey

White



Shown: Black 6.25x15.25

SPECIFICATIONS

Application	Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30



V3



Made in Italy

SIZES



6.25x15.25
Ledger Field Tile
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



Green



Ivory



Ocean



Seawater



White




Light Blue



Total White



Total White (Matte)



Shown: 2x8 Total White Matte & Glossy

SPECIFICATIONS

Application	Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	No
PEI Rating	†
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	N/A

SIZES



4x4 Glossy*



2x8 Glossy*



.2x8 Quarter Round Glossy*



V2



Made in Italy




Made in Spain

† PEI 3 (Ocean, Green); PEI 4 (Light Blue, Sea Water); PEI 5 (Total White, Ivory, White)
* Total White Available in Matte & Glossy

4x4 Made in Spain, 2x8 and Quarter Round Made in Italy.

FIELD TILE



Cream



Grey



Ice Blue



SPECIFICATIONS

Application	Wall
Visual	Solid Color & Deco
Type	Pressed Ceramic
Slip Resistance	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1




V2



Made in Ecuador

SIZES



3x12 Picket
Glossy, Matte (White Only)



3x12 Picket Deco
Glossy, Matte (White Only)

Please Note: Decos are packaged and sold separately from field tile.


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Shown: White Glossy Deco Picket



Midnight



Seafoam



White



Midnight Glossy Field



Seafoam Glossy Field

MAYFAIR

RECTIFIED

FIELD TILE



Allure Ivory



Calacatta Oro



Statuario Venato



Stella Argento



SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x48 (12), 24x24 (25), 16x32 (56) 10.5x32 (55), 12x24 (48)



V2




Made in Turkey

SIZES



24x48 Polished**



24x24 Matte & Polished#

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Strada Ash



Suave Bianco



Volakas Grigio



Zebrino Grigio



Shown: Zebrino Grigio Matte 16x32



16x32 Matte & Polished



3x24 Matte & Polished Bullnose



3x12 Matte & Polished Bullnose



10.5x32 Polished*§



4x12 Polished*



12x24 Matte & Polished

*Polished only.

†Available only in Calacatta Oro, Statuario Venato, Strada Ash, Suave Bianco, Volakas Grigio & Zebrino Grigio.

‡Available only in Allure Ivory, Calacatta Oro, Statuario Venato, Stella Argento & Volakas Grigio.

§Available only in Calacatta Oro, Statuario Venato & Volakas Grigio.


MAYFAIR (CONTINUED)

RECTIFIED

FIELD TILE



Calacatta Oro Piazza Mosaic



Statuario Venato Piazza Mosaic



Strada Ash Piazza Mosaic



Suave Bianco Piazza Mosaic




Volakas Grigio Piazza Mosaic



Zebrino Grigio Piazza Mosaic



Calacatta Oro Arabesque Mosaic



Statuario Venato Arabesque Mosaic



Volakas Arabesque Mosaic




SPECIFICATIONS


Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (12), 24x24 (25), 16x32 (56) 10.5x32 (55), 12x24 (48)




Made in Turkey



2x2 Matte & Polished
Basketweave Mosaic
11.75x11.75 Sheet
(1.04 Pcs. Per SF)



1.25" Polished
Hexagon Mosaic
12x12 Sheet*
(1Pc. Per SF)




Arabesque Polished
11.75x11.75 Sheet**
(1.04 Pcs. Per SF)

*Polished only.


**Available only in Calacatta Oro, Statuario Venato, Strada Ash, Suave Bianco, Volakas Grigio & Zebrino Grigio.

†Available only in Calacatta Oro, Statuario Venato & Volakas Grigio.


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



2x2 Allure Ivory Basketweave Mosaic



2x2 Calacatta Oro Basketweave Mosaic



2x2 Statuario Venato Basketweave Mosaic




2x2 Stella Argento Basketweave Mosaic



2x2 Strada Ash Basketweave Mosaic



2x2 Suave Bianco Basketweave Mosaic



2x2 Volakas Grigio Basketweave Mosaic




2x2 Zebrino Grigio Basketweave Mosaic



1.25x1.25 Allure Ivory Hexagon Mosaic



1.25x1.25 Calacatta Oro Hexagon Mosaic



1.25x1.25 Statuario Venato Hexagon Mosaic




1.25x1.25 Stella Argento Hexagon Mosaic



1.25x1.25 Strada Ash Hexagon Mosaic



1.25x1.25 Suave Bianco Hexagon Mosaic




1.25x1.25 Volakas Grigio Hexagon Mosaic




1.25x1.25 Zebrino Grigio Hexagon Mosaic



Shown: Statuario Venato Piazza Mosaic



6" Piazza Polished
11.75x11.75 Sheet**
(1.04 Pcs. Per SF)



3x3 Matte Mosaic
12x12 Sheet
(1Pc. Per SF)



Mayfair Statuario Venato

MEMENTO

RECTIFIED

FIELD TILE



Bianco



Grey



Mosaic (Grey Shown)



Shown: Grey 24x48

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (24), 24x24 (48), 12x24 (60)




V3



Made in Italy

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Allumina



Moka



Pine



Silver



Shown: Silver 6x36 Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Pressed Gres Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

SIZES



6x36 Satin



V3



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bianco



Ivory



Maple



Shown: Maple 8x48 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10



V2



Made in India

SIZES



8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NATIVE WOOD

PRESSED



FIELD TILE



Birch



Chestnut



Pine



Poplar



White Oak



Shown: 8x48 Matte Pine & Chestnut

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	30



V2



Made in USA

SIZES



8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NATURA

PRESSED



FIELD TILE



Dove



Driftwood



Roble



Vail



Shown: 8x48 Dove

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Porcelain
Slip Resistant	R10
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8

SIZES



8x48 Matte



V3



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



White



Shown: White 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Silk
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	2


SIZES



12x24 Matte



3x24 Matte Bullnose



2x2 Matte Mosaic
 12x12 Sheet



V2



Made in Brazil

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



FIELD TILE



Beige



Camel



Grey



White



Shown: Grey 6x36 Matte

SPECIFICATIONS **SIZES**

Application	Floor
Visual	Wood
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	19



6x36 Matte



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Arce Maple



Gris



Roble Oak



Shown: Roble Oak 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	25



V2



Made in Spain

SIZES



9x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE




Blu




Emerald



Ivory



Light Grey



Sage **NEW!**



White



Shown: Sage 2x10 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5* (Blu & Emerald is PEI 3)
Frost Resistant	Yes
Shade Variation	Slight/Medium




V2




Made in Italy

SIZES



2x10 Glossy & Matte



1/5x10 Glossy & Matte
Quarter Round



Noho White

*Ivory, Light Grey, Sage & White have PEI rating 5. Blu & Emerald have PEI rating 3.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Blue



Green



Grey



White



Shown: Green 13x26



SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Ceramic
PEI Rating	3 (White only - 4)
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	5


SIZES



13x26 Matte



3x26 Bullnose Matte



3x3 Mosaic
12x12 Sheet
Matte



V3



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OLD SAVANNAH

PRESSED



FIELD TILE



Berilo 2x10 (Range)



Grey 2x10 (Range)



White 2x10 (Range)




Shown: Berilo 2x10

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Random/Extreme
Screens/Faces	4x4 (36), 2x10 (42)

SIZES

-  4x4 Glossy
-  2x10 Glossy
-  .5x10 Glossy Quarter Round



V4



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Statuario



Shown: Statuario 28x28

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	28 x 28 (15), 12x24 (30)




V2




Made in Brazil

SIZES



12x24 Polished & Matte

28x28 Polished & Matte



3x3 Matte Mosaic
12x12 Sheet*



3x28 Polished & Matte Bullnose

* Available in Matte only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OYSTER

RECTIFIED



FIELD TILE



Cape Grey



Lagoon Blue



Pearl White



Shell Beige



**Semi-polished
wet/dry look**



Shown: 12x24 Cape Grey Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (64) 24x48 (16)




V2




Made in Italy

SIZES




12x24 Matte

24x48 Matte



3x3 Mosaic Matte
12x12 Sheet
(1 Pc. per SF)



3" Hex Mosaic Matte
11x9.5 Sheet
(1.38 Pcs. per SF)



3x24 Bullnose Matte

Special order available in 24x24, 48x48 & 24x48 Deco (Stocked in Italy. Call for ETA)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Calacatta Gold



Shown: Calacatta Gold 12x24 Polished

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	36x36 (10), 24x24 (26), 12x24 (38)




V3



Made in Spain

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Azzurro



Beige



Bianco



Grigio



Shown: Beige 24x48 & 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Vein Cut Onyx
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (60), 24x48 (15)




V2




Made in Italy


SIZES



24x48 Matte



3" Hex Mosaic
Matte 12x12 Sheet
(1PC per SF)



2x2 Mosaic Matte
12x12 Sheet
(1PC per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

POWDER

RECTIFIED* (24X48 & 36X36 Only)




FIELD TILE



Argent



Plumb



Snow



Tortora



Shown: Snow 24x24

SPECIFICATIONS

Application	Floor
Visual	Concrete
Type	Rectified* Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	36x36 (11), 24x48 (11), 24x24 (16,) 12x24 (32)




V3



Made in Spain

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Onyx Crema




Shown: Onyx Crema 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	30 (12x24), 14 (24x24)

SIZES




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose
Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Amber



Basil Green



Cotton White



Midnight



Prussian Blue



Rice Cream



Sage Blue



Steel Blue



Teal Blue



Shown: Rice Cream 2.5x10 Glossy

SPECIFICATIONS

Application	Wall*
Visual	Painted Brick
Type	Pressed Ceramic
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	Infinite

SIZES



2.5x10 Glossy



V2



Made in Spain

*Must be sealed before grouting if going in a wet area

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Almond



Beige



Greige



Shown: Almond 40x40

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8




V3



Made in Italy

SIZES



40x40 Matte


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

RELIEFS

RECTIFIED




FIELD TILE




White




Striped White



Canne White



Tweed White



Dorico White



Hammered White



Ribbed White



Shown: Tweed White 24x48 Matte

SPECIFICATIONS

Application	Wall
Visual	Pattern/Decorative
Type	Rectified Porcelain
Slip Resistant	Field: Yes, Deco: No
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1




V2



Made in Italy

SIZES



24x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Rock (LEDGERSTONE)

PRESSED



FIELD TILE



Cream




Green



Grey



White




Shown: Cream 3x15

SPECIFICATIONS

Application	Wall
Visual	Stone Quarzite
Type	Pressed Porcelain
Slip Resistant	Not rated
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	54

SIZES



3x15 Ledger Field Tile
Matte



Rock Grey




V4



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Bianco



Natural



Shown: Bianco 8x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	Beige & Bianco (10), Natural (9)

SIZES



8x48 Matte



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Grey



Miele



Shown: Grey 8x36 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	4

SIZES



8x36 Matte



V4



Made in Ecuador

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SABINA

PRESSED



FIELD TILE



Amber



Canela



Natura



Saddle



Shown: 8x48 Saddle

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Porcelain
Slip Resistant	R10
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8

SIZES



8x48 Matte



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SHELLSTONE

RECTIFIED



FIELD TILE



Amber



Grey



White



Shown: White 24x48

SPECIFICATIONS

Application	Floor
Visual	Coral Shellstone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4 (White only - PEI Rating 5)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (8), 24x24 (16), 12x24 (32)




V3



Made in Italy





SIZES



*Also available in textured outdoor finish.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE

-  Canvas White
-  Cement Chic
-  Cloud Blue
-  Gallery Grey
-  Halo Grey
-  Loft Grey
-  Retro Black
-  Soft Sage
-  Vintage Grey





Shown: Loft Grey Matte 2x12

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES

			
8x24 Glossy*	8x16 Glossy*	4x12 Glossy*	6x6 Glossy*
			
2x12 Glossy & Matte	4x16 Glossy & Matte	4x12 Beveled Glossy*	
			
0.5x12 Quarter Round Glossy		3x6 Glossy & Matte**	
			
2x8 Wall Bullnose Glossy & Matte	2x6 Wall Bullnose Glossy	3x6 Beveled Glossy*	

* Available in Canvas White, Gallery Grey, & Vintage Grey Glossy only.
 ** Matte Available in Canvas White only.
 † Available in Canvas White Glossy only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



FIELD TILE



- Canvas White
- Gallery Grey
- Cloud Blue

Afternoon Blend



- Canvas White
- Cloud Blue
- Retro Black

Dawn Blend



- Canvas White
- Halo Grey
- Cement Chic

Evening Blend



- Canvas White
- Loft Grey
- Retro Black

Midnight Blend



- Canvas White
- Soft Sage
- Vintage Grey

Morning Blend




Shown: Dawn Blend Matte Chain Pattern Mosaic




SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium


SIZES




Plaid Pattern
Matte Mosaic
13.5x13.5 Sheet
(0.79 Pcs. per SF)




Cubic Pattern
Matte Mosaic
10x10 Sheet
(1.44 Pcs. per SF)



Chain Pattern
Matte Mosaic
11.25x11.25 Sheet
(1.14 Pcs. per SF)



Hexagon Pattern
Matte Mosaic
14.25x8.25 Sheet
(1.22 Pcs. per SF)



Diamond Pattern
Matte Mosaic
13.25x7.75 Sheet
(1.40 Pcs. per SF)



V2




Made in Turkey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO (ARABESQUE & SCALLOP MOSAICS)

PRESSED


FIELD TILE




Canvas White



Cement Chic



Cloud Blue



Gallery Grey



Halo Grey



Loft Grey



Retro Black



Soft Sage



Vintage Grey

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium

SIZES



Arabesque Mosaic
Glossy 13.25x12*
(.91 Pc. per SF)



Scalloped Mosaic
Glossy 13.25x10.75*
(1.01 Pc. per SF)

* Product not available in Cement Chic & Retro Black




Shown: Soft Sage Glossy Scalloped Mosaic


SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes**
PEI Rating	3 (Glossy), 4 (Matte)
Frost Resistant	Yes
Shade Variation	Slight/Medium


SIZES



.75" Penny Round
Mosaic Glossy & Matte
12.25x11.5 Sheet
(1.02 Pc. per SF)



1" Hex Mosaic
Matte
11.75x11.5 Sheet*
(1.07 Pc. per SF)



1" Hex Mosaic
w/ Insert Matte
11.75x11.5 Sheet*
(1.07 Pc per SF)

* Product not available in Cloud Blue & Soft Sage.

†Product not available in Canvas White, Gallery Grey, Halo Grey, & Vintage Grey.

**Not recommended for commercial floor installation



V2 Made in Turkey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO (MOSAICS)

PRESSED




FIELD TILE




Canvas White




Cement Chic



Cloud Blue



Gallery Grey



Halo Grey



Loft Grey





Retro Black



Soft Sage



Vintage Grey



.75" Loft Grey Penny Round Mosaic




1" Loft Grey Hex Mosaic



2" Loft Grey Hex Mosaic




Loft Grey 2x2 Mosaic



Loft Grey 2x5 Picket Mosaic




1" Hex Mosaic w/ Loft Grey Insert



Loft Grey Basketweave Mosaic




Loft Grey 2x6 Herringbone Mosaic




Loft Grey 2x6 Staggered Mosaic




Shown: Cement Chic Matte 1" Hex Mosaic




2" Hex Mosaic Matte
11.5x10.75 Sheet
(1.16 Pcs per SF)




2x2 Mosaic Matte
12x12 Sheet*
(1 Pcs. per SF)




2x6 Herringbone Mosaic Glossy & Matte
11.75x11.75 Sheet
(1.04 Pcs. per SF)



2x6 Brick Mosaic Glossy & Matte
11.75x11.75 Sheet*
(1.04 Pcs. per SF)




2x5 Picket Mosaic Glossy & Matte
12.5x11.5 Sheet
(1.07 Pcs. per SF)



Basketweave Mosaic Matte
11.75x11.75 Sheet*
(1.04 Pcs. per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



White



Shown: White 24x24 Polished

SPECIFICATIONS

Application	Floor
Visual	White
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	Matte 4, Polished 3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1




SIZES




24x48 Matte & Polished



12x24 Matte & Polished



24x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TAJ MAHAL

RECTIFIED



FIELD TILE





White



Shown: White 12x24

SPECIFICATIONS SIZES

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x24 (16), 12x24 (32)



*Available in White only.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bianco



Cenere



Grigio



Miele



Pino



Shown: Cenere 12x48 Satin



SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

SIZES



12x48 Satin



V3 Made in Ecuador




Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Marble Plain



White Plain



Marble Bloom



White Bloom




Marble Flow



White Flow



Marble Pitch



White Pitch



Shown: White Bloom 12x24

SPECIFICATIONS

Application	Wall Only
Visual	White Marble
Type	Rectified Ceramic
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	12



V2



Made in Vietnam

SIZES



12x24 Glossy & Matte



0.5x12 Quarter Round*
Glossy & Matte

*Not available in Marble.

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TINSEL

RECTIFIED

FIELD TILE



Brown



White



SPECIFICATIONS

Application	Wall
Visual	Leaf Relief
Type	Rectified Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1

SIZES



24x48 Glossy



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.




Shown: Brown 24x48



White 24x48



FIELD TILE



Siena



Livorno



Firenze



Shown: Livorno 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24

SIZES



12x24



V3



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Ivory



Natural



Silver



Shown: Natural 12x24


SPECIFICATIONS

Application	Wall & Floor
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

SIZES



12x24 Matte & Polished



3x3 Mosaic*
12x12 Sheet



3x24 Matte & Polished Bullnose



V3



Made in India

*Available in Matte Only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Blanco



Haya



Honey



Natural



Shown: Blanco 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	27

SIZES



9x48 Matte



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Marmo Beige



Travertino Gris



Shown: Beige 12x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Travertino
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12



V2




Made in Italy

SIZES



12x24 Matte



3x3 Mosaic Matte
 12x12 sheet



3x24 Bullnose Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Beige



Bianco



Grigio



**TUSCANY
FIELD TILE!**
coordinates with
**GALLERY
TUSCAN
MOSAICS***

Page
62




Shown: Grigio 13x22



SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Pressed Ceramic
Slip Resistance	No (R-value 8)
PEI Rating	4
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	6


SIZES



18x18 Matte



Gallery*
3x3 Matte Mosaic
12x12 Sheet
(1 Pc per SF)



Gallery*
2" Hex Mosaic
11x12.5 Sheet
(1.04 Pcs per SF)



V3



Made in Brazil

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Kyoto



Osaka



Shown: 8x24 Osaka Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Ceramic
Slip Resistant	No
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	8



V3



Made in Brazil

SIZES



8x24 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Almond



Chestnut



Oak



SPECIFICATIONS (WALL)

Application	Wall
Visual	Wood look
Type	Rectified Porcelain
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	7



Shown: Almond 10x60, 24x48 Wall

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24



V3 Made in Spain

SIZES




10x60 Matte



24x48 Metric Deco Wall Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Acqua




Naturale



Bianco



Bronzo



Fume



Shown: Naturale 24x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Glass
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4+ [Acqua only - PEI Rating 3]
Frost Resistant	Yes
Shade Variation	Slight/Medium




V2



Made in Italy

SIZES



24x24 Polished



12x24 Polished



4x12 Polished Bullnose



8x24 Polished



4x12 Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Aqua



Blu



Grey



White



Shown: White 2x9 Glossy

SPECIFICATIONS

Application	Wall
Visual	Random Linear
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Moderate/High



V3



Made in Italy

SIZES



2x9 Glossy



.5x9 Glossy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Blend



Bronze



Carbon



Celeste



Shown: Blend 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12"x24" (20), 32"x32" (7), 24"x48" (8)



V2



Made in India

SIZES




12x24 Matte & Polished




24x48 Matte & Polished



3x24 Bullnose
Matte & Polished



32x32 Matte & Polished



3" Hex Mosaic
10.25x11.75 Sheet
(1.16 Pcs per SF)
Matte Only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE




Avorio



Grigio



Multicolor



Shown: Grigio 6.5x15.75



SPECIFICATIONS

Application	Wall
Visual	Ledgerstone
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	15

SIZES




6.5x15.75
Porcelain Stoneware
Matte




FIELD TILE




Ivory



Ivory Deco



White



White Deco



Shown: 24x48 White

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (36), 24x48 (9)



V2




Made in Italy

SIZES




24x48 Matte



24x48 Wall Deco Matte




Oval Mosaic Matte
11.75x10.5 Sheet
(1.16 Pcs per SF)



2x2 Mosaic Matte
12x12 Sheet
(1 Pc per SF)



12x24 Matte



3x24 Bullnose Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FIELD TILE



Bianco



Shown: Bianco 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	32



V2




Made in India

SIZES



12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet



3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

YOSEMITE

RECTIFIED



FIELD TILE



Lake



Park



Rock



Shown: Rock 36x36

SPECIFICATIONS

Application	Floor
Visual	Limestone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	36x36 (16), 24x24 (32), 12x24 (64)




V2



Made in Italy


SIZES



12x24 Matte



3x24 Bullnose Matte



2x2 Mosaic
12x12 Sheet
Matte

36x36 Matte*

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

*Not available in Park.



FIELD TILE



Gray



Noce



Shown: Gray 20x20 Matte


SPECIFICATIONS

Application	Floor & Wall
Visual	Rapolano Stone
Type	Pressed Ceramic
PEI Rating	4
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	8


SIZES



20x20 Matte



3x20 Matte Bullnose



3x3 Matte Mosaic
12x12 Sheet



V2



Made in Brazil

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ZERA ANNEX

RECTIFIED



FIELD TILE



Bianco



Olive



Oyster



Silver



Shown: Olive 12x24


SPECIFICATIONS

Application	Floor
Visual	Fabric
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (8)



V2


SIZES



12x24 Matte



3x24 Bullnose Matte



2x2 Mosaic
Matte
12x12 Sheet



3x12 Bullnose
Matte



Zera Annex Silver

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

DECORATIVE COLLECTION

The Tesoro Decorative Collection, available in a multitude of formats and materials, delivers an eye-catching brilliance that is profoundly timeless.

NEW DECORATIVE COLLECTION



METRO BLENDS



OCEAN STONES



NATIVE



VENICE



Our Decorative collection is carefully sorted & selected in order to offer premium quality products which are available in various colors and finish choices.



iwtttesoro.com

TESORO DECORATIVE COLLECTION

By INTERNATIONAL WHOLESALE TILE, LLC

TESORO DECORATIVE COLLECTION is an array of Ceramic, Glass, Metal, Stone and Resin elegantly coordinated to highlight the charming characteristics inherent in each. Utilizing our extensive sourcing capacity, supplier relationships and an experienced Design Team we strive to offer innovative, cutting-edge designs at affordable pricing. A timeless, contemporary design is our goal.

NATURAL STONE

- Basalt 164
- Beachstones ☀️ 164-165
- Calacatta Gold 166
- Carrara 167-168
- Cashmere Beige 169
- Chateaux 169
- Deep Blue 170
- Dolomite 171
- Ice Beige ☀️ 172
- Ice White ☀️ 172
- Iceberg 173
- Imperial Pearl 174
- Ledgerstone 174
- Metropolitan Blends **NEW!** 175-179
- Nova 180
- Nuvoloso 180

- Ocean Stones **NEW!** 181-184
- Sand Key Shellstone 184
- Skyline 185
- Snow White ☀️ 186
- Thassos 187
- Venatino Goia 188-189
- Venice **NEW!** 190
- Wooden Gray 191
- Waterjet 192-199
 - Aphordite 192
 - Bamboo 192
 - Bookmatch 193
 - Hera 194
 - Picket 195
 - Shade 195
 - Showtime 196-197
 - Venus 198
 - Zen ☀️ 199

DECORATIVE

- Bark 200
- Cambridge Brick 201
- Casino 202
- Classic Mirror 202
- Clouds 203
- Clouds 2 203
- Element 204-211
- Gemstone 212
- Glamour 212
- Liquid Rocks 213
- Native **NEW!** 214-215
- Onix Eco Stone 215
- Revere Glass 216
- Shower Shelves 217
- Terra Bella 217

Learn more at www.iwtttesoro.com



Shown: Waterjet Hera (Page 194)

NATURAL STONE FAQ

WHY DOES MY STONE HAVE VARIATION?

Variations in color, shade and finish are inherent in all natural stone products. Per Industry guidelines, all stone products must be inspected and approved prior to Installation. Use constitutes acceptance.

SHOULD I SEAL WATERJET STONE?

YES. All stone should be sealed including marble, travertine, granite and limestone. Sealing products are actually impregnators that repel staining more so than sealing and preventing staining. Sealing will not make your application stain proof but more stain resistant. If the application is in a setting where food will be prepared then a non-toxic sealer should be used. Also sealing can enhance the natural colors in stones often darkening the stone.

HOW DO I CLEAN STAINS?

First identify the type of stain. If it is oil based clean with household detergent, acetone or mineral spirits. Clean gently. If the stain is organic (i.e. coffee, tea, wine etc.) clean with 12% hydrogen peroxide and few drops of ammonia. Once again clean gently. If the stain is Metallic it will have a brownish-orange coloration. These should be cleaned using a poultice. To remove paint use lacquer thinner or scraped very carefully with razor blade. Note that paint thinners can etch the surface and repolishing might be necessary.

MY APPLICATION HAS A WHITE POWDER COATING?

This is called Efflorescence. It is caused by the deposition of mineral salts Carried by water below the surface of the stone. This is natural. The powder shows when the water evaporates. If the installation is new, dust mop or vacuum. You may have to do this several times as water evaporates. Do not use water or liquids to try and clean. It will return once it dries out.

MY STONE HAS SLIGHT SCRATCHES. CAN THESE BE REMOVED?

Slight surface scratches and nicks can be buffed out using dry 0000 steel wool. Deeper scratches should be removed by a re-polishing professional.

I SEE SLIGHT CORNER OR EDGE DAMAGE. IS THIS A DEFECT?

No. This is very common especially with the extremely fine edges found on many waterjet patterns popular today. Most of these will be covered once grouted. Please note that final appearance of your installation will be greatly influenced by your grout choice.

HOW SHOULD I MAINTAIN MY VERTICAL SHOWER APPLICATION?

We highly recommend walls be wiped down with a squeegee after each use. This will prevent buildup of algae, mildew and hard water stains. To clean use pH neutral stone cleaner. Note that use of aggressive chemicals may strip off the sealer leaving your stone prone to staining.

WHY DO I HAVE RUST ON MY NATURAL STONE?

Rust forming on surface of Natural Stone is formed when Iron particles come into contact with moisture and Oxygen. This is a **NATURAL OCCURRENCE**.

HOW DO I PREVENT THIS FROM HAPPENING?

As rust only is activated by moisture rust usually develops in are exposed to water i.e. showers and around kitchen faucets. To prevent internal deposits from rising to surface it is imperative to seal surface with penetrating stone/granite sealer.

HOW DO I CLEAN SURFACE RUST SPOTS?

First try a solution of 3-4% Hydrogen peroxide. Apply to rust area, agitate with stone safe pad or brush and allow to sit 24 hours. If this does not work try a commercial "stone or granite cleaner. If stain still is not removed it is time to call in a Professional Stone Service.

BASALT



Contempo 2" Hex Mosaic
 (Multi-Finish) 11.75X11.75 Sheet
 (1.04 Pcs. per SF)

BEACHSTONES



 **Blue Sliced Mosaic**
 11.5x11.5 Sheet
 (1.14 Pcs. per SF)



 **Green Sliced Mosaic**
 11.75x11.75 Sheet
 (1.04 Pcs. per SF)



 **Grey Sliced Mosaic**
 11.5x11.5 Sheet
 (1.14 Pcs. per SF)



 **Ivory Sliced Mosaic**
 11.75x11.75 Sheet
 (1.04 Pcs. per SF)



 **Tan Sliced Mosaic**
 11.75x11.75 Sheet
 (1.04 Pcs. per SF)



 **White Sliced Mosaic**
 11.5x11.5 Sheet
 (1.14 Pcs. per SF)

BEACHSTONES (Cont.)



 **White, Blue Sliced Mosaic**
11.5x11.5 Sheet
(1.14 Pcs. per SF)



 **White, Blue, Grey Sliced Mosaic**
11.5x11.5 Sheet
(1.14 Pcs. per SF)



 **White, Green, Tan Sliced Mosaic**
11.75x11.75 Sheet
(1.04 Pcs. per SF)




 **White, Tan, Grey Sliced Mosaic**
11.75x11.75 Sheet
(1.04 Pcs. per SF)

NATURAL STONE

CALACATTA GOLD



Basketweave Mosaic
 (Polished) 10.75x10.75 Sheet
 (1.24 Pcs. per SF)



5/8x5/8 Mosaic
 (Polished) 12x12 Sheet
 (1 Pc. per SF)



Herringbone Mosaic
 (Polished) 12.5x11 Sheet
 (1.04 Pcs. per SF)



3" Hexagon Mosaic
 (Polished) 10.5x9 Sheet
 (1.52 Pcs. per SF)



Prisma 2x2
 (Polished) 12x12 Sheet (1
 Pc. per SF)



Random Strip Mosaic
 (Polished) 10.75x11.75 Sheet
 (1.14 Pcs. per SF)



Pencil Molding .79x12
 (Polished)



4x8
 (Polished)
 (4.5 Pcs. per SF)



4x8 (Range) (Polished)
 (4.5 Pcs. per SF)

CARRARA



Contempo Cali Gris Leaf Mosaic
(Multi-Finish) 10.5x12.25 Sheet
(1.12 Pcs. per SF)



Contempo Chevron Mosaic
(Multi-Finish) 10.75x10.25 Sheet
(1.30 Pcs. per SF)



Contempo Diamond Hex Mosaic
(Multi-Finish) 9.5x9 Sheet
(1.69 Pcs. per SF)



Contempo Drops Mosaic
(Polished) 10.5x12 Sheet
(1.14 Pcs. per SF)



Contempo 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)



White Carrara Large Hexagon Mosaic
(Honed) 9.25x10.5 Sheet
(1.48 Pcs. per SF)



White Carrara Herringbone Mosaic (Honed) 12x11.25 Sheet
(1.07 Pcs. per SF)




White Carrara Chevron Mosaic (Honed) 11.5x11.25 Sheet
(1.11 Pcs. per SF)



White Carrara/Black Basketweave Mosaic Metropolitan Blend (Honed) 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE

CARRARA (Cont.)



White Carrara Octagon/Black Dot Mosaic Metropolitan Blend
 (Honed) 12x12 Sheet
 (1 Pc. per SF)




White Carrara Pencil Molding
 (Honed) .79x12



White Carrara 4x8
 (Honed) (4.5 Pcs. per SF)



White Carrara 4x8 (Honed) (Range)
 (4.5 Pcs. per SF)



Hybrid Carrara Leaf Mosaic
 (Polished) 10.5x12.5 Sheet
 (1.10 Pcs. per SF)



Hybrid Carrara Arabesque
 (Polished) 11.5x12 Sheet
 (1.04 Pcs. per SF)

Shown: White Carrara Octagon/Black Dot Mosaic

CASHMERE BEIGE



2" Hex Mosaic
(Brushed) 12x12 Sheet
(1 Pc. per SF)



Basketweave
(Brushed) Mosaic 12x12 Sheet
(1 Pc. per SF)



0.75 x12 Pencil Rail
(Brushed)

CHATEAUX



2" Hex Mosaic
(Brushed) 11.75x11.75
(1.04 Pcs. per SF)



Contempo 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)



4" Hex Mosaic
(Brushed) 10.25x7.75 Sheet
(1.80 Pcs. per SF)



Herringbone
(Brushed) 10.75x11.25
(1.19 Pcs. per SF)

NATURAL STONE

DEEP BLUE




2" Hexagon Mosaic
 (Polished) 11.75x12.5 Sheet
 (.98 Pcs. per SF)




Picket Mosaic
 (Polished) 12x10 Sheet
 (1.20 Pcs. per SF)



Basketweave Mosaic
 (Polished) 12x12 Sheet
 (1 Pc. per SF)



Elongated Hex Mosaic
 (Polished) 10.25x10.25 Sheet
 (1.37 Pcs. per SF)



Diamond Banded Dot Mosaic
 (Polished) 10.5x12 Sheet
 (1.14 Pcs. per SF)



Octagon Dot Mosaic
 (Polished) 12x12 Sheet
 (1 Pc. per SF)




Pencil Molding .79x12
 (Polished)



Shown: Deep Blue 2" Hexagon


DOLOMITE




Contempo Dolomite Leaf Mosaic
(Multi-Finish) 12.5x11.75 Sheet
(0.98 Pcs. per SF)



White Dolomite 1x4 Stacked Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



White Dolomite 4x8
(Honed)
(4.5 Pcs. per SF)



Dolomite 3x9 (Honed)
(5.3 Pcs. per SF)



White Dolomite 4x8 (Range)
(Honed)
(4.5 Pcs. per SF)

NATURAL STONE

ICE BEIGE



2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)



Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



Field Stone 3x9
(Honed)
(5.3 Pcs. per SF)

ICE WHITE



2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)



Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



Field Stone 3x9
(Honed)
(5.3 Pcs. per SF)



Shown: Ice White 2x2 Mosaic

NATURAL STONE



Tesororo Decorative Collection

ICEBERG



3" Hexagon Mosaic
[Polished] 12x11.25 Sheet
(1.06 Pcs. per SF)



2" Hexagon Mosaic
[Polished] 11.75x12 Sheet
(1.02 Pcs. per SF)



Elongated Hex Mosaic
[Polished] 10.25x10.5 Sheet
(1.34 Pcs. per SF)



Arabesque Mosaic
[Polished] 11.5x12 Sheet
(1.04 Pcs. per SF)



Leaf Mosaic
[Polished] 12.25x10.5 Sheet
(1.12 Pcs. per SF)



Diamond Dot Mosaic
[Polished] 10.25x12 Sheet
(1.12 Pcs. per SF)



4x8 [Polished]
(4.5 Pcs. per SF)



Pencil .75x12
[Polished]

NATURAL STONE

IMPERIAL PEARL




Basketweave Mosaic
 (Brushed) 12x12 Sheet
 (1 Pc. per SF)



Herringbone Mosaic
 (Brushed) 10.75x12
 (1.11 Pcs. per SF)



4" Hex Mosaic
 (Brushed)
 10.25x7.75 Sheet
 (1.81 Pcs. per SF)



Elongated Hex Mosaic
 (Polished) 10.25x10.5 Sheet
 (1.34 Pcs. per SF)



4x8
 (Available in Polished & Brushed)
 (4.5 Pcs. per SF)



3x9 (Honed)
 (5.33 Pcs. per SF)



4x4 (Tumbled)
 (9 Pcs. per SF)



3x6 (Tumbled)
 (8 Pcs. per SF)



Pencil Rail - 0.75x12
 (Available in Honed & Brushed)

LEDGERSTONE 6x24 Sheets (1 Pc. per SF)



Beachwalk



Carbon



MATCHING CORNER
 AVAILABLE FOR ALL COLORS.



Glacier

Ledgerstone are all natural stone products from the earth and as such may contain iron deposits that can leach rust stain when exposed to the elements. Please select an appropriate sealer, for natural look use a penetrating stone sealer or for a wet 'darker' look use a stone enhancer sealer.

METROPOLITAN BLENDS



Contempo Luna & Carrara 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)



Contempo Marine 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)




Contempo Nova 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)




Contempo Terra Nova/Skyline 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)

NATURAL STONE


METROPOLITAN BLENDS




Diamond Blue Celeste with White Honed Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Diamond Thassos with Blue Celeste Polished Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Diamond White Honed with Blue Celeste Polished Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Diamond Thassos with Light Wood Grain Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Hexagon White/Grey/Black Mosaic
(Honed) 11x11.25 Sheet
(1.16 Pcs. per SF)



Hexagon White/Beige/Grey Mosaic
(Honed) 11x11.25 Sheet
(1.16 Pcs. per SF)

METROPOLITAN BLENDS (Cont.)



Sliced Basketweave
Bianco Carrara/Thassos/Bianco Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



Sliced Basketweave
Blu Celeste/Thassos White/Blue Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



Sliced Basketweave
Ming Green/Thassos White/Ming Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



Sliced Basketweave
Skyline/Thassos White/Skyline Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



NEW! **Sliced Basketweave**
Iceberg/Thassos White/Iceberg Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



NEW! **Sliced Basketweave**
Nero/Thassos White/Nero Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)




NEW! **Sliced Basketweave**
Nova/Thassos White/Nero Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE

METROPOLITAN BLENDS (Cont.)




Thassos Black Chevron Mosaic
(Polished) 11.5x11.25 Sheet
(1.11 Pcs. per SF)




Thassos Black Basketweave Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)




Thassos Octagon & Bardiglio Black Dot Mosaic (Honed) 12x12 Sheet
(1 Pc. per SF)




NEW! **Thassos Octagon Blue Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)



NEW! **Thassos Octagon Green Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)




NEW! **Thassos Octagon Iceberg Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)



NEW! **Thassos Octagon Nero Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)




NEW! **Thassos Octagon Nova Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)



NEW! **Thassos Octagon Skyline Dot Mosaic** (Honed) 12x11 Sheet
(1.09 Pcs. per SF)


METROPOLITAN BLENDS (Cont.)



NEW! Thassos Irregular Stacked
Blue Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! Thassos Irregular Stacked
Green Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! Thassos Irregular Stacked
Iceberg Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! Thassos Irregular Stacked
Nero Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! Thassos Irregular Stacked
Nova Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! Thassos Irregular Stacked
Skyline Mosaic (Honed)
12x12 Sheet (1 Pc. per SF)

NATURAL STONE

NOVA



Hybrid Nova Arabesque
 (Honed) 11.5x12 Sheet
 (1.04 Pcs. per SF)



Hybrid Nova Leaf Mosaic
 (Honed) 10.5x12.5 Sheet
 (1.10 Pcs. per SF)

NUVOLOSO



Random Linear Mosaic
 (Brushed) 11.75x12 Sheet
 (1.02 Pcs. per SF)



2" Hex Mosaic
 (Brushed) 11.75x12
 (1.02 Pcs. per SF)



4" Hex Mosaic
 (Brushed) 10.5x8
 (1.72 Pcs. per SF)

NATURAL STONE



Tesororo Decorative Collection

OCEAN STONES Not recommended or warranted for submerged applications.



Light Grey, Dark Grey, White
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Light Grey, Tan, White
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Swirl, Grey
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Classic White Pebble Mosaic
11.25x10.75 Sheet (1.19 Pcs. per SF)



Tiger Eye Pebble Mosaic
12.25x11.5 Sheet (1.02 Pcs. per SF)



Matte White Fit Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Sparkly White Fit Mosaic
11.75x12.5 Sheet (.98 Pcs. per SF)



Swirl Grey Fit Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



White Quartz Fit Mosaic
10.75x11 Sheet (1.22 Pcs. per SF)



Tan, White, Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Black Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

NATURAL STONE

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.



Black, White, Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Cream Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Fossil, Light Color Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Fossil, Carrara Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Ivory Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Java Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)




Robins Egg Sliced Mosaic 11.25x11.25
Sheet (1.14 Pcs. per SF)



Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Terrazzo, Carrara, Bardiglio, White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo, Carrara, Nero, Smoke
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo, Carrara White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo, Vintage, Light Occhialino
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

NATURAL STONE



Tesororo Decorative Collection

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.



NEW! Terrazzo, Carrara, Blue, Beige
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)



NEW! Terrazzo, White, Green, Tan
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)



NEW! Terrazzo, White, Tan, Rose
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)



NEW! Terrazzo, White, Tan
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)



Tiger Eye Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Waves, Bardiglio Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



White Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



White, Green, Tan Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Bianco, Carrara
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Calacatta Gold Sliced Marble Polished
Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Italian White, Blue Celeste
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Light Wood Grain
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

NATURAL STONE

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.



NEW! Milky White
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



NEW! Wooden White
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Ivory Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)



Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)



White, Green, Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)



White, Tan, Grey Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

SAND KEY SHELLSTONE



2x4 Staggered Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)



2" Hexagon Mosaic (Brushed)
11.75x12.5 (1.07 Pcs. per SF)



2x2 Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)



Random Linear Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)



4x8 (Brushed)
(4.5 Pcs. per SF)



0.75x12 Pencil Rail (Brushed)

SKYLINE



Diamond Mosaic
(Available in Brushed & Polished)
10.25x12 Sheet (1.17 Pcs. per SF)



Elongated Hex Mosaic
(Available in Brushed & Polished)
10.25x10.5 Sheet (1.34 Pcs. Per SF)



Herringbone Mosaic
(Polished) 10.75x11.5
(1.16 Pcs. per SF)



2" Hex Mosaic
(Polished) 12x10.5
(0.87 Pc. per SF)



Basketweave Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)



Chevron Mosaic
(Polished) 9.5x11.75
(1.26 Pcs. per SF)



3x6 Heavy Bevel
(Polished) (8 Pcs. per SF)



0.75x12 Pencil Rail
(Available in Brushed & Honed)

SNOW WHITE



2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)



Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)



3x9 Field Stone
(Honed)
(5.3 Pcs. per SF)

THASSOS



Hexagon Mosaic
(Polished) 11.25x11 Sheet
(1.16 Pcs. per SF)




Random Strip Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)



1x4 Stacked Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)



Chevron Mosaic
(Polished) 11.5x11.25 Sheet
(1.11 Pcs. per SF)



Herringbone Mosaic
(Polished) 12x11.25 Sheet
(1.07 Pcs. per SF)



Pencil Molding
(Brushed & Polished) 0.79x12



3x9 (Available in Honed & Polished)
(5.3 Pcs. per SF)



4x8 (Polished)
(4.5 Pcs. per SF)



4x8 (Polished) (Range)
(4.5 Pcs. per SF)



Tesoro Decorative Collection

NATURAL STONE



Tesoro Decorative Collection

Shown: Venatino Goia, Random Linear Stone Mosaic (Clawed)

NATURAL STONE



Tesoro Decorative Collection

VENATINO GOIA



3" Hex Stone Mosaic
(Satin) 12.5x10.75 Sheet
(1.07 Pcs. per SF)



3" Hex Stone Mosaic
(Clawed) 12.5x10.75 Sheet
(1.07 Pcs. per SF)



Picket Stone Mosaic
(Satin) 12.5x7.5 Sheet
(1.54 Pcs. per SF)



Picket Stone Mosaic
(Clawed) 12.5x7.5 Sheet
(1.54 Pcs. per SF)



Random Linear Stone Mosaic
(Satin) 12x10.5 Sheet
(1.14 Pcs. per SF)



Random Linear Stone Mosaic
(Clawed) 12x10.5 Sheet
(1.14 Pcs. per SF)



12x24 (Range)
(Satin)



4x12 (Satin)
(3 Pcs. per SF)



4x12 (Clawed)
(3 Pcs. per SF)




1x12x.75 Pencil Trim (Satin)

NATURAL STONE


VENICE




Blue Chevron Terrazzo Mosaic
(Honed) 12x8.5 Sheet
(1.41 Pcs. per SF)



Blue Triangle Dolomite Terrazzo Mosaic (Honed) 12x12 Sheet
(1 Pc. per SF)




Blue Terrazzo 3" Hex Mosaic
(Honed) 10.5x12 Sheet
(1.14 Pcs. per SF)



Blue Dolomite/Terrazzo 3" Hex Mosaic (Honed) 10.5x12 Sheet
(1.14 Pcs. per SF)



NEW! **Blue Terrazzo 1" x 6" Stacked Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! **Blue Terrazzo/Thassos/Carrara 1" Penny Mosaic** (Honed)
11x11 Sheet (1.19 Pcs. per SF)



NEW! **Blue Terrazzo 3" x 9"**
(Honed) (5.33 Pcs. per SF)




NEW! **Sand Terrazzo 3" Hex Mosaic**
(Honed) 10.5x12 Sheet
(1.14 Pcs. per SF)



NEW! **Sand Dolomite/Terrazzo 3" Hex Mosaic** (Honed)
10.5x12 Sheet (1.14 Pcs. per SF)



NEW! **Sand Terrazzo 1" x 6" Stacked Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! **Sand Terrazzo/Thassos/Carrara 1" Penny Mosaic** (Honed)
11x11 Sheet (1.19 Pcs. per SF)



NEW! **Sand Terrazzo 3" x 9"**
(Honed) (5.33 Pcs. per SF)

WOODEN GRAY



Wooden Gray
2" Hex Mosaic (Range)
11.75x12 Sheet (1.02 Pcs. per SF)



Contempo Wooden Gray 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)




Wooden Gray
Random Linear Mosaic (Range)
12x12 Sheet (1 Pc. per SF)



Contempo Wooden Gray
Random Linear Mosaic
(Multi-Finish) 12x12 Sheet
(1 Pc. per SF)


WATERJET



Aphrodite - White Dolomite & Skyline
 (Polished) 11.75x10.75 Sheet (1.14 Pcs. per SF)



Aphrodite - White Dolomite & Skyline (Range)
 (Polished) 11.75x10.75 Sheet (1.14 Pcs. per SF)



Bamboo - Cirrus, Skyline & White Dolomite
 (Polished) 11.75x11.75 Sheet
 (1.04 Pcs. per SF)




Bamboo - Cirrus, Skyline & White Dolomite (Range)
 (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

WATERJET



2 PIECE SET

Bookmatch is a 2-Design Pattern Waterjet Stone mosaic, meaning there are 2 separate pieces - each with a different pattern that make up the design. Bookmatch is sold in two 2 piece sets, each box containing a total of 4 pieces.




Bookmatch (1 of 2)
Cirrus & White Dolomite
[Polished] 11.75x11.75 Sheet
(1.04 Pcs. per SF)



Bookmatch (2 of 2)
Cirrus & White Dolomite
[Polished] 11.75x11.75 Sheet
(1.04 Pcs. per SF)

Bookmatch - Cirrus & White Dolomite [Range]
[Polished] 11.75x11.75 Sheet (1.04 Pcs. per SF)

WATERJET




Hera - Skyline & White Dolomite
10.25x11.75 Sheet (1.20 Pcs. per SF)



Hera - Skyline & White Dolomite (Range)
10.25x11.75 Sheet (1.20 Pcs. per SF)





WATERJET



Picket - Dolomite & Ocean Gray Mosaic (Range) (Polished) 10.75x11.25 Sheet (1.19 Pcs. per SF)


Picket - Dolomite & Ocean Gray Mosaic (Polished) 10.75x11.25 Sheet (1.19 Pcs. per SF)



Shade - Skyline & White Dolomite (Range) (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

Shade - Skyline & White Dolomite (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

WATERJET



Showtime - Dolomite Sandblasted & Ridged Mosaic 13.25x10.5 (1.04 Pc. per SF)



Showtime - Dolomite Sandblasted & Skyline Honed Mosaic 13.25x10.5 (1.04 Pc. per SF)




Showtime - Thassos/Blu Celeste Honed Mosaic 13.25x10.25 (1.06 Pc. per SF)




Showtime - Thassos/Carrara Honed Mosaic 13.25x10.25 (1.06 Pc. per SF)




WATERJET




Showtime - Thassos/Green
Polished & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)



Showtime - Thassos & Nero Polished Mosaic
13.25x10.25 (1.06 Pc. per SF)




Showtime - Thassos/Nero
Polished & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)




Showtime - Thassos/Carrara
Honed & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)



WATERJET



Venus
Cirrus & White Dolomite (Polished)
14.75x11.75 Sheet (0.83 Pc. per SF)





Venus Cirrus & White Dolomite (Range) (Polished)
14.75x11.75 Sheet (0.83 Pc. per SF)

ZEN





Bead
Stone polished Mosaic (Range)
10.5x12 Sheet (1.14 Pcs. per SF)



Bead
Stone polished Mosaic
10.5x12 Sheet (1.14 Pcs. per SF)



Prism
Stone Polished Mosaic (Range)
11x12.5 Sheet (1.05 Pcs. per SF)



Prism
Stone polished Mosaic
11x12.5 Sheet (1.05 Pcs. per SF)


WATERJET

DECORATIVE

BARK 5mm



Aspen Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)



Aspen 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Aspen 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)



Bay Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)



Bay 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Bay 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)



Cinnamon Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)



Cinnamon 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Cinnamon 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)



Linden Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)



Linden 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Linden 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

CAMBRIDGE BRICK




Charcoal 2.375x9.5 (6.06 Pcs. per SF)



Silver 2.375x9.5 (6.06 Pcs. per SF)



Smoke 2.375x9.5 (6.06 Pcs. per SF)



White 2.375x9.5 (6.06 Pcs. per SF)

CASINO




Bellagio Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Encore Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Palazzo Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Rio Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Royale Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Venetian Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

CLASSIC MIRROR



Vintage 6" Hex
(4.83 Pcs. per SF)



Vintage 6" Arabesque
(9 Pcs. per SF)



Vintage 4x12
(3 Pcs. per SF)

CLOUDS 9.5mm



Arcus 3x9 Glass Tile (5.32 Pcs. per SF)



Cirrus 3x9 Glass Tile (5.32 Pcs. per SF)



Stratus 3x9 Glass Tile (5.32 Pcs. per SF)



Thunder 3x9 Glass Tile (5.32 Pcs. per SF)

CLOUDS 2.0



Cumulus 3x12 Glass Tile (4 Pcs. per SF)

Please Read – Important information regarding Clouds:

Exterior installations (pool waterline) requires proper placement of expansion / movement joints per TCNA EJ-171 as well as thinset approved for submerged glass tile installation. Failure to install with industry requirements will result in product failure and void all warranties.

ELEMENT



Cloud Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Earth Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Smoke Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Skylight 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Sand 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Ice 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Mist 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Earth 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)



Smoke 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)




Shadow 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

ELEMENT (Cont'd)




Cloud Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Earth Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Smoke Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud 3x12 Glass Tile (4 Pcs. per SF)



Earth 3x12 Glass Tile (4 Pcs. per SF)



Ice 3x12 Glass Tile (4 Pcs. per SF)



Mist 3x12 Glass Tile (4 Pcs. per SF)



Sand 3x12 Glass Tile (4 Pcs. per SF)



Shadow 3x12 Glass Tile (4 Pcs. per SF)



Skylight 3x12 Glass Tile (4 Pcs. per SF)



Smoke 3x12 Glass Tile (4 Pcs. per SF)

ELEMENT (Cont'd)



Mineral Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)



Natural Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)



Shades of Grey Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)



Mineral 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)



Natural 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)



Shades of Grey 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)



Cloud 8x24 Tile



Cloud 8x24 Tidal Tile



Ice 8x24 Tile



Ice 8x24 Tidal Tile



Mist 8x24 Tile



Mist 8x24 Tidal Tile


ELEMENT (Cont'd)



Cloud 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Earth 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Smoke 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. per SF)



Ice Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)



Mist Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)



Skylight Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)

ELEMENT (Cont'd)



Cloud Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Earth Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Earth Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Ice Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Sand Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Shadow Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Skylight Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

ELEMENT (Cont'd)



Mist Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Smoke Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Smoke Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Shown: Ice Petal Glass Mosaic

ELEMENT (Cont'd)



Cloud 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Earth 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Smoke 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud 3x12 Artisan Glass Tile (4 Pcs. per SF)



Earth 3x12 Artisan Glass Tile (4 Pcs. per SF)



Ice 3x12 Artisan Glass Tile (4 Pcs. per SF)



Mist 3x12 Artisan Glass Tile (4 Pcs. per SF)



Sand 3x12 Artisan Glass Tile (4 Pcs. per SF)



Shadow 3x12 Artisan Glass Tile
(4 Pcs. per SF)




Skylight 3x12 Artisan Glass Tile (4 Pcs. per SF)




Smoke 3x12 Artisan Glass Tile (4 Pcs. per SF)


ELEMENT (Cont'd)



Cloud Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)




Earth Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Ice Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Mist Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)




Sand Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Shadow Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Skylight Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Smoke Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)

DECORATIVE

GEMSTONE 8mm (Mesh Mount)




Aquaamarine 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Royal Blue 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Silver 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Aquaamarine 2x6 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Silver 2x6 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Aquaamarine 3x9 Glass Tile (Range)
(5.32 Pcs. per SF)

GLAMOUR



Glamour Linear Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)

LIQUID ROCKS 6mm (Mesh Mount)



Abyss Black

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Aqua Blue

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Fresh Water Pearl

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Miami Shores

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Oyster Silver

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



River Brown

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Sandy Beige

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Southern Lakes

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Torrent Grey

Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

DECORATIVE

NATIVE



Calacatta 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Dolomite 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)




Habana Beige 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Howlite 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



NEW! Onyx 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Zebrino 2" Penny Glass Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)




Calacatta 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Dolomite 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Habana Beige 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Howlite 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



NEW! Onyx 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



NEW! Zebrino 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)

NATIVE (Cont'd)



Calacatta 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)



Dolomite 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)



Habana Beige 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)



NEW! Howlite 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)




NEW! Onyx 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)



Zebrino 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

ONIX ECO STONE 6mm



Onice 2x2 Glass Mosaic
12x12 Sheet (1 Pc. per SF)

REVERE GLASS



Ash Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Hazel/Natural Glossy & Matte
(Multi-Linear) Random Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Natural Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Alabaster 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ash 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Natural 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Hazel/Natural 3x6 Convex Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



CORNER SHOWER SHELVES



Glass - 9.5x9.5 Recessed & Surface Mount (shown above)



Allure Crema Polished Marble - 9x9



Berkshire Crema Polished Marble - 9x9



Bianco Venatino Polished Marble - 9x9


TERRA BELLA Glass Mosaic UV sensitive and not for outdoor applications.




Blue Aqua Wave Mosaic*
12x11.75 Sheet (1.02 Pcs. per SF)




Silver Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Silver Blue 1x4 Staggered Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Silver Blue Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Silver Blue Foil 2x8 Linear Mosaic
7.75x15.75 Sheet (1.18 Pcs. per SF)



2026

2027

POOL & SPA TILE COLLECTION

BY INTERNATIONAL WHOLESALE TILE, LLC

Porcelain Tiles

Alps	220
Ancient	221
Ancient Florida	222
Asia	222
Bali NEW!	223
Baltic II	224
Barbados	224
Bubbles	224
Canyon	224
Cloud NEW!	225
Coral	226
Cross	227
District	227
Fiore	228
Fleur	229
Fusion II	228
Gleeze	230-231
Glee	231
Lagoon	232
Maioliche	232-233
Marmi	238
Massa Calacatta II	233
Melange	233
Mystic	233
Marrakech	234-235
Noho NEW!	236
Oasis II	236
Ocean Blue	237
Ocean Wave	237
Onyx	237
Paint II	238
Reef	239
Roccia	240
Rock	238
Scavo II	241
Sea Corallo	240
Sol	241-242
States II	243
Stonequartz	243
Stream	244
Summer II	244
Surf	244
Waterplace	244
Waves II	245

Depth Markers

Depth Markers	246
---------------------	-----

Tile Mosaics

Aqua	247
Botanical	247
Diamond Reflection	248
Harmony	249
Listello	250
Luciana	250
Mini Akron	250
Penny Round	250
Reflection Mosaics	248
Sea Breeze	251
Sunburst	251
Waterside	251

Natural Stone

Beachstones	252
Ledgerstone	252
Ocean Stones NEW!	253-257

Glass Mosaics (Cast)

Clouds	258
Clouds 2	259
Dash	259
Liquid Drops NEW!	260
Liquid Rocks	261
Superior	262

Glass Mosaics (Crystal)

Aba NEW!	266
Alpha	266
Altona	267
Crystal	267
Elegant	268
Element	269-272
Gemstone	273
Hot Springs	272-273
Mercury	274
Nautical	274-275
Piazza	276
Revere	277
Striped	277

Glass Mosaics (Crystal) Cont.

Stromboli NEW!	278
Trapezoid NEW!	278
Treasure	279
Triangle	280-281
Watercraft	282
Wavy NEW!	282

Glass Mosaics (Sintered)



Aloha	285
Bark	286
Bowline	287
Onix Eco Stone	287
Vanguard	287-289

Learn more at www.iwttesoros.com




Cover Photo: Cloud Aqua 6x20


NEW POOL & SPA TILE COLLECTION



ALPS  
v3




Cobalt 6x6 Glossy (Range)




Green 6x6 Glossy (Range)



Ice White 6x6 Glossy (Range)



Marine 6x6 Glossy (Range)



Cobalt 6x24 Glossy



Green 6x24 Glossy



Ice White 6x24 Glossy




Marine 6x24 Glossy


ANCIENT 
v3




Barcelona 6x6 Matte (Range)



NEW! **Blanco** 6x6 Matte (Range)



Cordova 6x6 Matte (Range)



San Sebastian 6x6 Matte (Range)



Seville 6x6 Matte (Range)

ANCIENT FLORIDITA V3



Aqua 6x6 Matte (Range)




Azul Blue 6x6 Matte (Range)




Santa Cruz 6x6 Matte (Range)

ASIA V3




Blue 6x6 Matte (Range)

BALI 
V3



NEW! Cobalt Blue 6x6 Glossy (Range)



NEW! Cromium Green 6x6 Glossy (Range)



NEW! Ocean Blue 6x6 Glossy (Range)



NEW! Cobalt Blue 6x24 Glossy



NEW! Cromium Green 6x24 Glossy




NEW! Ocean Blue 6x24 Glossy

BALTIC II V3



Aqua Marine 6x6 Matte (Range)




Blue 6x6 Matte (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.

BARBADOS V3



Blue 6x6 Glossy (Range)

BUBBLES V3



Blue 6x6 Glossy (Range)

CANYON V3



Sunset 6x6 Glossy (Range)

CLOUD v3




Aqua 6x6 Glossy (Range)

* ALSO AVAILABLE IN 6X6 BULLNOSE.




Aqua 6x20 (Range)




NEW! **Cobalt 6x6 Glossy (Range)**

* ALSO AVAILABLE IN 6X6 BULLNOSE.




NEW! **Cobalt 6x20 (Range)**


CORAL




Blu 6x6 Glossy (Range) * ALSO AVAILABLE IN 6x6 BULLNOSE.



Blu 6x20 Glossy (Range)




Green 6x6 Glossy (Range) * ALSO AVAILABLE IN 6x6 BULLNOSE.



Green 6x20 Glossy (Range)

CROSS V3



Blue 6x6 Glossy (Range)



Multicolor 6x6 Glossy (Range)

DISTRICT V3



Bianco 6x6 Matte (Range)



Beige 6x6 Matte (Range)



Grigio 6x6 Matte (Range)




Nero 6x6 Matte (Range)

FIORE 



Brina 6x6 Matte (Range)

****CAUTION**:** Installation requires attention to pattern.



Fiorella 6x6 Matte (Range)

****CAUTION**:** Installation requires attention to pattern.




Gina 6x6 Matte (Range)



Martia 6x6 Matte (Range)

FUSION II 



Cobalt 6x6 Glossy (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.



Denim 6x6 Glossy (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.

FLEUR 
v2



Antoinette 6x6 Matte (Range)




Geraldine 6x6 Matte (Range)

****CAUTION****: Installation requires attention to pattern.



Isabelle 6x6 Matte (Range)

****CAUTION****: Installation requires attention to pattern.




Janette 6x6 Matte (Range)



Laure 6x6 Matte (Range)

****CAUTION****: Installation requires attention to pattern.

GLEEZE 
V4



Beige 3x8 Glossy (Range)



Beige 2x6 Glossy (Range)



Bianco 3x8 Glossy (Range)



Bianco 2x6 Glossy (Range)



Giada 3x8 Glossy (Range)



Giada 2x6 Glossy (Range)




Grigio 3x8 Glossy (Range)



Grigio 2x6 Glossy (Range)

GLEEZE (Cont.) 
V4




Turchese 3x8 Glossy (Range)



Turchese 2x6 Glossy (Range)

GLEE 
V4




Turchese 6x6 Glossy (Range)




Giada 6x6 Glossy (Range)


LAGOON V3



Murano 6x6 Glossy (Range)



Torcello 6x6 Glossy (Range)



Venezia 6x6 Glossy (Range)

MAIOLICHE V3



Grigio 6x6 Glossy (Range)



Maioliche 1 6x6 Glossy (Range)

****CAUTION**:** Installation requires attention to pattern.




Maioliche 3 6x6 Glossy (Range)


****CAUTION**:** Installation requires attention to pattern.



Maioliche 5 6x6 Glossy (Range)



Maioliche 11 6x6 Glossy (Range)



Maioliche 12 6x6 Glossy (Range)

MAIOLICHE (Cont.) V3



Maioliche 18 6x6 Glossy (Range)

MASSA CALACATTA II V2



White 6x6 Matte (Range)
* ALSO AVAILABLE IN 6X6 BULLNOSE.

MELANGE V3



Atlantico Blu Cobalto 6x6 Glossy (Range)




Indiano Azzurro 6x6 Glossy (Range)
(Also Available in 6x12)




Pacifico Acqua 6x6 Glossy (Range)

MYSTIC V3



Blue 6x6 Glossy (Range)
* AVAILABLE IN 6X6 BULLNOSE.



Aqua 6x6 Glossy (Range)
* AVAILABLE IN 6X6 BULLNOSE.

MARRAKECH



Green 4x4 Glossy (Range)



Green 2x8 Glossy (Range)



Ivory 4x4 Glossy (Range)



Ivory 2x8 Glossy (Range)



Light Blue 4x4 Glossy (Range)



Light Blue 2x8 Glossy (Range)



Ocean 4x4 Glossy (Range)



Ocean 2x8 Glossy (Range)

MARRAKECH (Cont.)



Seawater 4x4 Glossy (Range)



Seawater 2x8 Glossy (Range)



White 4x4 Glossy (Range)



White 2x8 Glossy (Range)



Total White 4x4 Glossy (Range)



Total White 2x8 Glossy (Range)



Total White 4x4 Matte (Range)



Total White 2x8 Matte (Range)

NOHO 
V2



Blu 2x10 Glossy & Matte Field Tile



Ivory 2x10 Glossy & Matte Field Tile



Sage  2x10 Glossy & Matte Field Tile



Emerald 2x10 Glossy & Matte Field Tile



Light Grey 2x10 Glossy & Matte Field Tile



White 2x10 Glossy & Matte Field Tile

OASIS II 
V3




Blue 6x6 Matte (Range)



Marine 6x6 Matte (Range)

OCEAN BLUE V3




Blue 6x6 Glossy (Range) * AVAILABLE IN 6x6 BULLNOSE.

OCEAN WAVE V2



Aqua Green 6x24 Glossy



Charcoal 6x24 Glossy



Cobalt 6x24 Glossy



Ice White 6x24 Glossy

ONYX V3




Blue 6x6 Glossy (Range)



Green 6x6 Glossy (Range)

PAINT II




Blue 6x6 Glossy (Range)



Green 6x6 Glossy (Range)

MARMI



Black 6.25x15.25 Matte (Field Tile)



Grey 6.25x15.25 Matte (Field Tile)



White 6.25x15.25 Matte (Field Tile)

ROCK



Cream 3x15 Matte (Field Tile)



Green 3x15 Matte (Field Tile)




Grey 3x15 Matte (Field Tile)




White 3x15 Matte (Field Tile)


REEF 
V3



Azule 6x6 Glossy (Range)



Bora 6x6 Glossy (Range)



Coral 6x6 (Range)




Jade 6x6 Glossy (Range)




Nacre 6x6 Glossy (Range)


ROCCIA




Black 6x6 Glossy (Range)



Cobalt 6x6 Glossy (Range)



Light Green 6x6 Glossy (Range)




Black 6x24 Glossy



Ice White 6x24 Glossy



Cobalt 6x24 Glossy



Light Green 6x24 Glossy

SEA CORALLO



Aqua 6x6 Glossy (Range)



Blue 6x6 Glossy (Range)

SCAVO II V3



Almond 6x6 Matte (Range)




Noce 6x6 Matte (Range)



White 6x6 Matte (Range)


SOL V3




Blu 6x6 Glossy (Range)



Blu Stuttura Foglia 6x6 Glossy (Range)



Verde 6x6 Glossy (Range)




Verde Stuttura Foglia 6x6 Glossy (Range)

SOL (Cont.)




Bianco 6x6 Glossy (Range)




Bianco Stuttura Foglia 6x6 Glossy (Range)



Tappeto 1 6x6 Glossy (Range)



Tappeto 4 6x6 Glossy (Range)



Tappeto 5 6x6 Glossy (Range)

STATES II V3



Snow 6x6 Matte (Range) ** AVAILABLE IN 6X6 BULLNOSE.

STONEQUARTZ V3



Bianco 6x6 Matte (Range)



Beige 6x6 Matte (Range)



Grigio 6x6 Matte (Range)




Nero 6x6 Matte (Range)

STREAM V3




Blue 6x6 Glossy (Range)

SUMMER II V3




Blue 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.

SURF V3



Blue 6x6 Glossy (Range)


WATERPLACE V3



Balystone 6x6 Glossy (Range)




Java 6x6 Glossy (Range)




Samoa 6x6 Glossy (Range)

WAVES II V3




Aqua 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.



Cobalt 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.



Aqua 6x20 Glossy (Range)



Cobalt 6x20 Glossy (Range)

DEPTH MARKERS 6x6



No Diving Flat Skid Resistant



#3 Flat Skid Resistant
or Flat Smooth



#4 Flat Skid Resistant
or Flat Smooth



#5 Flat Skid Resistant
or Flat Smooth



#6 (or 9) Flat Skid Resistant
or Flat Smooth



#8 Flat Skid Resistant
or Flat Smooth




#0.5 Flat Skid Resistant
or Flat Smooth




FT Flat Skid Resistant
or Flat Smooth
IN Flat Skid Resistant
or Flat Smooth

AQUA




Terra Blue Mosaic
12x12 Sheet (1 Pc. per SF)

BOTANICAL



Caribbean Blue Mosaic
12x12.5 Sheet (0.93 Pc. per SF)




Cobalt w/Terra Mosaic
12x12.5 Sheet (0.93 Pc. per SF)



Lake Blue Mosaic
12x12.5 Sheet (0.93 Pc. per SF)



Marble Royal Mosaic
12x12.5 Sheet (0.93 Pc. per SF)



Teal Green Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

DIAMOND REFLECTION



Atlantic Green Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)




Gulf Blue Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)




Pacific Blue Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)


REFLECTION MOSAICS



Atlantic Green 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Gulf Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Pacific Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Atlantic Green Random Pattern
12x12 Sheet (1 Pc. per SF)



Gulf Blue Random Pattern
12x12 Sheet (1 Pc. per SF)



Pacific Blue Random Pattern
12x12 Sheet (1 Pc. per SF)

*ALL SIZES ARE NOMINAL.


HARMONY




Cobalt Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)




Cobalt Blue 2x2 Mosaic
12.5x12.5 Sheet (0.92 Pc. per SF)



Cobalt Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)




Terra Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)




Terra Blue 2x2 Mosaic
12.5x12.5 Sheet (0.92 Pc. per SF)



Terra Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)



Royal Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Royal Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)

LISTELLO



Atlantic Blue
6x13.25 Border (1.82 Pcs. per SF)



Ocean Sand
6x13.25 Border (1.82 Pcs. per SF)



Pacific Blue
6x13.25 Border (1.82 Pcs. per SF)




Ocean Gold
6x13.25 Border (1.82 Pcs. per SF)




Terra Blue
6x13.25 Border (1.82 Pcs. per SF)

LUCIANA



Blueberry Mosaic
12x13 Sheet (0.87 Pc. per SF)




Terra Mosaic
12x13 Sheet (0.87 Pc. per SF)

MINI AKRON




Blueberry Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Terra Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

PENNY ROUND




Cobalt Blue 3/4" Mosaic
12x12 Sheet (1 Pc. per SF)

SEA BREEZE



Dark 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)




Medium 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)




Light 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

SUNBURST




Cobalt Blue Mosaic
12x12 Sheet (1 Pc. per SF)

WATERSIDE




Lake Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)




Smoke Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Terra Blue Mosaic
12x12 Sheet (1 Pc. per SF)



Royal Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Terra Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

BEACHSTONES

Not recommended or warranted for submerged applications.



Blue Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Green Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Grey Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Ivory Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Tan Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



White Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



White, Blue Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



White, Blue, Grey Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



White, Green, Tan Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)



White, Tan, Grey Sliced Mosaic
11.5x11.5 Sheet (1.14 Pcs. per SF)

LEDGERSTONE



Beachwalk 6x24 Sheet (1 Pc. per SF)



Carbon 6x24 Sheet (1 Pc. per SF)



Glacier 6x24 Sheet (1 Pc. per SF)

OCEAN STONES

Not recommended or warranted for submerged applications.



Lt. Grey, Dk. Grey & White Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Light Grey, Tan & White Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Swirl Grey Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Matte White Fit Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Sparkly White Fit Mosaic
11.75x12.5 Sheet (.98 Pcs. per SF)



Swirl Grey Fit Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



White Quartz Fit Mosaic
10.75x11 Sheet (1.22 Pcs. per SF)



Tan White Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont.)

Not recommended or warranted for submerged applications.



Classic Tan Pebble Mosaic
11.25x10.75 Sheet (1.19 Pcs. per SF)



Classic White Pebble Mosaic
11.25x10.75 Sheet (1.19 Pcs. per SF)



Tiger Eye Pebble Mosaic
12.25x11.5 Sheet (1.02 Pcs. per SF)



Black Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Black White Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Cream Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Fossil Light Color Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Fossil Carrara Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Ivory Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Java Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)




Robins Egg Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Terrazzo Carrara Bardiglio White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo Carrara Nero Smoke
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo Carrara White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



Terrazzo Vintage Light Occhialino
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)



NEW! Terrazzo, Carrara, Blue, Beige
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)



NEW! Terrazzo, White, Green, Tan
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont'd)

Not recommended or warranted for submerged applications.



NEW! Terrazzo, White, Tan, Rose
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)



NEW! Terrazzo, White, Tan
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)



Tiger Eye Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Waves Bardiglio Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



White Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



White Green Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)



Ivory Sliced Flower Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Tan Sliced Flower Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



White, Green, Tan Sliced Flower Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont'd)

Not recommended or warranted for submerged applications.



White, Tan, Grey Sliced Flower Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Bianco Carrara
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Calacatta Gold
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Italian White Blue Celeste
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



Light Wood Grain
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



NEW! Milky White
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)



NEW! Wooden White Blue Celeste
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

CAST

Cast Glass

The Ancient Art of Glass Mosaics dates back as early as 2500 BC but became more refined as Glass Tile in the 3rd Century BC when the product became known as Smalti Tile. Cast Glass (Smalti) is made in a furnace (2,500 – 3,000 Fahrenheit) melting the ingredients Silica Sand (Silicon Dioxide), Soda Ash (Sodium Carbonate), Limestone (Calcium Carbonate) that are mixed with metal oxides (for color). The source of the materials for cast glass can be from the raw materials or by the addition of recycled glass.

The resulting molten colored liquid is poured into metal molds that are rapidly cooled and broken into individual tiles. The glass tiles then are reheated in an Annealing Kiln where the glass is brought back up to 900 Fahrenheit and slowly cooled over a 2-3 hour process. The annealing process reduces the residual internal stresses. Glass that is not properly annealed retains thermal stress in its molecular structure making them brittle. Some cast glass prior to annealing can have a secondary coating of Iridescence sprayed on the surface to create a reflective rainbow effect face.

The cast glass tiles are then placed into mounting molds where they get arranged into mosaic sheets that are face mounted with Clear Mylar Tape. Darker nontransparent / opaque versions can be Mesh Mounted on the back side of the tile. Larger size tiles can be packaged individually. We do not offer Paper faced mosaics due to installer resistance. IWT's Cast Glass series can be installed in exterior submerged (pool) applications, which require proper installation.

*****ATTENTION***** Cast Glass is prone to expand and contract with exposure to heat (Sun) due to the coloration (Metal Oxides) in the body. Absolutely requires movement / expansion joints be incorporated into the installation.

Easiest way to identify cast glass is to look at the side of the tile, If the color is the same as the face and goes all the way through, it is a Cast Glass.

CLOUDS Color Body 9.5mm



Arcus 3x9 Glass Tile (5.32 Pcs. per SF)



Cirrus 3x9 Glass Tile (5.32 Pcs. per SF)



Stratus 3x9 Glass Tile (5.32 Pcs. per SF)



Thunder 3x9 Glass Tile (5.32 Pcs. per SF)

Please Read - Important information regarding Clouds:

Exterior installations [pool waterline] requires proper placement of expansion / movement joints per TCNA EJ-171 as well as thinset approved for submerged glass tile installation. Failure to install with industry requirements will result in product failure and void all warranties.

CAST

CLOUDS 2.0



Cumulus 3x12 Glass Tile (4 Pcs. per SF)

DASH Color Body 6mm (Mesh Mount)



Aegean
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Biscay
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Caspian
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Java
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Kara
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

CAST

LIQUID DROPS 6mm (Mesh Mount)



NEW! **Aqua**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)



NEW! **Clearwater**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)




NEW! **Fresh Water Pearl**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)



NEW! **Gulfstream**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)

CAST

LIQUID ROCKS 6mm (Mesh Mount)



Abyss Black
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Aqua Blue
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Fresh Water Pearl
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Oyster Silver
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



River Brown
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Miami Shores
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Sandy Beige
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Southern Lakes
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Torrent Grey
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

CAST

SUPERIOR Color Body 6mm (Face Tape Mount)



Iceberg 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)



Moon 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)



Pier 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)



Shark 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)



Surf 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)



Wave 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Please Read – Important information regarding Superior:

This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance

Cast Glass: Installation Instructions

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

CAST

Clear Tape Face Mounted* (Flower Glass / Superior)

Cast Glass Face Mounted mosaics are made of semi-transparent glass which are face mounting. These products are made using a poured liquid glass process. A certain amount of variation in color, shade, texture, size and tone is a desired feature and is inherent to this production process - **some bubbles, veins, wrinkles and other small irregularities in many of the pieces is typical**, consistent and intended with this production process. Cast Glass tiles can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Mesh Mounted* (Aurora / Dash / Garden Wall / Liquid Rocks)

Cast Glass Mesh Mounted mosaics are made of semi-transparent glass, lighter colors are back coated to obscure the mesh-mounting. These products are made using a poured liquid glass process. A certain amount of variation in color, shade, texture, size and tone is a desired feature and is inherent to this production process - **some bubbles, veins, wrinkles and other small irregularities in many of the pieces is typical**, consistent and intended with this production process. Cast Glass tiles can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

*****ATTENTION*****

Cast Glass will expand with exposure to heat - Sun!

The metal oxides (coloring) in the body of Cast Glass will absorb heat and cause the tiles to expand. Cast Glass requires that movement / expansion joints must be incorporated into the installation.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40°F (4°C) to 95°F (35°C) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar than can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

CAST

Cast Glass: Installation Instructions

Installation Instructions (Cont.)

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges.

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later.

Leveling: Square the sheet and apply to your surface, then "beat in"; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: (CLEAR TAPE FACE MOUNTED) After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and ready for grouting. Remove the Clear Tape from surface, use a nylon bristle brush, a sponge, and warm water to clean any glue or tape residue from the tile surface. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Grout Preparation: (MESH MOUNTED) After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive grouting pressure, this can scratch the surface of the glass.

Crystal Glass / Float Glass

Crystal Glass Tiles are typically made from Float Glass (Modern Windowpane Glass) that is cut to size, then decorated typically on the back side. Float Glass is a very stable product and always is produced with the proper annealing of the material. The large sheets of Float Glass are cut into the desired shaped tiles. Fancy shapes like Penny Rounds, Scallop designs are water jet cut, which increases the cost.

Float glass owes its unique name to the process by which it is manufactured wherein the molten glass is introduced into a bath of molten tin, causing the glass to float freely. The body of Float glass is clear, slightly tinted green due to the iron oxide that is in its mixture, like the traditional Coke Bottle. Some of our Ultra White Items (Pure White / Treasure Whitestone) are made with Extra Clear Float Glass that is manufactured with lower iron. Float glass is Manufactured in many a variety of thickness, 6mm and 8 mm are the most popular for Glass Tiles.

Hot Fired versions can be installed interior or exterior applications as well submerged in a pool or fountain. The Pool Approved 'Hot Fired' Crystal Glass version is explained in more detail below.

Hot Fired Crystal Glass

Hot Fired Crystal Glass mosaics are made of clear Float Glass, which is typically back mounted with a fiberglass mesh, though some larger sizes are packaged as individual loose pieces. These products are decorated using a glaze (liquid glass) to create the pattern and color to the back side and a secondary 'masking' coat prior to being refired. The coloration is fused to the glass through this process, making it suitable for exterior submerged applications. Some of our series also have a second Iridescent coating fired onto the top surface face that can create a reflective surface, often rainbow or silver effect

Caution must be taken on the extremely large versions of Crystal Glass (Example 8" x 24" Elements) that are loose piece that require contractors mounting with spacers. Adequate grout lines (minimum 1/16") must be provided, no butt joints. Also, it is imperative to use expansion / movement joint at ever change of plane (all Corners of the installation or where the glass abuts a dissimilar product (tile).

The Majority of IWT Glass lines are of the Hot Fire variation, but if planning an exterior installation and are in doubt, please ask for confirmation.

CRYSTAL



Shown: Trangle Moon Stone (pg 280)

CRYSTAL

ABA 6mm (Mesh Mount)



NEW! Blue
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! Green
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! Grey
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! Blue
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




NEW! Green
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




NEW! Grey
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)


ALPHA 6mm (Mesh Mount)



Black 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Blue 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)

CRYSTAL

ALTONA 8mm (Mesh Mount)



Coral Clay

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Edon Shoal

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Freeport

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mangrove Bay

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Spray Rock

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Tarpon Isle

Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL 6mm (Mesh Mount)



Black Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



White Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

CRYSTAL


ELEGANT 6mm




Cobalt 6x6 Glossy (Range)



Green 6x6 Glossy (Range)



Turquoise 6x6 Glossy (Range)



White 6x6 Glossy (Range)

CRYSTAL

ELEMENT 8mm (Mesh Mount)




Cloud 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cloud Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shades of Grey Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL

ELEMENT 8mm (Mesh Mount) (Cont'd)



Cloud 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Earth 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Sand 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shades of Grey 1x4 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Skylight 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Smoke 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL


ELEMENT 8mm (Mesh Mount) (Cont'd)



Cloud Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Earth Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Ice Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Mist Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Sand Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Shadow Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Skylight Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Smoke Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

CRYSTAL

ELEMENT 8mm (Mesh Mount) (Cont'd)



Cloud 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Earth 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Ice 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Mist 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Sand 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Shadow 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Skylight 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Smoke 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)



Cloud 3x12 Glass Glossy Tile (4 Pcs. per SF)



Earth 3x12 Glass Glossy Tile (4 Pcs. per SF)



Ice 3x12 Glass Glossy Tile (4 Pcs. per SF)



Mist 3x12 Glass Glossy Tile (4 Pcs. per SF)



Sand 3x12 Glass Glossy Tile (4 Pcs. per SF)



Shadow 3x12 Glass Glossy Tile (4 Pcs. per SF)



Skylight 3x12 Glass Glossy Tile (4 Pcs. per SF)



Smoke 3x12 Glass Glossy Tile (4 Pcs. per SF)


HOT SPRINGS 8mm (Mesh Mount)



Chico Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL

GEMSTONE 8mm (Mesh Mount)




Aquamarine 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)




Royal Blue 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)



Silver 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)




Aquamarine 2x6 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)



Silver 2x6 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)



Aquamarine 3x9 Glass Glossy Tile (Range) (5.32 Pcs. per SF)



Mystic Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)




Glenwood Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)



Saratoga Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL


MERCURY 6mm (Mesh Mount)




Blend 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt 1x2 Glass Mosaic
12x12 Sheet (1 Pc. per SF)




Green 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)




Turquoise 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

NAUTICAL 6mm (Mesh Mount)



Bimini Blue
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Thunder Gray
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Naval Blue
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)


CRYSTAL




Emerald Green
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Laguna Black
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Naval Blue
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Bimini Blue
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Emerald Green
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)




Laguna Black
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Thunder Gray
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

CRYSTAL

PIAZZA 6mm (Mesh Mount)



Cobalt 3x3 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Green 3x3 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Turquoise 3x3 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



White 3x3 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt 3x3 Random Glass
Glossy Mosaic 11.75x11.75 Sheet
(1.04 Pcs. per SF)



Green 3x3 Random Glass
Glossy Mosaic 11.75x11.75 Sheet
(1.04 Pcs. per SF)



Turquoise 3x3 Random Glass
Glossy Mosaic 11.75x11.75 Sheet
(1.04 Pcs. per SF)



White 3x3 3x3 Random Glass
Glossy Mosaic 11.75x11.75 Sheet
(1.04 Pcs. per SF)

CRYSTAL


REVERE (Mesh Mount)



Ash Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Natural Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Hazel/Natural Glossy & Matte
(Multi-Linear) Random Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

STRIPED 6mm (Mesh Mount)



Black 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Green 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Turquoise 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

CRYSTAL

STROMBOLI 6mm (Mesh Mount)



NEW! **Garden Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! **Petra Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! **Porto Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

TRAPEZOID 6mm (Mesh Mount)



NEW! **Misty** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)




NEW! **Horizon** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

****CAUTION**:** Installation requires attention to pattern.

CRYSTAL


TREASURE 6mm (Mesh Mount) (Cont'd)



Blackstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Blendstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Cobaltstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Greenstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Moonstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Topazstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Whitestone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Blackstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Blendstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL

TRIANGLE 6mm (Mesh Mount)




Cobaltstone

Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Greenstone

Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Moonstone

Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Topazstone

Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Whitestone

Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Black Stone Glass Glossy Mosaic

11.75 x11.75 Sheet (1.04 Pcs. per SF)




Blend Stone Glass Glossy Mosaic

11.75 x11.75 Sheet (1.04 Pcs. per SF)



Cobalt Stone Glass Glossy Mosaic

11.75 x11.75 Sheet (1.04 Pcs. per SF)




Green Stone Glass Glossy Mosaic


11.75 x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL

TRIANGLE (Cont.) 6mm (Mesh Mount)



Moon Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Topaz Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




White Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)




Shown:Trangle Blendstone

CRYSTAL

WATERCRAFT 6mm (Mesh Mount)




Black Sands 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Coral Reef 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Sea Breeze 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



St Lucia 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



White Sand 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

WAVY 6mm (Mesh Mount)



NEW! **Deep Blue** 1x2 Glass Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! **Calm Aqua** 1x2 Glass Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Crystal Glass: Installation Instructions

CRYSTAL

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

Hot Fired Crystal Glass Series: Mesh Mounted Or Loose Piece

Alpha / Bamboo / Border Wave / Crystal / Elegant / Elements / Fusion
Hot Springs / Lightwaves / Lux Aqua / Nautical / Patchwork / Piazza / Pure White
Rainbow / Revere / Slip Stream / Stardust / Stratos / Subway / Terra Piscina
Treasure / Triangle / Ultraviolet / Watercolors

Hot Fired Crystal Glass tiles are made of clear glass back-mounted with a fiberglass mesh (except those boxed as Loose pieces). These products are made using a hot glaze application process, fired on the backs side for decoration. They can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40°F (4°C) to 95°F (35°C) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar than can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges.

CRYSTAL

Crystal Glass: Installation Instructions

Installation Instructions (Cont.)

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised

to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later. Caution must be taken on the extremely large versions of Crystal Glass (Example 8" x 24" Elements) that are loose piece that require contractors mounting with spacers. Adequate grout lines (minimum 1/16") must be provided, no butt joints. Also, it is imperative to use expansion / movement joint at ever change of plane (all Corners of the installation or where the glass abuts a dissimilar product (tile).

Leveling: Square the sheet and apply to your surface, then "beat in"; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive pressure, which can scratch the surface of the glass.

Sintered Recycled Glass

SINTERED

Sintered Recycled Glass have gained a lot of popularity as very small sized porcelain tiles became difficult to find from traditional manufacturers. This class of glass products are made in a significantly different process than the other two types. Recycled windowpane glass is pulverized into a fine powder which in turn is pressed into shapes like a traditional porcelain tile. It is then glazed with liquid glass glazes (often via ink jet process) on the top surface prior to being fired in the kiln. The traditional Kiln Firing includes the cool down process that we call annealing, which is part of the single fire process and not a second reheating of the product.


The mounting of Sintered Glass can be on fiberglass mesh or in some case using dot mounting.

Note: This process results in some minor variation of the size of the stones, we call that an 'artisan edge'.

ALOHA




Blue Orchid Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)



Clematis Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)



Mucuna Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)



Plumeria Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)

SINTERED

BARK 5mm (Mesh Mount)



Aspen
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)




Bay
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Cinnamon
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Linden
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Aspen
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Bay
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)



Cinnamon
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)




Linden
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Please Read – Important information regarding Bark:

This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance

CAST

BOWLINE 6mm (Mesh Mount)




Blue Atoll Glass Glossy Mosaic
12x12 Sheet (1 Pcs. per SF)



Coral Sea Glass Glossy Mosaic
12x12 Sheet (1 Pcs. per SF)

ONIX ECO STONE 6mm (Dot Mount)




Onix 2x2 Glass Glossy Mosaic
12.25x12.25 Sheet (0.962 Pc. per SF)

VANGUARD 1X1 4mm (Dot Mount)



Arrecife Blue 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)




Arrecife Grey 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)

Please Read - Important information regarding Onix Eco Stone:


This Artisan-edge glass mosaic is made with recycled glass. The characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance



Forest Blue 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)




Rodas 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)



Tourmaline 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)

SINTERED

VANGUARD 5mm (Dot Mount) (Cont'd)



 **Arrecife Blue** 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)




 **Arrecife Green** 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)



 **Arrecife Grey** 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)




 **Forest Aqua** 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)




 **Sena** 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)




 **Arrecife Blue** 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



 **Arrecife Green** 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



 **Arrecife Grey** 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)




 **Forest Aqua** 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

SINTERED


VANGUARD 2x2 5mm (Dot Mount)



Forest Blue 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)




Rodas 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)




 **Sena** 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



Tourmaline 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)




 **Arrecife Blue** Penny Glass Glossy Mosaic 11x11 Sheet (1.19 Pc. per SF)




 **Arrecife Green** Penny Glass Glossy Mosaic 11x11 Sheet (1.19 Pc. per SF)



 **Arrecife Grey** Penny Glass Glossy Mosaic 11x11 Sheet (1.19 Pc. per SF)



 **Forest Aqua** Penny Glass Glossy Mosaic 11x11 Sheet (1.19 Pc. per SF)



 **Sena** Penny Glass Glossy Mosaic 11x11 Sheet (1.19 Pc. per SF)

GLASS MOSAIC

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.



Sintered Glass: Installation Instructions

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

SINTERED

SINTERED GLASS: Mesh or Dot Mounted

Aloha / Bark / Bowline / Illusions / Vanguard

Sintered Recycled Glass are made of recycled windowpane glass, which is pulverized into a fine powder and pressed into shapes like a traditional porcelain tile. They are then glazed with liquid glass glazes (often via ink jet process) on the top surface prior to being fired. The mounting of Sintered Glass can be on fiberglass mesh or in some case using dot mounting. Note, this process results in some minor variation of the size of the stones, we call that an 'artisan edge'.

They can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40°F (4°C) to 95°F (35°C) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar than can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges..

SINTERED

Sintered Glass: Installation Instructions

Installation Instructions (Cont.)

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised

to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later.

Leveling: Square the sheet and apply to your surface, then “beat in”; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive pressure, which can scratch the surface of the glass.

AVOID GLASS FAILURE ON POOL INSTALLATIONS

What is a movement or expansion joint?

Pools and other submerged areas with glass mosaic tile require a movement or expansion joint every eight to twelve feet, within the waterline, at corners, at the top of the waterline and raised tiled areas where they meet dissimilar materials, such as decking or pool coping.

Why Expansion Joints?

The concern with glass failure, also known as cracking or spalling, arises when the color-body of the glass heats up and is directly faced with the hot summer sun causing the glass to expand. The major cause is that the cement wall or beam of the pool will not expand proportionately at the same rate as the glass. (*Note: color in glass is made through the addition of metal oxides; examples are: Iron, Copper, Nickel, Manganese, Cobalt and Chromium*).

Glass tile **does** expand and contract more than ceramic and porcelain tile. This movement needs to be accommodated during the installation. Thus, the industry standard for any pool tile glass installation requires a movement or expansion joint around the entire perimeter of waterline below the coping, as well as every eight to twelve lineal feet on the waterline and at all corners. This also includes any skimmers, water features and directly over any joints in the concrete shell.

For the movement joint, utilize a flexible sealant recommended for submerged applications. Aquatica recommends high quality 100% silicone caulk. [Do not use acrylic as it will not stand up in a pool environment].


The **most important** movement joint is where the glass material meets the coping or the decking! While this recommendation is standard installation procedure for all exterior installations, it is *frequently ignored*.

It is CRITICAL to follow the TCNA guidelines with ALL Glass Tile Installation:

****Use only highly modified Thinset approved for Glass Tile Installation****

Do not install glass with color body without adhering to these guidelines. Use Constitutes Acceptance.

MOVEMENT JOINT BETWEEN COPING AND TILE



Example of glass failure due to no expansion joints.

Note: Optional Waterproofing / Crack Suppression can also help prevent the Efflorescence commonly seen on failures. Contact your setting material manufacturer for further information.

Movement (Expansion) joints are required to comply with TCNA method EJ 171

Source: Tile Council of North America (TCNA) & Ceramic Tile Institute of America (CTIOA)

WARRANTY & CLAIMS

The Aquatica Pool & Spa Tile and glass mosaics will perform as intended when installed in accordance with the appropriate ANSI specifications and standard industry practices by competent licensed professional installers. All sizes stated are nominal as per industry standard. Installation constitutes acceptance.

EXCLUSIONS:

This warranty excludes chips, scratches and cracking due to substrate movement, shrinkage, moisture or failure due to poor workmanship or a lack of properly-placed perimeter and/or movement joints not consistent with standard industry practices and guidelines.

- Warranty is null and void if proper installation guidelines are not followed and/or material is not properly maintained.
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- Any misuse of the product, including physical or chemical abuse or negligence is not covered by this warranty.

For detailed installation and specification information, please visit www.internationalwholesaletile.com/aquatica or call IWT Technical Services 800 340-8453.



AQUATICA BY TESORO

Tel: (800) 340-TILE (8453) | Fax: (888) 765-TILE (8453)
www.iwttesoro.com | info@iwttesoro.com

LUXURY ENGINEERED PLANKS & TILES

Luxwood

BrekenRidge	296
Bryce	297
Buckeye	298
Cheyenne	299
Destin	300
Malibu	301
Monterrey.....	302
Palm Coast.....	303
Santa Fe	304
Sun Valley	305

Luxwood XL

Birch.....	306
Bliss	307
Chestnut.....	308
Cinnamon.....	309
Pebble	310
Reclaimed	311
Sandbar	312
Toffee	313

OakSong

Barnwood	314
Fawn.....	315
Saddle	316
Sanibel	317

Velluna

Biscotti	318
Bordeaux.....	319
Castano	320
Dove	321
Saffron	322
Straw.....	323

Glen Vista

Champagne.....	324
Oat	325
Sunset	326
Whisper	327

NaturaLux

Cappuccino Oak	328-329
Classic Oak	330
Pickle Oak	331
Sandy Oak	332-333
Saddle Oak	334
Sienna Oak	335
Sugar Oak	336-337
Sunset Oak	338

ForestaLux

Charming Oak.....	339
Heavenly Oak	340
Honeyed Oak	341
Latte Oak.....	342
Sweet Oak	343
Toasted Oak	344

PremierLux

Ageless Oak	345
Cheerful Oak	346
Dazzling Oak	347
Delightful Oak	348
Elated Oak.....	349
Enchanted Oak.....	350
Lavish Oak.....	351
Seaside Oak	352
Splendid Oak	353
Stunning Oak.....	354

Learn more at www.iwtttesoro.com



NEW LUXURY ENGINEERED PLANKS

FORESTALUX



NATURALUX HERRINGBONE



VELLUNA



COMPARISON CHART

TECHNICAL SPECIFICATIONS:	SIZE	LIMITED LIFETIME Residential Warranty	LIMITED Commercial Warranty	WEAR LAYER	STONE CORE	PACKAGING	THICKNESS
LUXWOOD	7.25"x48"	✓	15 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	8 PC/ 19.38 SF per box	6.5 MM 5.0MM Core+ 1.5MM Eva Pad
LUXWOOD XL	9"x60"	✓	15 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	6 PC/ 22.60 SF per box	8 MM 6MM Core+ 2MM Eva Pad
OAKSONG	7"x48" or 9"x60"	✓	10 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	7" 10 PC 9" 8 PC 23.77 SF 29.71 SF per box	5 MM 4MM Core + 1MM Rubber Pad
VELLUNA	9"x60"	✓	10 YR	Very Scratch Resistant 22 Mil	WPC Core	7 PC/ 22.61 SF per box	10 MM w/ 2 pads for Extra Comfort & Sound**
GLEN VISTA	9"x60"	✓	15 YR	Very Scratch Resistant + AC4	HDF Core	6 PC/ 23.15 SF per box	10 MM 8MM Core + 2 MM Attached Pad
NATURALUX	7.5"x74.8"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	5-ply Core	10 PC/ 38.86 SF per box	3/8" Core + 1.2 MM Oak Veneer
FORESTALUX	8.5"x86"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	7-ply Core	6 PC/ 31.26SF per box	9/16" Core + 3 MM Oak Veneer
PREMIERLUX	9.5"x86"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	7-ply Core	6 PC/ 34.10SF per box	5/8" Core + 4 MM Oak Veneer

* Residential Structural Limited Lifetime Warranty.
Residential Finish 25 Year Limited Warranty.

** Sizing Nominal.



COLOR: BrekenRidge
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Bryce
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad




Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Buckeye
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Cheyenne
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Destin
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Malibu
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Monterrey
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad




Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Palm Coast
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Santa Fe
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Sun Valley
SIZE: 7.25" x 48"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 8 PC - 19.38 SF/Box
THICKNESS: 6.5 MM: 5 MM Core + 1.5 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BIRCH

LUX WOOD XL

TESORO[®]
Quality Products for Life



COLOR: Birch
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Bliss
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Chestnut
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CINNAMON

LUX WOOD XL

TESORO[®]
Quality Products for Life



COLOR: Cinnamon
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

www.iwtesoro.com



COLOR: Pebble
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

RECLAIMED

LUX WOOD XL

TESORO®
Quality Products for Life



COLOR: Reclaimed
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Sandbar
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Toffee
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 20 mil Very Scratch Resistant
PACKAGING: 6 PC - 22.60 SF/Box
THICKNESS: 8.0 MM: 6 MM Core + 2 MM EVA Pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Barnwood
SIZE: 7" x 48" or 9" x 60"
EDGE: SPC Core
WEAR LAYER: 20 mil
PACKAGING: 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS: 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Fawn
SIZE: 7" x 48" or 9" x 60"
EDGE: SPC Core
WEAR LAYER: 20 mil
PACKAGING: 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS: 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Saddle
SIZE: 7" x 48" or 9" x 60"
EDGE: SPC Core
WEAR LAYER: 20 mil
PACKAGING: 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS: 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Sanibel
SIZE: 7" x 48" or 9" x 60"
EDGE: SPC Core
WEAR LAYER: 20 mil
PACKAGING: 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS: 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Biscotti **NEW!**

SIZE: 9" x 60"

EDGE: 4-Sided Painted Bevel

WEAR LAYER: 22 mil - Very Scratch Resistant

PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA

THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Bordeaux **NEW!**
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil - Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Castano **NEW!**
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil - Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Dove **NEW!**
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil - Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Saffron **NEW!**

SIZE: 9" x 60"

EDGE: 4-Sided Painted Bevel

WEAR LAYER: 22 mil - Very Scratch Resistant

PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA

THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Straw **NEW!**
SIZE: 9" x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil - Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Champagne
SIZE: 9" x 60"
EDGE: 4-Sided Bevel Edge
WEAR LAYER: EIR + AC4- Very Scratch Resistant
PACKAGING: 6 PC / 23.15 SF PER BOX
THICKNESS: 10MM: 8mm Core + 2mm attached pad




Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Oat
SIZE: 9" x 60"
EDGE: 4-Sided Bevel Edge
WEAR LAYER: EIR + AC4- Very Scratch Resistant
PACKAGING: 6 PC / 23.15 SF PER BOX
THICKNESS: 10MM: 8mm Core + 2mm attached pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Sunset
SIZE: 9" x 60"
EDGE: 4-Sided Bevel Edge
WEAR LAYER: EIR + AC4- Very Scratch Resistant
PACKAGING: 6 PC / 23.15 SF PER BOX
THICKNESS: 10MM: 8mm Core + 2mm attached pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



COLOR: Whisper
SIZE: 9" x 60"
EDGE: 4-Sided Bevel Edge
WEAR LAYER: EIR + AC4- Very Scratch Resistant
PACKAGING: 6 PC / 23.15 SF PER BOX
THICKNESS: 10MM: 8mm Core + 2mm attached pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



NATURALUX

TESORO[®]
Quality Products for Life



CAPPUCINO OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY



NATURALUX

TESORO[®]
Quality Products for Life



CAPPUCINO OAK HERRINGBONE **NEW!**

SIZE: 5 X 25 - FIXED LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY

www.ivftesoro.com



NATURALUX



CLASSIC OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





NATURALUX



PICKLE OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



NATURALUX

TESORO[®]
Quality Products for Life



SANDY OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY



NATURALUX

TESORO®
Quality Products for Life



SANDY OAK HERRINGBONE **NEW!**

SIZE: 5 X 25 - FIXED LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY

www.ivftesoro.com



NATURALUX



SADDLE OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





NATURALUX



SIENNA OAK NEW!

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



NATURALUX



SUGAR OAK

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





NATURALUX

TESORO[®]
Quality Products for Life



SUGAR OAK HERRINGBONE **NEW!**

SIZE: 5 X 25 - FIXED LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY

www.ivftesoro.com



NATURALUX

TESORO[®]
Quality Products for Life



SUNSET OAK NEW!

SIZE: 7.5 X 74.8 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 10 PC/ 38.86 SF PER BOX
THICKNESS: 3/8" 5-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY



ForestaLux

TESORO[®]
Quality Products for Life



CHARMING OAK NEW!

SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



**RESIDENTIAL
COMMERCIAL**
LIMITED WARRANTY

www.ivftesoro.com



ForestaLux



HEAVENLY OAK NEW!

SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





ForestaLux



HONEYED OAK NEW!

SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



ForestaLux



LATTE OAK NEW!


SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





ForestaLux



SWEET OAK NEW!

SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



ForestaLux



TOASTED OAK NEW!

SIZE: 8.5 X 86 - RANDOM LENGTH
FINISH: LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING: 6 PC/ 31.26 SF PER BOX
THICKNESS: 9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux

TESORO[®]
Quality Products for Life



AGELESS OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



www.ivftesoro.com



PremierLux



CHEERFUL OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux



DAZZLING OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



PremierLux



DELIGHTFUL OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux



ELATED OAK


SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux



ENCHANTED OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux

TESORO®
Quality Products for Life



LAVISH OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB
PHASE 2
COMPLIANT



www.ivftesoro.com



PremierLux



SEASIDE OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





PremierLux



SPLENDID OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI



www.ivftesoro.com



PremierLux



STUNNING OAK

SIZE: 9.5 X 86 - RANDOM LENGTH
FINISH: UV AO FINISH
PACKAGING: 6 PC/ 34.10 SF PER BOX
THICKNESS: 5/8" 7-PLY EUCALYPTUS CORE
SPECIES: FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI





LUX WOOD BrekenRidge



LUX WOOD Bryce



LUX WOOD Buckeye



LUX WOOD Cheyenne



LUX WOOD Destin



LUX WOOD Malibu



LUX WOOD Monterrey



LUX WOOD Palm Coast



LUX WOOD Santa Fe

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

LUXURY ENGINEERED PLANKS & TILES



LuxWood Sun Valley



LuxWood XL Birch



LuxWood XL Bliss



LuxWood XL Chestnut



LuxWood XL Cinnamon



LuxWood XL Pebble



LuxWood XL Reclaimed



LuxWood XL Sandbar



LuxWood XL Toffee



OAKSONG Barnwood 



OAKSONG Fawn 



OAKSONG Saddle 



OAKSONG Sanibel 



GLEN VISTA Champagne 



GLEN VISTA Oat 



GLEN VISTA Sunset 



GLEN VISTA Whisper 

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

LUXURY

ENGINEERED PLANKS & TILES



VELLUNA Biscotti



VELLUNA Bordeaux



VELLUNA Castano



VELLUNA Dove



VELLUNA Saffron



VELLUNA Straw



NATURALUX

Cappucino

Also Available in Herringbone



NATURALUX

Classic Oak



NATURALUX

Pickle Oak



NATURALUX

Sandy Oak

Also Available in Herringbone



NATURALUX

Saddle Oak



NATURALUX

Sienna Oak



NATURALUX

Sugar Oak

Also Available in Herringbone



NATURALUX

Sunset Oak

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

LUXURY

ENGINEERED PLANKS & TILES



ForestaLux Charming Oak



ForestaLux Heavenly Oak



ForestaLux Honeyed Oak



ForestaLux Latte Oak



ForestaLux Sweet Oak



ForestaLux Toasted Oak



PremierLux Ageless Oak



PremierLux Cheerful Oak



PremierLux Dazzling Oak



PremierLux Delightful Oak



PremierLux Elated Oak



PremierLux Enchanted Oak



PremierLux Lavish Oak



PremierLux Seaside Oak



PremierLux Splendid Oak



PremierLux Stunning Oak

Vinyl Coordinating Moldings

Matches Color & Design of Floor

LUXWOOD

				
T-Molding 94"	End Cap / Reducer 94"	Square Nose Full Size Stair Tread 1.38" x 12" x 48"	Square Nose Landing Step with Locking Edge 1.38" x 12" x 48"	Rounded Flush Stair Nose Molding with Locking Edge 1.38" x 5" x 94"

LUXWOOD XL

				
T-Molding 94"	End Cap / Reducer 94"	Square Nose Full Size Stair Tread 1.38" x 12" x 48"	Square Nose Landing Step with Locking Edge 1.38" x 5" x 60"	Rounded Flush Stair Nose Molding with Locking Edge 1.38" x 5" x 94"

OAKSONG

			
T-Molding 94"	End Cap / Reducer 94"	Square Nose Landing Step with Locking Edge 1.38" x 5" x 48"	Rounded Flush Stair Nose Molding with Locking Edge 1.38" x 5" x 94"

VELLUNA

				
T-Molding 94"	End Cap / Reducer 94"	Square Nose Full Size Stair Tread 1.38" x 12" x 48"	Square Nose Landing Step with Locking Edge 1.38" x 5" x 60"	Rounded Flush Stair Nose Molding with Locking Edge 1.38" x 5" x 94"

Laminate Coordinating Moldings

Matches Color & Design of Floor




GLEN VISTA

			
Flush Stair Nose .94" x 4.53" x 94"	End Cap .59" x 1.38" x 94"	Reducer .59" x 1.77" x 94"	T-Molding .47" x 1.77" x 94"

Hardwood Coordinating Moldings

Matches Color & Design of Floor


NATURALUX

				
Threshold 84"	T-Molding 84"	Reducer 84"	Flush Round Stair Nose 84"	Beveled Edge Square Nose Stair Tread 42"

FORESTALUX

		
End Cap/Reducer Baby Threshold 86"	T-Molding 86"	Beveled Edge Square Nose Stair Tread 42"

PREMIERLUX

		
End Cap/Reducer Baby Threshold 86"	T-Molding 86"	Beveled Edge Square Nose Stair Tread 42"



IWT

TESORO
Quality Products for Life

AQUATICA
The Tile Collection

LUXURY
ENGINEERED PLANKS & TILES

TILE
STUDIO



INTERNATIONAL WHOLESALE TILE, LLC

Tel: (800) 340-TLE (8453) | Fax: (888) 763-TILE (8453)
3500 SW 42nd Avenue, Palm City, FL 34990
Email: info@iwttesoros.com



iwttesoros.com