



2026-2027 CATALOG

# STOCKING PROGRAM

Stock Up  
& Save!

INTERNATIONAL WHOLESALE TILE, LLC | [WWW.IWTTESORO.COM](http://WWW.IWTTESORO.COM)



2026



2027

# STOCKING PROGRAM

BY INTERNATIONAL WHOLESALE TILE, LLC

TESORO offers an array of Porcelain Ceramic elegantly coordinated to highlight the charming characteristics inherent in each. Utilizing our extensive sourcing capacity, supplier relationships and an experienced Design Team we strive to offer innovative, cutting-edge designs at affordable pricing. A timeless, contemporary design is our goal.

## TABLE OF CONTENTS

Agra Fort.....	6	Ninsba.....	27
Alaska.....	7	Prisma.....	28
Aravali.....	8	Royal Oakmont.....	29
Armani.....	9	Solida.....	30
Asha Onice.....	10	Tavol.....	31
Aspen.....	11	Terreno.....	32
Bejha.....	12	Tirreno Toscane.....	33
Bosco.....	13	Turin.....	34
Buteo.....	14	Whisteria.....	35
Cami.....	15	Zafira.....	36
Castello.....	16		
Classic.....	17	<b>Aquatica: Porcelain Tiles</b>	
Dendric.....	18	Alps.....	37
Icon <b>NEW!</b> .....	19	Ocean Wave.....	38
Lapietra.....	20	Roccia.....	38
Lizart.....	21		
Luminus.....	22	<b>Aquatica: Glass Mosaic</b>	
Marrow.....	23	Alpha.....	39
Merrick.....	24	Striped.....	39
Missouri.....	25	Mercury.....	40
Neo.....	26	Vanguard.....	41-42

### Decorative Collection: Natural Stone

Beachstones.....	43-44
Ice Beige.....	44
Ice White.....	44
Snow White.....	45
Zen.....	45

### LEP: OakSong

Barnwood.....	46
Fawn.....	47
Saddle.....	48
Sanibel.....	49

### LEP: Glen Vista

Champagne.....	50
Oat.....	51
Sunset.....	52
Whisper.....	53

Learn more at [www.iwttesor.com](http://www.iwttesor.com) 





## LIMITED LIFETIME WARRANTY

Please see full details at [www.iwttesoro.com](http://www.iwttesoro.com)

International Wholesale Tile, LLC. ("The Company") warrants that its products are first quality and are manufactured according to industry standards and meet or exceed these specifications. When installed and maintained properly, products will perform as such for the life of this warranty. The Company warrants that it purchases products that are first choice quality and therefore required to be free of manufacturing defects. The material must be inspected prior to installation. Any material that appears to be defective should not be installed. The Company will not be responsible for or consider any claim for material installed with visual defects. Installation constitutes acceptance.

### WARRANTY COVERAGE OVERVIEW

- The Company warrants that all of its products are of first quality and are required to be free of manufacturing defects. All products meet or exceed industry manufacturing standards.
- The Company warrants that should the product, properly installed according to manufacturer's requirements in a residential setting under normal residential traffic conditions, wear-through\*, they will replace the affected material that is the closest in shade, style and size of the original material.
  - \*Wear-through is defined as loss of surface finish, to the point that the body of the product shows through, due to normal household use.
  - This replacement will include furnished material only and not labor.
- This warranty only applies to the original purchase and installation site and are not transferable.
- The company reserves the right to inspect any claim and request photographs and/or samples prior to approving such claim.
- For warranty to be considered, proof of purchase, proof of use, proof of ownership and proof of unused full pieces of product from the installation must be provided. Warranty registration required within (1) year of purchase.

### TESORO PORCELAIN & CERAMIC

The Company warrants its premium Porcelain & Ceramic tile not to wear through to the body of the tile or any other latent defect determined to be in the material, provided that the material was installed in accordance with the manufacturer's requirements, and, will perform as intended when installed residentially and in accordance with appropriate ANSI specifications and standard industry practices by competent professional licensed installers. All porcelain & ceramic should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

### EXCLUSIONS:

- Polished porcelain tiles are beautiful and elegant, however, if they are left unprotected are prone to scratching. IWT purchases porcelain tiles that meet or exceed the MOHS standards for polished porcelain tiles. Scratching is not considered a manufacturing defect. Scratching is considered normal wear and tear, and additional maintenance may be required to minimize scratching. This includes, but is not limited to, using walk-off mats at every entry point and more frequent cleaning to remove potentially damaging particulates from the floor.
- Stairs, steps, areas subject to any type of wheeled or vehicular traffic.
- Cracking or loss of bond due to movement, shrinkage, or moisture in the substrate.
- Structural failure or for workmanship not in accordance with the manufacturer's instructions and standard industry practice guidelines, nor is International Wholesale Tile, LLC. liable for losses due to delay or any other consequential damages.
- Optical hazing
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

### SCAN QR CODE

Porcelain and Ceramic  
Maintenance Care Guide:



### AQUATICA POOL & SPA | TESORO DECORATIVE GLASS

The Aquatica Pool & Spa Tile and Tesoro Decorative Glass Collection glass mosaics will perform as intended when installed in accordance with the appropriate ANSI specifications and standard industry practices by competent licensed professional installers. All sizes stated are nominal as per industry standard. All pool & spa tile should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

### EXCLUSIONS:

- This warranty excludes chips, scratches and cracking due to substrate movement, shrinkage, moisture or failure due to poor workmanship or a lack of properly-placed perimeter and/or movement joints not consistent with standard industry practices and guidelines. Warranty is null in void if proper installation guidelines are not followed and/or material is not properly maintained.
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

### PIETRA ANTICA & METROPOLITAN NATURAL STONE

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.. Please refer to proration of warranty period.

### TRAVERTINE FILL (EPOXY & CEMENT)

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.

## MARBLE & LIMESTONE

It is common in some marbles and limestones (Crema Marfil for example) for a resin to be used to fill naturally occurring fissures, veins and voids. In time this resin may come loose or fracture or lose its finish, this is normal and can be repaired by a qualified stone refinishing contractor.

## STONE FINISH

It is common for the finish on the surface of the stone to show wear patterns and dull over time. This is common and is considered part of the regular maintenance of a stone floor. As the finish deteriorates, refinishing should be performed by a qualified contractor in regular intervals, contact the Natural Stone Institute of America for more information.

## SCAN QR CODE

Natural Stone  
Maintenance Care Guide:



## EXCLUSIONS:

- Installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone, improper layouts, anything beyond the scope of the composition of the natural stone.
- Cracking and/or voids due to the implosion of naturally occurring veins above and/or below the surface of the installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone improper layouts, anything beyond the scope of the composition of the natural stone.
- Chipping and small breaks around the perimeter of natural stone products is completely normal and expected over time. These small breaks can be repaired with grout or resin by a qualified contractor along with other periodic maintenance.
- Discoloration due to natural element exposure, is a normal occurrence with natural stone products and can vary from small spots of color to complete color changes in certain stones. This is a natural phenomenon due to interactions of certain natural elements in the stone and the exposure to environmental elements introduced through a variety of different means (including but not limited to cleaners, foot traffic, moisture intrusion, ground minerals, etc.)
- Moisture intrusion and darkening of light colored stones. This is generally a temporary occurrence during the initial curing stage of the stone installation and again when the stone is exposed to moisture. The re-occurrence post-cure can be partially mitigated by applying a penetrating sealer periodically.
- Damage to the stone via substrate movement settlement and cracking.
- Damage related to wear and tear, accidental implosion, pressure related breaks, weight related breaks.
- Naturally occurring shearing in sedimentary formed stones (Travertine, Marble, Limestone, Onyx).
- Issues involving and related to grouts, adhesives, underlayment, sealers, surfaces applications and cleaners.
- Staining is a common occurrence with natural stone products. This can be minimized and partially prevented by sealing the stone with a penetrating or enhancing sealer in periodic intervals, contact the Natural Stone Institute of America for more information.
- Etching due to acid and harsh chemical exposure. Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

## LUXURY VINYL PLANKS (LVP) & TESORO LAMINATE PLANKS (LP)

The factories warrant that the top wear layer of the LVP & LP will not wear through, for the lifetime of the product, "under normal everyday residential foot-traffic". "Wear Through" is defined as the plank surface that has been worn to such an extent as to expose and damage the core material of the plank. This "Wear Through" must be present in over 5% or more of the total installation. All LVP & LP should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

## EXCLUSIONS:

- LVP or LP that were determined to be defective or damaged, resulting from: Shipping, Retail Dealer warehouse improper handling, improper installer or customer handling to or on the job site, improper handling on the job site and/or improper installation methods, will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this Limited Warranty.
- Failure to use a 6 mil vapor barrier over any concrete subfloor, when installing the LVP or LP as a floating floor, will void this Limited Warranty.
- Installing cabinets on top of any LVP or LP floating floor, will void this Limited Warranty.
- Installing the baseboard and/or quarter round on top of a floating floor and not allowing 1/16" gap at the bottom of the baseboard and/or quarter round, for expansion & contraction movement, will void this warranty.
- Improper expansion space at all exterior door thresholds, against all cabinets and against any vertical surface (as defined by the LVP or LP installation guidelines) - will void this Limited Warranty.
- For glued down installations for LVP or LP - a premium floor adhesive, made for LVP and/or LP, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- Defects or changes in color, caused by extended exposure to UV light will void this Limited Warranty
- Noncompliance with installation instructions and maintenance guidelines as recommended by the factory. Floor covering installed in inappropriate locations or installed using inappropriate methods.
- This limited warranty does not cover moisture damage caused by flooding on top or from moisture problems below. Flooding is defined as constant exposure to a liquid of any kind for more than 48 hours
- This Limited Warranty covers the original owner only and is not transferable.

Please see [www.iwttesoro.com](http://www.iwttesoro.com) for details on Limited Commercial Warranty for LVP and/or LP.

## SCAN QR CODE

LVP & Laminate Flooring  
Maintenance Care Guide:



## LUXURY ENGINEERED HARDWOOD PLANKS (LEHP)

The factories warrant that the top finish layer of the LEHP planks will not wear through "under normal everyday foot-traffic". "Wear Through" is defined as surface that has been worn to such an extent as to expose and damage the core material. This "Wear Through" must be present in over 5% or more of the total installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

### EXCLUSIONS:

- Products that were determined to be defective or damaged resulting from shipping, improper handling or improper installation will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this limited warranty.
- Hardwood must be acclimated for minimum of 48 hours in an air-conditioned room with AC between 65-80 degrees and humidity at 45-55%. Wood Plank & Subfloor Moisture Content (MC%) must be within 2-4% of each other at the time of installation. So both the wood planks and subfloor must be tested before installation to confirm this, or it will void this Limited Warranty.
- Hardwood is recommended to be glued down - with a premium wood adhesive, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by shoes, improper rolling loads, caster wheels, chair or other furniture without proper floor protectors and cuts from sharp objects, or scratching of the finish.
- Changes in color or sheen from exposure to sunlight or due to use of rubber-backed mats.
- Defects caused by extended exposure to UV light.
- Problems caused by not acclimating the wood flooring before installation, installation of hardwood in un-airconditioned rooms or installations not following the installation guidelines, as explained in the Tesoro Hardwood Installation Instructions, will not be covered under this Limited Warranty.
- This Limited Warranty does not apply to moisture damage or stains of any origin.
- Hardwood Flooring is a natural product and changes in color, shade, character, and dimensional size are normal over the life of the floor and not covered under this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- This Limited Warranty only covers the original owner. Please see [www.iwttesoro.com](http://www.iwttesoro.com) for details on our Tesoro Hardwood Limited Commercial Warranty.

### SCAN QR CODE

Hardwood Flooring  
Maintenance Care Guide:



### PRORATION OF WARRANTY PERIOD

Pro Ration of Warranty Period. The Limited Lifetime Residential warranty period is pro rata over 20 years for flooring and accessories. A pro rata warranty is one that provides for a refund or credit that decreases according to a set formula as the warranty period progresses. The Tesoro original warranty value is reduced by the amount of time that you own it. When a claim is made, the value of the warranty becomes a percentage of ownership per year based upon the 20 years for the general warranty for flooring, and accessories. Any services provided as part of this warranty do not extend the original warranty period. If the product for which a claim is made is no longer available, the customer will be able to choose a Tesoro product of equal value from the current product range. Warranty coverage is limited to a one time floor replacement.

1-2 years = 100%	10-15 years = 25%
3-5 years = 80%	16-20years = 5%
6-9 years = 50%	21+ years = 0%

ALL PRODUCTS SOLD ARE COVERED ONLY BY THIS LIMITED LIFETIME WARRANTY. THE COMPANY HEREBY DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY, ANY AND ALL IMPLIED WARRANTIES THAT MAY ARISE FROM COURSE OF DEALING OR USAGE OF TRADE, AS WELL AS THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

DAMAGE OF ANY KIND IS NOT CONSIDERED WEAR, AND NOT COVERED BY THIS WARRANTY.

Detailed information at [www.iwttesoro.com](http://www.iwttesoro.com)

### AS IS

Any product sold second choice, close-out, discontinued or in "as-is" condition with no returns is not covered by this warranty.

# TERMS & DEFINITIONS

Scan the QR code for Terms & Definitions



## FIELD TILE



Beige



Bianco



Gris



Natural



Taupe



Shown: Taupe 8x48

### SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium, *Moderate/High
Screens/Faces	8



V2



V3

(\*Natural & Bianco)



Made in India

### SIZES




8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



White



Shown: White 24x24 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x48, 24x24 (6), 12x24 (12)




V2




Made in India

### SIZES



24x48 Matte & Polished




24x24 Matte & Polished



12x24 Matte & Polished

3x24 Bullnose  
Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Onyx




Shown: Onyx 24x24 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)


### SIZES



24x24 Matte & Polished



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Light Grey



Shown: Light Grey 24x24 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (20), 24x24 (10)




V2



Made in India


### SIZES




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Grigio




Shown: Grigio 24x24 Polished

### SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)

### SIZES



## FIELD TILE



Beige



Noce



White




Shown: Beige 6x36 Matte

### SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	9

### SIZES



6x36 Matte



V2



Made in Turkey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Fiorito




Shown: Fiorito 24x24 Matte

**SPECIFICATIONS**

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (20), 24x24 (10)

**SIZES**




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose  
Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Beige



Light Grey



Teak



Shown: Teak 8x48 Matte

### SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10

### SIZES



8x48 Matte




V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


## FIELD TILE



Cream



Grey



White



Surge (Shown: White)



Tide (Shown: White)



Drift (Shown: White)



Shown: White 5x16 Surge Glossy


### SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1


### SIZES



5x16 Glossy & Matte\*



5x16 Surge  
Glossy & Matte\*



5x16 Tide  
Glossy & Matte\*



3x12 Glossy & Matte\*



3x12 Drift  
Glossy & Matte\*



V2



Made in Ecuador

\*Matte only available in White  
Note: Wall use only. Not rated for floor use.  
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Levante



Nuvole



Ponente



Sereno



Shown: Ponente 20x20

**SPECIFICATIONS**

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (12 20x20 (6)




V3



Made in India

**SIZES**




20x20 Matte



12x24 Matte



3x24 Bullnose Matte



3x3 Mosaic  
Matte 12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Beige




Shown: Beige 24x48 Polished


### SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)


### SIZES




## FIELD TILE



White



Undulated Picket  
(White Shown)



Beveled White




Shown: White 2x8 Matte

### SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium

### SIZES



V2



Made in Vietnam

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



## FIELD TILE



Statuary



Shown: Statuary 12x24 Polished

### SPECIFICATIONS


Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	40



### SIZES



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Creta **NEW!**



Mixit Blanco Art **NEW!**



Mixit Blanco Concept **NEW!**




Mixit Blanco Plain **NEW!**



Serene Bianco



Snow



Super White Plain\* **NEW!**



Super White Wind\* **NEW!**



Shown: Mixit Blanco Art & Mixit Blanco Plain 12x36 Matte

**SPECIFICATIONS**

Application	Wall
Visual	Décor Wall
Type	Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

**SIZES**



12x36 Matte\*



V2



Made in Spain

\*Available in Matte & Glossy  
 Note: Wall use only. Not rated for floor use.  
 Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Beige



Shown: Beige 24x24 Polished


### SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (22)



Made in India


### SIZES



24x24 Matte & Polished



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Ice



Shown: Ice 24x24 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)


### SIZES



24x24 Matte & Polished



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished



V2



Made in India


Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



## FIELD TILE



Perla



Shown: Perla 12x24 Matte


### SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	48

### SIZES



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



## FIELD TILE



Cream




Cream Deco



Grey




Ice Blue



Midnight



Seafoam



White



Shown: White Glossy Deco Picket

## SPECIFICATIONS

Application	Wall
Visual	Solid Color & Deco
Type	Pressed Ceramic
Slip Resistance	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1



V2 Made in Ecuador



## SIZES



3x12 Picket  
Glossy, Matte (White Only)



3x12 Picket Deco  
Glossy, Matte (White Only)



Seafoam Glossy Field

**Please Note: Decos are packaged and sold separately from field tile.**

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Allumina



Moka



Pine



Silver



Shown: Silver 6x36 Satin

### SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Pressed Gres Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

### SIZES



6x36 Satin



V3



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Bianco



Ivory



Maple



Shown: Maple 8x48 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10

### SIZES



8x48 Matte



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



White



Shown: White 12x24

**SPECIFICATIONS** **SIZES**


Application	Floor & Wall
Visual	Silk
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	2



12x24 Matte



3x24 Matte Bullnose



2x2 Matte Mosaic  
 12x12 Sheet



V2



Made in Brazil

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



**FIELD TILE**



Beige



Camel



Grey



White



Shown: Grey 6x36 Matte

**SPECIFICATIONS**

Application	Floor
Visual	Wood
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	19

**SIZES**



6x36 Matte



V2



Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Onyx Crema



Shown: Onyx Crema 12x24 Polished

**SPECIFICATIONS**

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	30 (12x24), 14 (24x24)

**SIZES**




24x24 Matte & Polished



12x24 Matte & Polished



3x24 Bullnose  
Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



V2



Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.


FIELD TILE



Grey



Miele



Shown: Grey 8x36 Matte

**SPECIFICATIONS** **SIZES**

Application	Floor
Visual	Wood
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	4



8x36 Matte




V4 Made in Ecuador



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



White



Shown: White 24x24 Polished

**SPECIFICATIONS**

Application	Floor
Visual	White
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	Matte 4, Polished 3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1




**SIZES**




24x48 Matte & Polished



12x24 Matte & Polished



24x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Bianco



Cenere



Grigio



Miele



Pino



Shown: Cenere 12x48 Satin



**SPECIFICATIONS**

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

**SIZES**



12x48 Satin



V3 Made in Ecuador




Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Marble Plain



White Plain



Marble Bloom



White Bloom




Marble Flow



White Flow



Marble Pitch



White Pitch



Shown: White Bloom 12x24

### SPECIFICATIONS

Application	Wall Only
Visual	White Marble
Type	Rectified Ceramic
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	12



V2



Made in Vietnam

### SIZES



12x24 Glossy & Matte


0.5x12 Quarter Round\*  
Glossy & Matte

\*Not available in Marble.

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Siena



Livorno



Firenze



Shown: Livorno 12x24

### SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24

### SIZES



12x24



V3



Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

**FIELD TILE**



Marmo Beige



Travertino Gris



Shown: Beige 12x24 Matte

**SPECIFICATIONS**

Application	Floor & Wall
Visual	Travertino
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12



V2




Made in Italy

**SIZES**



12x24 Matte



3x3 Mosaic Matte  
 12x12 sheet



3x24 Bullnose Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

## FIELD TILE



Bianco



Shown: Bianco 12x24 Polished

### SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	32



V2




Made in India

### SIZES



12x24 Matte & Polished



3x3 Mosaic  
Matte & Polished  
12x12 sheet



3x24 Bullnose  
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



## FIELD TILE



Gray



Noce




Shown: Gray 20x20 Matte

### SPECIFICATIONS

Application	Floor & Wall
Visual	Rapolano Stone
Type	Pressed Ceramic
PEI Rating	4
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	8


### SIZES



20x20 Matte



3x20 Matte Bullnose



3x3 Matte Mosaic  
12x12 Sheet




V2




Made in Brazil

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALPS    
v3



**Cobalt 6x6 Glossy (Range)**




**Cobalt 6x24 Glossy**



**Ice White 6x6 Glossy (Range)**




**Ice White 6x24 Glossy**



**Green 6x6 Glossy (Range)**



**Green 6x24 Glossy**



**Marine 6x6 Glossy (Range)**



**Marine 6x24 Glossy**


## OCEAN WAVE V2



**Aqua Green** 6x24 Glossy



**Cobalt** 6x24 Glossy



**Charcoal Grey** 6x24 Glossy



**Ice White** 6x24 Glossy


## ROCCIA V2



**Black** 6x24 Glossy




**Light Green** 6x24 Glossy




**Cobalt** 6x24 Glossy




**Ice White** 6x24 Glossy



**Black** 6x6 Glossy (Range)




**Cobalt** 6x6 Glossy (Range)




**Light Green** 6x6 Glossy (Range)

## CRYSTAL


### ALPHA 6mm (Mesh Mount)



 **Black** 1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Blue** 1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Cobalt** 1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)


### STRIPED 6mm (Mesh Mount)




 **Black** Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Cobalt** Glass Mosaic  
12x12 Sheet (1 Pc. per SF)




 **Green** Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Turquoise** Glass Mosaic  
12x12 Sheet (1 Pc. per SF)

## CRYSTAL


### MERCURY 6mm (Mesh Mount)



 **Blend**  
1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Cobalt**  
1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)




 **Green**  
1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)




 **Turquoise**  
1x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)

## SINTERED


### VANGUARD 5mm (Dot Mount)




 **Arrecife Blue** 1x2 Glass Mosaic  
12.25x10 Sheet (1.18 Pc. per SF)




 **Arrecife Green** 1x2 Glass Mosaic  
12.25x10 Sheet (1.18 Pc. per SF)



 **Arrecife Grey** 1x2 Glass Mosaic  
12.25x10 Sheet (1.18 Pc. per SF)




 **Forest Aqua** 1x2 Glass Mosaic  
12.25x10 Sheet (1.18 Pc. per SF)




 **Sena** 1x2 Glass Mosaic  
12.25x10 Sheet (1.18 Pc. per SF)




 **Arrecife Blue** 2x2 Glass Mosaic  
12.25x12.25 Sheet (0.962 Pc. per SF)



 **Arrecife Green** 2x2 Glass Mosaic  
12.25x12.25 Sheet (0.962 Pc. per SF)



 **Arrecife Grey** 2x2 Glass Mosaic  
12x12 Sheet (1 Pc. per SF)



 **Forest Aqua** 2x2 Glass Mosaic  
12.25x12.25 Sheet (0.962 Pc. per SF)

***Please Read – Important information regarding Vanguard:***


This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.

## SINTERED


### VANGUARD 5mm (Dot Mount) (Cont'd)



 **Sena 2x2 Glass Mosaic**  
12.25x12.25 Sheet (0.962 Pc. per SF)




 **Arrecife Blue Penny Glass Mosaic**  
11.25x11.25 Sheet (1.14 Pc. per SF)




 **Arrecife Green Penny Glass Mosaic**  
11.25x11.25 Sheet (1.14 Pc. per SF)



 **Arrecife Grey Penny Glass Mosaic**  
11x11 Sheet (1.19 Pc. per SF)



 **Forest Aqua Penny Glass Mosaic**  
11.25x11.25 Sheet (1.14 Pc. per SF)



 **Sena Penny Glass Mosaic**  
11.25x11.25 Sheet (1.14 Pc. per SF)

**Please Read - Important information regarding Vanguard:**

This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.

## BEACHSTONES



**Blue Sliced Mosaic**  
11.5x11.5 Sheet  
(1.14 Pcs. per SF)



**NEW!** **Green Sliced Mosaic**  
11.75x11.75 Sheet  
(1.04 Pcs. per SF)



**Grey Sliced Mosaic**  
11.5x11.5 Sheet  
(1.14 Pcs. per SF)



**NEW!** **Ivory Sliced Mosaic**  
11.75x11.75 Sheet  
(1.04 Pcs. per SF)



**NEW!** **Tan Sliced Mosaic**  
11.75x11.75 Sheet  
(1.04 Pcs. per SF)



**White Sliced Mosaic**  
11.75x11.75 Sheet  
(1.04 Pcs. per SF)



**White, Blue Sliced Mosaic**  
11.5x11.5 Sheet  
(1.14 Pcs. per SF)



**White, Blue, Grey Sliced Mosaic**  
11.5x11.5 Sheet  
(1.14 Pcs. per SF)



**NEW!** **White, Green, Tan Sliced Mosaic**  
11.75x11.75 Sheet  
(1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

# NATURAL STONE

## BEACHSTONES (Cont.)



**NEW!**  **White, Tan, Grey Sliced Mosaic**  
 11.5x11.5 Sheet  
 (1.14 Pcs. per SF)

## ICE BEIGE



**2x2 Square Stone Mosaic Honed**  
 12x12 Sheet (1 Pc. per SF)



**3" Hex Stone Mosaic Honed**  
 13.5x12 Sheet (0.89 Pc. per SF)



**Random Linear Stone Mosaic Honed**  
 12x12 Sheet (1 Pc. per SF)



**Field Stone Honed**  
 3x9 (5.3 Pcs. per SF)

## ICE WHITE



**2x2 Square Stone Mosaic Honed**  
 12x12 Sheet (1 Pc. per SF)



**3" Hex Stone Mosaic Honed**  
 13.5x12 Sheet (0.89 Pc. per SF)



**Random Linear Stone Mosaic Honed**  
 12x12 Sheet (1 Pc. per SF)



**Field Stone Honed**  
 3x9 (5.3 Pcs. per SF)

# NATURAL STONE



Tesoro Decorative Collection

## SNOW WHITE



**2x2 Square Stone Mosaic Honed**  
12x12 Sheet (1 Pc. per SF)



**3" Hex Stone Mosaic Honed**  
13.5x12 Sheet (0.89 Pc. per SF)





**Random Linear Stone Mosaic Honed**  
12x12 Sheet (1 Pc. per SF)





**Field Stone Honed**  
3x9 (5.3 Pcs. per SF)

## ZEN



**Bead**  
Stone polished Mosaic  
10.5x12 Sheet (1.14 Pcs. per SF)



**Prism**  
Stone polished Mosaic  
11x12.5 Sheet (1.05 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.



**COLOR:** Barnwood  
**SIZE:** 7" x 48" or 9" x 60"  
**EDGE:** SPC Core  
**WEAR LAYER:** 20 mil  
**PACKAGING:** 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX  
**THICKNESS:** 5mm: 4mm with 1mm rubber pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



**COLOR:** Fawn  
**SIZE:** 7" x 48" or 9" x 60"  
**EDGE:** SPC Core  
**WEAR LAYER:** 20 mil  
**PACKAGING:** 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX  
**THICKNESS:** 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



**COLOR:** Saddle  
**SIZE:** 7" x 48" or 9" x 60"  
**EDGE:** SPC Core  
**WEAR LAYER:** 20 mil  
**PACKAGING:** 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX  
**THICKNESS:** 5mm: 4mm with 1mm rubber pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



**COLOR:** Sanibel  
**SIZE:** 7" x 48" or 9" x 60"  
**EDGE:** SPC Core  
**WEAR LAYER:** 20 mil  
**PACKAGING:** 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX  
**THICKNESS:** 5mm: 4mm with 1mm rubber pad



Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.



**COLOR:** Champagne  
**SIZE:** 9" x 60"  
**EDGE:** 4-Sided Bevel Edge  
**WEAR LAYER:** EIR + AC4- Very Scratch Resistant  
**PACKAGING:** 6 PC / 23.15 SF PER BOX  
**THICKNESS:** 10MM: 8mm Core + 2mm attached pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



**COLOR:** Oat  
**SIZE:** 9" x 60"  
**EDGE:** 4-Sided Bevel Edge  
**WEAR LAYER:** EIR + AC4- Very Scratch Resistant  
**PACKAGING:** 6 PC / 23.15 SF PER BOX  
**THICKNESS:** 10MM: 8mm Core + 2mm attached pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



**COLOR:** Sunset  
**SIZE:** 9" x 60"  
**EDGE:** 4-Sided Bevel Edge  
**WEAR LAYER:** EIR + AC4- Very Scratch Resistant  
**PACKAGING:** 6 PC / 23.15 SF PER BOX  
**THICKNESS:** 10MM: 8mm Core + 2mm attached pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



**COLOR:** Whisper  
**SIZE:** 9" x 60"  
**EDGE:** 4-Sided Bevel Edge  
**WEAR LAYER:** EIR + AC4- Very Scratch Resistant  
**PACKAGING:** 6 PC / 23.15 SF PER BOX  
**THICKNESS:** 10MM: 8mm Core + 2mm attached pad



*Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.*



Shown: Glen Vista, Oat



**LIMITED LIFETIME WARRANTY**

AVAILABLE AT FINE  
FLOOR COVERING SHOWROOMS.



**TRK Special Buys**



**ITW Catalog**



**Decor 24**