PRODUCT CATALOG

2026-2027

TESORO®

Quality Products for Life

TESORO®
Quality Products for Life

LIMITED LIFETIME WARRANTY

Customers have trusted Tesoro branded products for over 30 years. We are now elevating our commitment to that trust with our new LIMITED LIFETIME WARRANTY! It is our promise to you that our products are free from defects and are of the highest level of quality. Our goal is to be your most trusted partner as we are confident in the reliability of our products. If you are seeking quality products for life, look for the Tesoro logo!

Tesoro offers a diverse selection of porcelain and ceramic tiles, natural stone, luxury engineered planks and tiles, hardwood, laminate, and decorative glass products—including pool tiles. These are complemented by a variety of installation systems available at numerous retail floor covering stores, design centers, and specialty tile and stone shops throughout the United States. The Tesoro Builder Division provides builders in the Southeastern United States with the latest trends and innovations in porcelain, ceramic, stone, glass, mosaics, accents, pool tiles, luxury stone-core engineered planks, hardwood, and laminate sourced from around the globe. Tesoro is also a manufacturer of bullnose, mosaic and custom-cut finished goods.

TESORO TILE STUDIO

Tile Studio provides quality, value and reliable service associated with the fabrication of ceramic, porcelain and stone bullnose, mosaic and additional cut-to-size services. Our state of the art facility and its staff are committed to providing our customers with finished goods suitable for both residential and commercial projects.

FRONT COVER:
Top Left: Naturalux Herringbone, Top Middle: Kaia, Top Right: Dolomina, Bottom Left Marrakech, Bottom Middle: Bellagio, Bottom Right: Icon

Table of Contents

Limited Lifetime Warranty 3-5
Terms & Definitions 6
Tile Studio 7
Merchandising Options 8-9
Porcelain & Ceramic Collection 10-159
Tesoro Decorative Collection 160-217
Aquatica Pool Tile Collection 218-293
Luxury Engineered Planks & Tiles 294-363

Learn more at www.iwttesoro.com

www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all ceramic, porcelain and stone products. Samples must be used to confirm current materials available at time of specifying.

Tesoro, Porcelain, Ceramic & Stone Tiles

DURABLE & SUSTAINABLE • ECO-FRIENDLY • NO VOC's

Tesoro porcelain & stone tiles have many "Green" qualities making them environmentally friendly.

For Green benefits of Tesoro products visit: www.iwttesoro.com.

TESORO®
Quality Products for Life

LIMITED LIFETIME WARRANTY

Please see full details at www.iwttesoro.com

International Wholesale Tile, LLC. ("The Company") warrants that its products are first quality and are manufactured according to industry standards and meet or exceed these specifications. When installed and maintained properly, products will perform as such for the life of this warranty. The Company warrants that it purchases products that are first choice quality and therefore required to be free of manufacturing defects. The material must be inspected prior to installation. Any material that appears to be defective should not be installed. The Company will not be responsible for or consider any claim for material installed with visual defects. Installation constitutes acceptance.

WARRANTY COVERAGE OVERVIEW

- The Company warranties that all of its products are of first quality and are required to be free of manufacturing defects. All products meet or exceed industry manufacturing standards.
- The Company warranties that should the product, properly installed according to manufacturer's requirements in a residential setting under normal residential traffic conditions, wear-through*, they will replace the affected material that is the closest in shade, style and size of the original material.
    - *Wear-through is defined as loss of surface finish, to the point that the body of the product shows through, due to normal household use.
    - This replacement will include furnished material only and not labor.
- This warranty only applies to the original purchase and installation site and are not transferable.
- The company reserves the right to inspect any claim and request photographs and/or samples prior to approving such claim.
- For warranty to be considered, proof of purchase, proof of use, proof of ownership and proof of unused full pieces of product from the installation must be provided. Warranty registration required within (1) year of purchase.

TESORO PORCELAIN & CERAMIC

The Company warrants its premium Porcelain & Ceramic tile not to wear through to the body of the tile or any other latent defect determined to be in the material, provided that the material was installed in accordance with the manufacturer's requirements, and, will perform as intended when installed residentially and in accordance with appropriate ANSI specifications and standard industry practices by competent professional licensed installers. All porcelain & ceramic should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

EXCLUSIONS:

- Polished porcelain tiles are beautiful and elegant, however, if they are left unprotected are prone to scratching. IWT purchases porcelain tiles that meet or exceed the MOHS standards for polished porcelain tiles. Scratching is not considered a manufacturing defect. Scratching is considered normal wear and tear, and additional maintenance may be required to minimize scratching. This includes, but is not limited to, using walk-off mats at every entry point and more frequent cleaning to remove potentially damaging particulates from the floor.
- Stairs, steps, areas subject to any type of wheeled or vehicular traffic.
- Cracking or loss of bond due to movement, shrinkage, or moisture in the substrate.
- Structural failure or for workmanship not in accordance with the manufacturer's instructions and standard industry practice guidelines, nor is International Wholesale Tile, LLC. liable for losses due to delay or any other consequential damages.
- Optical hazing
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

SCAN QR CODE
Porcelain and Ceramic
Maintenance Care Guide:

AQUATICA POOL & SPA | TESORO DECORATIVE GLASS

The Aquatica Pool & Spa Tile and Tesoro Decorative Glass Collection glass mosaics will perform as intended when installed in accordance with the appropriate ANSI specifications and standard industry practices by competent licensed professional installers. All sizes stated are nominal as per industry standard. All pool & spa tile should be inspected piece by piece and dry-laid in proper lighting prior to installation. If a visual defect is apparent, STOP! Report immediately for replacement. Installation constitutes acceptance.

EXCLUSIONS:

- This warranty excludes chips, scratches and cracking due to substrate movement, shrinkage, moisture or failure due to poor workmanship or a lack of properly-placed perimeter and/or movement joints not consistent with standard industry practices and guidelines. Warranty is null in void if proper installation guidelines are not followed and/or material is not properly maintained.
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

PIETRA ANTICA & METROPOLITAN NATURAL STONE

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.. Please refer to proration of warranty period.

TRAVERTINE FILL (EPOXY & CEMENT)

The Company warrants that properly installed natural stone composite that are maintained, cared for and restored periodically for a lifetime, (noting the expected exclusions listed which should be anticipated) and cared for as needed. All stone should be inspected piece by piece and dry-laid in proper lighting prior to installation. Installation constitutes acceptance.

MARBLE & LIMESTONE
It is common in some marbles and limestones (Crema Marfil for example) for a resin to be used to fill naturally occurring fissures, veins and voids. In time this resin may come loose or fracture or lose its finish, this is normal and can be repaired by a qualified stone refinishing contractor.

STONE FINISH
It is common for the finish on the surface of the stone to show wear patterns and dull over time. This is common and is considered part of the regular maintenance of a stone floor. As the finish deteriorates, refinishing should be performed by a qualified contractor in regular intervals, contact the Natural Stone Institute of America for more information.

SCAN QR CODE
Natural Stone
Maintenance Care Guide:

EXCLUSIONS:
- Installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone, improper layouts, anything beyond the scope of the composition of the natural stone.
- Cracking and/or voids due to the implosion of naturally occurring veins above and/or below the surface of the installation related issues including but not limited to lippage, bond failure, grout failure, scuffing/etching/breaking due to negligence, staining due to negligence or failure to pre-seal natural stone improper layouts, anything beyond the scope of the composition of the natural stone.
- Chipping and small breaks around the perimeter of natural stone products is completely normal and expected over time. These small breaks can be repaired with grout or resin by a qualified contractor along with other periodic maintenance.
- Discoloration due to natural element exposure, is a normal occurrence with natural stone products and can vary from small spots of color to complete color changes in certain stones. This is a natural phenomenon due to interactions of certain natural elements in the stone and the exposure to environmental elements introduced through a variety of different means (including but not limited to cleaners, foot traffic, moisture intrusion, ground minerals, etc.)
- Moisture intrusion and darkening of light colored stones. This is generally a temporary occurrence during the initial curing stage of the stone installation and again when the stone is exposed to moisture. The re-occurrence post-cure can be partially mitigated by applying a penetrating sealer periodically.
- Damage to the stone via substrate movement settlement and cracking.
- Damage related to wear and tear, accidental implosion, pressure related breaks, weight related breaks.
- Naturally occurring shearing in sedimentary formed stones (Travertine, Marble, Limestone, Onyx).
- Issues involving and related to grouts, adhesives, underlayment, sealers, surfaces applications and cleaners.
- Staining is a common occurrence with natural stone products. This can be minimized and partially prevented by sealing the stone with a penetrating or enhancing sealer in periodic intervals, contact the Natural Stone Institute of America for more information.
- Etching due to acid and harsh chemical exposure. Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- This limited warranty does not apply to moisture damage caused by flooding or events beyond everyday household spills.

LUXURY VINYL PLANKS (LVP) & TESORO LAMINATE PLANKS (LP)
The factories warrant that the top wear layer of the LVP & LP will not wear through, for the lifetime of the product, "under normal everyday residential foot-traffic". "Wear Through" is defined as the plank surface that has been worn to such an extent as to expose and damage the core material of the plank. This 'Wear Through' must be present in over 5% or more of the total installation. All LVP & LP should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

EXCLUSIONS:
- LVP or LP that were determined to be defective or damaged, resulting from: Shipping, Retail Dealer warehouse improper handing, improper installer or customer handling to or on the job site, improper handling on the job site and/or improper installation methods, will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this Limited Warranty.
- Failure to use a 6 mil vapor barrier over any concrete subfloor, when installing the LVP or LP as a floating floor, will void this Limited Warranty.
- Installing cabinets on top of any LVP or LP floating floor, will void this Limited Warranty.
- Installing the baseboard and/or quarter round on top of a floating floor and not allowing 1/16" gap at the bottom of the baseboard and/or quarter round, for expansion & contraction movement, will void this warranty.
- Improper expansion space at all exterior door thresholds, against all cabinets and against any vertical surface (as defined by the LVP or LP installation guidelines) - will void this Limited Warranty.
- For glued down installations for LVP or LP - a premium floor adhesive, made for LVP and/or LP, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- Defects or changes in color, caused by extended exposure to UV light will void this Limited Warranty
- Noncompliance with installation instructions and maintenance guidelines as recommended by the factory. Floor covering installed in inappropriate locations or installed using inappropriate methods.
- This limited warranty does not cover moisture damage caused by flooding on top or from moisture problems below. Flooding is defined as constant exposure to a liquid of any kind for more than 48 hours

- This Limited Warranty covers the original owner only and is not transferable.

Please see www.iwttesoro.com for details on Limited Commercial Warranty for LVP and/or LP.

SCAN QR CODE
LVP & Laminate Flooring
Maintenance Care Guide:

LUXURY ENGINEERED HARDWOOD PLANKS (LEHP)

The factories warrant that the top finish layer of the LEHP planks will not wear through "under normal everyday foot-traffic". "Wear Through" is defined as surface that has been worn to such an extent as to expose and damage the core material. This "Wear Through" must be present in over 5% or more of the total installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. All LEHP planks should be inspected, plank by plank, in proper lighting, prior to installation. If a visual defect is apparent, STOP and DO NOT INSTALL. Report defects immediately before installation. INSTALLATION CONSTITUTES ACCEPTANCE.

EXCLUSIONS:

- Products that were determined to be defective or damaged resulting from shipping, improper handling or improper installation will not constitute a valid claim under this Limited Warranty.
- Failure to produce recorded moisture meter tests results, over the subfloor before installation, according to ASTM F2659 standards, using a properly calibrated moisture meter - will void this limited warranty.
- Failure to spot level the subfloor according to ASTM F710 standards, where improper floor flatness causes locking system failure - is not covered under this limited warranty.
- Hardwood must be acclimated for minimum of 48 hours in an air-conditioned room with AC between 65-80 degrees and humidity at 45-55%. Wood Plank & Subfloor Moisture Content (MC%) must be within 2-4% of each other at the time of installation. So both the wood planks and subfloor must be tested before installation to confirm this, or it will void this Limited Warranty.
- Hardwood is recommended to be glued down - with a premium wood adhesive, with a built in moisture barrier in the adhesive, must be used & installed according to the adhesive factory directions. Using an adhesive without a moisture barrier and/or not following the adhesive factory's installation guidelines - will void this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by shoes, improper rolling loads, caster wheels, chair or other furniture without proper floor protectors and cuts from sharp objects, or scratching of the finish.
- Changes in color or sheen from exposure to sunlight or due to use of rubber-backed mats.
- Defects caused by extended exposure to UV light.
- Problems caused by not acclimating the wood flooring before installation, installation of hardwood in un-airconditioned rooms or installations not following the installation guidelines, as explained in the Tesoro Hardwood Installation Instructions, will not be covered under this Limited Warranty.
- This Limited Warranty does not apply to moisture damage or stains of any origin.
- Hardwood Flooring is a natural product and changes in color, shade, character, and dimensional size are normal over the life of the floor and not covered under this Limited Warranty.
- Surface Damage caused by scratches, burns, dents, gouges or by foot traffic or any other means - are not covered under this Limited Warranty.
- Damage caused by vacuum cleaner beater bar, indentations or damage caused by spiked heeled shoes, improper rolling loads (like wheel chairs), caster wheels on chairs or any other furniture without proper floor protectors and cuts from sharp objects. Floor pads are required under all rolling chairs. Scratches and dents of any kind are not covered by the Limited Warranty.
- This Limited Warranty only covers the original owner. Please see www.iwttesoro.com for details on our Tesoro Hardwood Limited Commercial Warranty.

SCAN QR CODE
Hardwood Flooring
Maintenance Care Guide:

PRORATION OF WARRANTY PERIOD

Pro Ration of Warranty Period. The Limited Lifetime Residential warranty period is pro rata over 20 years for flooring and accessories. A pro rata warranty is one that provides for a refund or credit that decreases according to a set formula as the warranty period progresses. The Tesoro original warranty value is reduced by the amount of time that you own it. When a claim is made, the value of the warranty becomes a percentage of ownership per year based upon the 20 years for the general warranty for flooring, and accessories. Any services provided as part of this warranty do not extend the original warranty period. If the product for which a claim is made is no longer available, the customer will be able to choose a Tesoro product of equal value from the current product range. Warranty coverage is limited to a one time floor replacement.

1-2 years = 100%	10-15 years = 25%
3-5 years = 80%	16-20years = 5%
6-9 years = 50%	21+ years = 0%

ALL PRODUCTS SOLD ARE COVERED ONLY BY THIS LIMITED LIFETIME WARRANTY. THE COMPANY HEREBY DISCLAIMS THE IMPLIED WARRANTY OF MERCHANTABILITY, ANY AND ALL IMPLIED WARRANTIES THAT MAY ARISE FROM COURSE OF DEALING OR USAGE OF TRADE, AS WELL AS THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

DAMAGE OF ANY KIND IS NOT CONSIDERED WEAR, AND NOT COVERED BY THIS WARRANTY.
Detailed information at www.iwttesoro.com

AS IS

Any product sold second choice, close-out, discontinued or in "as-is" condition with no returns is not covered by this warranty.

Terms & Defintions

TESORO
Quality Products for Life

TYPE (WATER ABSORPTION) – ASTM C373-88

Dust-pressed ceramic tiles with water absorption levels of < 0.5% and high mechanical and chemical characteristics. The surface may be glazed or unglazed.
Refer to **Type**, to determine whether it is Porcelain, Gres Porcelain or Ceramic.

Porcelain	Impervious < 0.5%
Gres Porcelain	Vitreous > 0.51%-3%
Ceramic	Semi & Non-Vitreous > 3%

DCOF (DYNAMIC COEFFICIENT OF FRICTION)

The standard for COF for ceramic tile floors has changed! And there is now a >0.42 requirement, measured per the DCOF AcuTest℠, for level interior tiles that will be walked on when wet.

What is the DCOF AcuTest?
The DCOF AcuTest is an evaluation of the COF of a tile surface under known conditions using a standardized sensor prepared according to a specific protocol. Measurements are made with the BOT-3000, an automated and portable device that measures DCOF. The ANSI standard A137.1–2012 also allows the use of other equivalent tribometers.

IWT will continue to phase out and update where necessary the technical data for all of its product lines.

PEI RATING / ABRASION RESISTANCE CLASS – ASTM C1027-99

The PEI Rating defines the wear and durability of a tile's glazed surface.

2	Residential wall & soft-soled foot traffic
3	Residential wall & floor residential
4	Residential and light commercial floor traffic
5	Heavy and extra-heavy commercial traffic

FROST RESISTANCE

Defines whether the tile is frost resistant.
Product manufactured for use where freeze and thaw conditions exist, based on water absorption may or may not be frost proof.

Yes	< 3% water absorption
No	> 3% water absorption

SHADE VARIATION

Source: Ceramic Tile Distributors Association

V1 V2 V3 V4

The color, shade or shades of all tile varies in some degree from piece to piece and from production run to run. At least several pieces from the same production should be reviewed whenever possible to determine acceptable color shade variations.
Any questions or concerns about your tile selection should be clarified prior to installation.

V1	Uniform/Low
V2	Slight/Medium
V3	Moderate/High
V4	Random/Extreme

DEEP ABRASION TEST

Surface hardness test is done to determine durability of unglazed tiles.
Only tiles with test results of <175mm² pass.

VILLA REAL "Premium Products, Value Pricing"

Denotes series included in the Villa Real Program.

GUIDELINES & STANDARDS FOR GROUT JOINT SIZES & PATTERN CONSIDERATIONS

The TCNA handbook outlines their recommendations as to the type of grout joint to be used, regardless of size, for rectified and pressed tiles as determined by the ANSI A108.02 specification.

This specification states that regardless of size, but especially for large format tiles, rectified and pressed tiles laid with a straight or offset joint should be utilized with a minimum grout joint to take into account for warpage.
The minimum recommended grout joints are as follows:

Pressed Tiles – 3/16" minimum gout joint regardless of pattern
Rectified Tiles – 1/8" minimum grout joint regardless of pattern
Natural Stone – 1/16" minimum, patterns may vary

In addition, ANSI A108.02 Section 4.3.8.2 states that for running bond/joint brick patterns utilizing tiles (square or rectangle) where the side being offset is greater than 14" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the manufacture. Use constitutes acceptance.

50% - Is Not Recommended



Max 33% - Recommended



To help overcome much of the tile size and facial dimensional issues, IWT-Tesoro offers an installation system that allows for smaller grout joints to be used.
The Eventile system aligns the tile surfaces to eliminates lippage, minimizes floor prep of uneven substrates and prevents tiles from shifting while drying. *(see page.5)*

Terms & Defintions

SCAN ME!

TILE STUDIO

On-site production facility for custom mosaic, bullnose, and cut-to-size fabrication

Custom Mosaics

- Industry standard formats
- High-quality designer look formats
- Custom blend options available
- Turn the low value odd lots into high value trim options



2x2

3x3

2x4

4x4

Capacity

- Bullnose - More than 8,000 pieces per day
- Mosaics - 600+ sheets assembled per day
- Cut-to-size - Over 3,200 square feet cut per day

Cut-to-Size

- Chipped Corners? Broken Box?
- Utilizing broken boxes reduces loss
- Reformatting your tile creates a new profit center!

(Chipped Corners)

(Broken Box)

Custom Bullnose

- Width capabilities ranging from 2" up to 23".
- Producing bullnose up to 60" in length.
- Expertly matched glazes and finishes.
- Stocking orders or custom cut jobs.
- Special industrial grade finishes for commercial installations available.

TESORO®
Quality Products for Life

Merchandising Options

20-Slot Waterfall
Display only

Dimentions: 15"(W) x 29"(D) x 34 1/2"(H)

White: IWTDISP20SLOTWHT
Black: IWTDISP20SLOTBLA

Also Available in:

11-Slot Waterfall
White: IWTDISP11VLUXTIM

24-Slot Large Format
Display only

Dimentions: 18"(W) x 24"(D) x 21"(H)

White: IWTDISP24SLOTWHI
Black: DNIDISPB24SLOTWF

PremierLux 10 Slot
Display only

Dimentions: 19"(W) x 31 3/4"(D) x 23 1/4"(H)

Black: IWTDISP10PREMLUX
Footer (Sold Separately): IWTPREMFOOTER

NaturaLux 10 Slot
Display only

Dimentions: 19"(W) x 31 3/4"(D) x 23 1/4"(H)

Black: IWTDISP10SLOTPWF
Naturalux Footer (Included)

Large 10 Slot
Display only

Dimentions: 14 1/2"(W) x 29 1/2"(D) x 22 3/4"(H)

Black: IWTDISPDN10SLOTL

Aquatica Tower
Display only

Dimentions: 24"(W) x 24"(D) x 72"(H)

White: IWTAQSWTOWER

TDC Gridwall Tower
Display only

Dimentions: 38"(W) x 78"(H) Without header
38"(W) x 86"(H) With header

Glossy White: IWTDISPGRIDWAWHT
Matte Black: IWTDISPGRIDWABLA

4-Slot Sliding Display
Display only

Dimentions: 24"(W) x 20"(D) x 13"(H)
(Without tile inserted)

40"(W) x 20"(D) x 13"(H)
(Fully extended, without tile inserted)

White: IWTDISPSLIDE4SLO

7-Slot Sliding Display
Display only

Dimentions: 28"(W) x 21"(D) x 16"(H)
(Without tile inserted)

44"(W) x 21"(D) x 16"(H)
(Fully extended, without tile inserted)

Glossy White: IWTDISP7SLOTWHT
Matte Black: IWTDISP7SLOTBLAC

Tesoro's Marketing and Sample Departments are able to develop custom displays to fit the ever-changing needs of our customers and the market.

Book Display

Display only: Holds up to 36"x36" tiles

Dimentions: 57"(W) x 24"(D) x 32"(H)

Matte Black: IWTDISPBOOKBLACK
Glossy White: IWTDISPBOOKDISPL

Also Available:

Acrylic Header (Not Shown)
IWTHEADBOKHEADER

15-Slot Large Format

Display only

Dimentions: 45"(W) x 11 3/4"(D) x 21"(H)

Black (Left Facing): EXSDISP15LLARFOR
Black (Right Facing): EXSDISP15RLARFOR

48 Wing Rack

Display only

Dimentions: 53"(W) x 25"(D) x 85"(H) With header
53"(W) x 25"(D) x 73"(H) Without header

Matte Black: IWTDISPWING48BLA



64 Large Wing Rack

Display only:

Dimentions: 85"(W) x 19"(D) x 94"(H)

Black: POLDISPLG16WDR

Made from only the finest materials, our product lines are available in hundreds of hand-picked styles to appeal to a variety of tastes and environments.

IWT–Tesoro Porcelain & Ceramic Collection

Shown: Reliefs, White Tweed (Page 128)

IWTTESORO.COM

New Porcelain & Ceramic

TESORO
Quality Products for Life

ALBERO

BELLAGIO

CHELSEA



DAMA



DOLOMINA

DOVER

ETHEREAL

GROVES

ICON

KENTIA

NATIVE WOOD



NATURA

NOHO

PORTOFINO

RELIEFS

SABINA

TINSEL

UDDO

VOLTRA

WALK

2026 TESORO 2027

Quality Products for Life

Porcelain & Ceramic

By International Wholesale Tile, LLC

TESORO® offers an array of porcelain and ceramic elegantly coordinated to highlight the charming characteristics inherent in each. Utilizing our extensive sourcing capacity, supplier relationships and an experienced design team we strive to offer innovative, cutting-edge designs at affordable pricing. A timeless, contemporary design is our goal.

TABLE OF CONTENTS

Adrock 13
Aequa 14
Agatha 15
Agra Fort 16
Alaska 17
Albatross 18
Albatross Hex 19
Albero NEW! 20
Alcazar 21
Allegheny 22
Altea 23
Aravali 24
Argos 25
Armani 26
Asha Onice 27
Aspen 28
Bellagio NEW! 29
Bella Legno 30
Bosco 31
Buteo 32
Cami 33
Castello 34
Chelsea NEW! 35
Chicago Brick 36
Classic (Wall) 37
Cortina 38
Cosmos 39
Cotto Del Campiano 40-43
Craft 44
Crayons 45
Dama NEW! 46
Dany 47
Dendric 48
Dover NEW! 49
Esamarine 50
Ethereal NEW! 51
Evolution 52
Finlandia 53
Form 54-56
Fratto 57
Fuoritono 58-59
Fusion Fabric 60
Galaxy 61
Gallery Porcelain 62
Glassalike 63
Gleeze 64
Graffiti 65
Groves NEW! 66
Grunge 67
Havana 68
Hawa Mahal 69
Helena 70
Hydra Isles 71
Icon NEW! 72-73
Indigo 74
Industrial 75
Isla 76
Joyful 77
Kalkarea 78
Kasbah 79
Kentia NEW! 80
Krea 81
La Dolce Vita NEW! 82-84
La Marca 85-87
Lapietra 88
Lanse 89
Larix 90
Larvic 91
Linea 92
Linewood 93
Lizart 94
Lucca 95
Luminus 96
Madras 97
Majestic 98
Malheur 99
Marmi 100
Marrakech 101
Marrow 102-103
Mayfair 104-107
Memento 108
Merrick 109
Missouri 110
Mother of Pearl 111
Native Wood NEW! 112
Natura NEW! 113
Neo 114
Ninsba 115
Noe 116
Noho NEW! 117
Ocean 118
Old Savannah 119
Olimpo 120
Oyster 121
Paonazzo 122
Portofino NEW! 123
Powder 124
Prisma 125
Pukka 126
Pulpis 127
Reliefs NEW! 128
Rock Ledgerstone 129
Rover 130
Royal Oakmont 131
Sabina NEW! 132
Shellstone 133
Soho 134-137
Super 138
Taj Mahal 139
Tavol 140
Terreno 141
Tinsel NEW! 142-143
Tirreno Toscane 144
Tivolazio 145
Trunk 146
Turin 147
Tuscany 148
Uddo NEW! 149
Venatto 150
Vetri 151
Vibrant 152
Voltra NEW! 153
Vulcani 154
Walk NEW! 155
Whisteria 156
Yosemite 157
Zafira 158
Zerra Annex 159

Learn more at www.iwttesoro.com

Galaxy Beige (Pg. 61)

ADROCK
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Espresso

Frost

Latte

Nickel

Shadow

Shown: Espresso 12x24

SPECIFICATIONS

Application	Floor
Visual	Stone
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20

V3

Made in USA

SIZES

12x24 Matte


3x24 Bullnose Matte


2x2 Mosaic
Matte 12x12 Sheet
(1PC per SF)


2x6 Staggered Mosaic
Matte 12x12 Sheet
(1PC per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

AEQUA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Castor

Cirrus

Nix

Silva

Tur

Shown: Silva 12x48

SPECIFICATIONS

Application	Floor
Visual	Wide Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30

V3

Made in Italy

SIZES

12x48 Matte


Aequa Castor

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

AGATHA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Blue

Cream

Shown: Cream 12x36 Glossy

SPECIFICATIONS

Application	Wall
Visual	Stone
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Random/Extreme
Screens/Faces	6

V4

Made in Spain

SIZES

4x24 Glossy

12x36 Glossy

Note: Wall use only. Not rated for floor use.
*All colors and sizes include 24 Karat Gold in the glaze



Blue 4x24

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

AGRA FORT

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE



Beige

Blanco

Gris



Natural

Taupe

Shown: Natural 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium, *Moderate/High
Screens/Faces	8

V2 V3 (*Natural & Bianco)

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALASKA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

White

Shown: White 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x48, 24x24 (6), 12x24 (12)

V2

Made in India

SIZES



24x48 Matte & Polished

24x24 Matte & Polished

12x24 Matte & Polished

3x24 Bullnose
Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALBATROSS
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Cream

Deep Sea

Grey

Pumice

Sea

Sky

Smoke

White

Smoke Arrow Deco

Deep Sea, Sky, Grey


Pumice, Smoke, White

Sea, Cream, Grey

White, Cream, Pumice

Shown: Smoke 3x12

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in Spain

SIZES

3x12 Wall
Glossy

3x12 Arrow Deco Wall
Glossy

3x12 Wall Bullnose
Glossy


.75" Penny Round Blend
Mosaic Matte & Glossy
12x11.5 Sheet (1.04 Pc. per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALBATROSS HEX

PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Cream

Sea


Deep Sea

Sky

Grey

Smoke


Pumice

White

Deco Hex
(Deep Sea)*

Shown: Deep Sea 7x8 Glossy Hex

SPECIFICATIONS

Application	Wall
Visual	Artisian Hex
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES


7x8
Matte & Glossy
Hex


7x8
Matte & Glossy
Deco Hex

V2

Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALBERO
PRESSED

FIELD TILE

Bosco

Pianta

Shown: 8x24 Pianta Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Ceramic
Slip Resistant	No
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	8

V3

Made in Brazil

SIZES

8x24 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALCAZAR
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Cream

Nut

Pearl

Shown: Nut 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	15

V2

Made in Spain

SIZES

9x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALLEGHENY
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Blanco


Gris


Natural


Taupe

Shown: Gris 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in Ecuador

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ALTEA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Ash Blue 4x4 (Range)

Matcha 4x4 (Range)

Smoke 4x4 (Range)

Thistle Blue 4x4 (Range)

White 4x4 (Range)

Shown: Matcha 3x6 Glossy

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	3
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in Spain

SIZES

3x6 Glossy

4x4 Glossy

.5x8 Quarter Round Trim Glossy



Altea White 3x6

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ARAVALI
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Onyx

Shown: Onyx 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	H.D.I.T Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)

V2

Made in India

SIZES

24x24 Matte & Polished

12x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ARGOS (SATIN & TEXTURED)

PRESSED

TESORO
Quality Products for Life

FIELD TILE

Shown: Black 19x22 Textured Hex

SPECIFICATIONS (TEXTURED)

Application	Floor & Wall
Visual	Solid Color
Type	Pressed Porcelain
Slip Resistance	No
PEI Rating	Black: 3, White: 4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1

SPECIFICATIONS (SATIN)

Application	Floor & Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	20

SPECIFICATIONS (ATELIER WHITE SATIN)

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	16

SIZES



19x22 Satin & Textured Hex

V2

Made in Spain

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ARMANI
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Light Grey

Shown: Light Grey 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (20), 24x24 (10)

V2

Made in India

SIZES

24x24 Matte & Polished

12x24 Matte & Polished

3x24 Bullnose Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ASHA ONICE

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Grigio

Shown: Grigio 24x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)

V3

Made in India

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ASPEN
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Beige

Noce

White

Shown: Beige 6x36 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	9

V2

Made in Turkey

SIZES

6x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

BELLAGIO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE



White Neve



White Lecco Deco

Shown: 24x48 White Neve, White Lecco

SPECIFICATIONS

Application	Wall
Visual	Flat, Floral High Relief
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Uniform/Low
Screens/Faces	1

V1

Made in Spain

SIZES

24x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

BELLA LEGNO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Avana

Bianco

Brown

Grigio

Natural

Shown: Brown 12x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	21

V3

Made in Italy

SIZES

12x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Bosco

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Light Grey

Teak

Shown: Teak 8x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10

V2

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

BUTEO
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Cream

Grey

White

Surge (Shown: White)

Tide (Shown: White)

Drift (Shown: White)

Shown: White 5x16 Surge Glossy

SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

SIZES

5x16 Glossy & Matte*

5x16 Surge Glossy & Matte*

5x16 Tide Glossy & Matte*

3x12 Glossy & Matte*

3x12 Drift Glossy & Matte*

V2

Made in Ecuador

*Matte only available in White
Note: Wall use only. Not rated for floor use.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CAMI

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Levante

Nuvole

Ponente

Sereno

Shown: Ponente 20x20

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (12 20x20 (6)

V3

Made in India

SIZES

20x20 Matte

12x24 Matte

3x24 Bullnose Matte

3x3 Mosaic
Matte12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CASTELLO

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Shown: Beige 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (8), 24x24 (6), 24x48 (4)

V3

Made in India

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CHELSEA

PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Coffee House

High Line

King's Road

Main Street

Whitehall

Shown: 2.5x10 King's Road

SPECIFICATIONS

Application	Floor & Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme

V4

Made in Italy

SIZES

2.5x10 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CHICAGO BRICK
PRESSED

TESORO®
Quality Products for Life

FIELD TILE


Old Chicago

South Side


State Street ***

Wrigley****

City Mix (South Side shown)

Please Note:
8x16 and 8x8 can be utilized in a modular pattern. The Chicago brick name appears in each color approximately four times in every 56, 4x8 brick. The City Mix is available in Old Chicago & South Side. There are 26 designs and are available in one box only. Names cannot be ordered separately and are randomly packed.

Shown: State Street 4x8

SPECIFICATIONS

Application	Floor/Wall
Visual	Reclaimed Chicago Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8x16 & 9x11 (40), 4x8 (56)

V3

Made in Italy

SIZES

8x16 Matte


9x11 Matte
Hexagon


3x3 Staggered
Mosaic Matte
12x16 Sheet

8x8 Matte

4x8 Matte

***State Street is no longer available in 8x16, 8x8, 3x3 staggered mosaic
****Wrigley is no longer available in 8x8, 8x16

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CLASSIC

PRESSED

TESORO
Quality Products for Life

FIELD TILE

White

Undulated Picket
(White Shown)

Beveled White

Shown: White 2x8 Matte

SPECIFICATIONS

Application	Wall
Visual	Subway
Type	Pressed Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium

SIZES

- 4x16 Glossy & Matte
- 4x12 Glossy & Matte
- 3x6 Glossy & Matte
- 3x6 Beveled Glossy
- 2x8 Wall Glossy & Matte
- 3x12 Undulated Picket Glossy & Matte
- 8x16 Glossy
- 0.5x8 Quarter Round Glossy & Matte

V2

Made in Vietnam

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

CORTINA
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Almond

Honey

Natural

Tobacco

Shown: Honey 10x60

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	30

V4

Made in Italy

SIZES

10x60 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Cosmos
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Calcare

Cemento


Gesso

Grafite


Ossido

Shown: Ossidoo 12x24 (textured outdoor finish)

SPECIFICATIONS

Application	Floor
Visual	Stone Quarzite
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	26

V3

Made in Italy

SIZES

12x24 Textured Outdoor

Cosmos Calcare

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Cotto Del Campiano

PRESSED

FIELD TILE

Cotto Dorato

Giallo Umbria

Rosso Siena

Terra di Pienza

SPECIFICATIONS

Application	Floor & Wall
Visual	Cotto
Type	H.D.I.T. Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Extreme/Random
Screens/Faces	16x24 (30), 16x16 (25), 8x16 (30), 8x8 (35), 4x8 (65), 6x7 (30)

V4

Made in Italy

SIZES



*Only included in modular pattern.
Note: Modular pattern contains 6 pieces in 4 different sizes. 16x24(1), 16x16(2), 8x16(1), & 8x8(2)
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Shown: Cotto Dorato 16x24

Terra di Pienza 16x24, 16x16, 8x16, & 8x8

Giallo Umbria 16x24

Cotto Del Campiano (Continued)

PRESSED

FIELD TILE

Bianco Antico

Mix Deco*

Terre Emiliane Mix*†

Shown: Bianco Antico & Mix Deco 8x8

SPECIFICATIONS

Application	Floor & Wall
Visual	Cotto
Type	H.D.I.T. Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	8x8 (35), 6x7 (30)

V2 Made in Italy

SIZES

8x8

6x7 Hex

***Please Note: This material is packaged randomly. We are unable to accommodate requests for specific colors/faces. No specific deco or combination of decos can be assumed within an individual box.**

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.



Mix Deco 8x8 (Range)

Terre Emiliane Mix 8x8 (Range)

Mix Deco 6x7 Hex (Range)

Terre Emiliane Mix 6x7 Hex (Range)

Terre Emiliane Mix 6x7 Hex

Bianoco Antico 8x8

CRAFT
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Cotton

Mosaic (Cotton shown)

Quilt

Rope

Wool

Yarn


Shown: Rope 12x24

SPECIFICATIONS

Application	Floor
Visual	Fabric
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	16

V2

Made in USA

SIZES

12x24 Matte

2x2 Matte Mosaic
12x12 Sheet

3x24 Matte Bullnose

*Made with a three color combination; Cotton, Quilt & Yarn Only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

POWERFUL ACTION
eliminates microbes and prevents their reproduction

CONTINUE PROTECTION
always active, 24 hours a day, with and without sunlight

ETERNAL EFFECTIVENESS
thanks to the technology permanently integrated into the product

GUARANTEED QUALITY
by the partnership with MICROBAN

CRAYONS
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Bright White Glossy

Caramel Glossy

Charcoal Glossy


Matte White

Smoke Glossy


Storm Glossy

Shown: Storm Glossy 3x12

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in Italy

SIZES


3x12 Glossy Picket


3x12 Matte Picket*

1/2x12 Quarter Round Trim

Crayons Caramel

*Only Available in Matte White.
Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

DAMA
PRESSED

FIELD TILE

Bardiglio

Botticino


Carrara


Nero

Pulpis

Verde

Shown: Nero, Carrara 10x10

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4, (Nero, Pulpis 3)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x10 (16), 2.5x10 (90)

V2

Made in Italy

SIZES

10x10 Matte

2.5x10 Matte


Shown: Classico, Pulpis 2.5x10

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

DANY
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Cocco (Range)

Ghiaccio (Range)

Mirtillo (Range)

Vaniglia (Range)

Shown: Mirtillo & Cocco 6.25x15.25

SPECIFICATIONS

Application	Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30

V3

Made in Italy

SIZES


6.25x15.25 Matte
Interlocking Brick Porcelain

Dany Vaniglia

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

DENDRIC
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Statuary

Shown: Statuary 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	40

V2

Made in India

SIZES

12x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

DOVER
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Camel

Sand

White

DOVER
coordinates with
LINEWOOD
WALL TILE!

Shown: White 10x60 Matte

SPECIFICATIONS

Application	Wall & Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4 (White) 3 (Sand, Camel)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x60 (21), 12x71 (19)

V2

Made in Spain

SIZES

10x60 Matte

12x71 Matte NEW!


Shown: Linewood Coordinating Wall Collection

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ESAMARINE
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Bianco Hex

Petrolio Hex



Verde Hex



Shown: Verde 6.25x7.25 Hex

SPECIFICATIONS

Application	Wall
Visual	Solid Color Hex
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	20

V3

Made in Italy

SIZES



6.25x7.25 Glossy Hex

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ETHEREAL
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Beige Deco

White

White Deco

Shown: Beige Matte, Beige Deco 12x36

SPECIFICATIONS

Application	Wall
Visual	Cross Cut Travertine
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	Field (15), Deco (2)

V2

Made in Spain

SIZES

12x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

EVOLUTION
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Grey

Sugar

Titanium

White

Shown: White 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	H.D.I.T Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (36), 24x24 (24), 24x48 (12)

V3

Made in Italy

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FINLANDIA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Abedul

Acacia


Arce

Shown: Arce 24x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	6

V4

Made in Spain

SIZES

24x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FORM
PRESSED

FIELD TILE

Graphite

Ice


Ivory

Sand

Tide

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme*
Screens/Faces	20

V4*

Made in Turkey

SIZES

8x8 Matte

8x8 Matte Deco

7x8 Matte Hex

2x8 Matte Bullnose

*Solid colors are V2. All others are V4.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life



Ice Baroque

Ice Clover

Ice Compass

Ice Diamond

Ice Zenith

Sand Baroque

Sand Clover

Sand Compass

Sand Diamond

Sand Zenith

Tide Baroque

Tide Clover

Tide Compass

Tide Diamond

Tide Zenith

Monochrome Geo


Monochrome Lotus

Monochrome Stella

Ice Northstar

Sand Northstar

Tide Northstar

Shown: Tide Diamond 8x8


Form Monochrome Stella

Form Sand

FORM (CONTINUED)

PRESSED

TESORO
Quality Products for Life

FIELD TILE

Graphite Hex

Graphite Frame Hex

Ice Hex

Ice Frame Hex

Ivory Hex

Ivory Frame Hex

Sand Hex

Sand Frame Hex

Tide Hex

Tide Frame Hex

Ice Deco Blend (Range)

Sand Deco Blend (Range)

Tide Deco Blend (Range)

Shown: Ice Hexagon 7x8

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme*
Screens/Faces	20

V4*

Made in Turkey

SIZES

8x8 Matte

8x8 Matte Deco

2x8 Matte Bullnose

7x8 Matte Hex

*Solid colors are V2. All others are V4.


Form Sand Deco Blend

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FRATTO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Bianco

Greige

Gris

Shown: Beige 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4, 5 (Bianco)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (44), 24x24 (22), 24x48 (11)

V2

Made in Poland

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

FUORITONO
PRESSED

FIELD TILE

Beige 4x12 (Range)

Bianco 4x12 (Range)

Grigio 4x12 (Range)

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4 *(Bianco only - PEI Rating 5)*
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	4x12 (30), Hexagon (16)

V4

Made in Italy

SIZES



9.25x10.75
Glossy & Matte Hex

4x12 Glossy & Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life

Shown: Bianco 4x12

Muschio 4x12 (Range)

Nero 4x12 (Range)

Petrolio 4x12 (Range)

Fuoritono Bianco & Nero 4x12 Matte

Fuoritono Petrolio 4x12

Fusion Fabric

PRESSED

TESORO®
Quality Products for Life

FIELD TILE


Carbon

Silver

Chalk


Graphite

Greige

Sand

Shown: Sand 12x24

SPECIFICATIONS

Application	Floor
Visual	Concrete Linen
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20

V3

Made in USA

SIZES

12x24 Matte

3x24 Matte Bullnose


2x2 Matte Mosaic
12x12 Sheet


2x6 Matte Mosaic
12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GALAXY
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Brown

Grey

Shown: Beige 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	H.D.I.T. Rectified Porcelain
Slip Resistant	No
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	17

V3

Made in Spain

SIZES

24x48 Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Gallery Porcelain Mosaics

PRESSED

TESORO
Quality Products for Life

FIELD TILE

Marble Satin 3x3 Mosaic

Tuscan Beige 3x3 Mosaic


Marble Satin
2" Hex Mosaic

Tuscan Beige
2" Hex Mosaic

Biscuit Textured 3x3
Mosaic

Tuscan Bianco 3x3 Mosaic

Biscuit Textured
2" Hex Mosaic

Tuscan Bianco
2" Hex Mosaic

Light Grey Textured 3x3
Mosaic

Tuscan Grigio 3x3 Mosaic

Light Grey Textured
2" Hex Mosaic

Tuscan Grigio
2" Hex Mosaic

White Textured 3x3
Mosaic

White Textured
2" Hex Mosaic

Biscuit Textured
2x4 Mosaic

Light Grey Textured
2x4 Mosaic


White Textured
2x4 Mosaic

Shown: White Textured 2" Hex Mosaic

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume
Type	Pressed Porcelain
Slip Resistant	Yes (Textured Only)
PEI Rating	N/A
Frost Resistant	Yes
Shade	Slight/Medium

SIZES


3x3 Textured Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)


2" Textured
Hex Mosaic
11x12.5 Sheet
(1.04 Pcs per SF)


2x4 Textured
Staggered Mosaic
11.25x11.5 Sheet
(1.11 Pcs. per SF)

V2

Made in India

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GLASSALIKE
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Azzuro Block

Bianco Block

Bianco

Blu Block

Grigio Block

Grigio

Lime Block

Nero Block

Nero

Rosa Block

Taupe Block

Taupe

Azzuro Fluted

Azzuro Groove

Shown: Lime Groove 4x12 (Wall) & Nero 12x24 (Floor)

SPECIFICATIONS

Application	Floor & Wall
Visual	Glass Block & Fluted Glass
Type	Pressed Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	2, 3 &4*
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	30

V4

Made in Italy

SIZES

12x24 Matte

4x12 Block (Glossy & Matte†)

4x12 Fluted Glossy

4x12 Groove Glossy

4x12 Bullnose

*Glossy: PEI 2 (Blu & Nero), PEI 3 (Grigio), PEI 4 (Bianco, Taupe, Azzurro, Rosa & Lime). Matte: PEI 3 (Nero), PEI 4 (Bianco, Taupe & Grigio)
†Matte is only available in colors Bianco, Taupe, Grigio & Nero.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GLEEZE
PRESSED

TESORO
Quality Products for Life

FIELD TILE


Beige 4x4 (Range)

Beige 4x4 Egg Deco

Beige 3x8 Eye Deco

Bianco 4x4 (Range)

Giada 4x4 (Range)


Grigio 4x4 (Range)

Turchese 4x4 (Range)

Shown: Beige 4x4 & Beige Egg Deco 4x4

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume
Type	Pressed Porcelain
Slip Resistant	Not Rated
PEI Rating	4 (Decos Not Rated)
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	40

V4

Made in Italy

SIZES

4x4 Glossy

4x4 Glossy 3D Egg Deco

2x6 Glossy

3x8 Glossy

3x8 Glossy 3D Eye Deco

.5 x11.75 Quarter Round Glossy

Gleeze Grigio 3x8 Eye Deco

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GRAFFITI
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Acquamarine

Beige

Blue

Sky

White

Nolita Pearl

Nolita Sand

Nolita Sunset

Shown: White 2x18 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Brick
Type	Pressed Porcelain
PEI Rating	4 (Nolita Sand, Nolita Pearl & White 5)
Slip Resistant	Yes
Frost Resistant	Yes
Shade Variation	Slight/Medium*
Screens/Faces	70

V2

V3
*(All Nolita)

Made in Italy

SIZES

2x18 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GROVES
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE



Honey

Sand

Walnut

Shown: Sand 10x63 & 36x36 Intarsio Deco

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Plank/Parquet
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10x36 (9), 36x36 (4)

V2

Made in Italy

SIZES



36x36 Intarsio Deco Matte



10x63 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

GRUNGE
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Aqua (Range)

Aqua Picket (Range)

Blue (Range)

Grey (Range)

Iron (Range)

Oxid (Range)

Shown: Iron 3x12

SPECIFICATIONS

Application	Wall
Visual	Oxidized Brick
Type	Pressed Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	24

V3

Made in Spain

SIZES

3x12 Wall Matte

3x12 Wall Bullnose Matte

2x10 Picket Matte*

5/8x12 Quarter Round Matte

*Available in Aqua, Blue, Iron & Oxid only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Grunge Blue

HAVANA
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Cohiba

Malecon

Mojito

Old Havana Mix[1]

Sky

Sugar Cane

Tropicana

4x8 Cuba Deco Mix[3]

8x8 Finca Deco Mix[2]

8x8 Floridita Deco[6]

Shown: Havana Sugar Cane 8x16

SPECIFICATIONS

Application	Floor & Wall
Visual	Cuban-Inspired Weathered Brick
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	16x16 Sugar Cane (14), Cohiba (19) Malecon (18), 8x16 (25), 8x8 (40), 4x8 (56)

V4 Made in Italy

SIZES



16x16 Matte[4]

8x8 Floridita Deco Matte[6]

8x8 Matte

4x8 Matte

8x8 Finca Deco Mix[2] Matte

4x8 Cuba Deco Mix Matte

4x8 Bullnose Matte

4x16x2 Stair Tread[5] Matte


4.75x2.25x3.75 Corner Piece Mate

1 Old Havana Blend. Available only in 4x8.
2 Finca Deco Mix. Available only in 8x8.
3 Cuba Deco Mix. Available only in 4x8.
4 16x16. Available only in Cohiba, Malecon, and Sugar Cane.
5 4x16x2 Stair Tread. Available only in Cohiba, Malecon, and Sugar Cane.
6 Floridita Deco special order only.

Please Note:
The 4x8 Cuba Deco Mix is available in 12 unique designs, with 36 total pieces packed randomly in one box.
The 8x8 Finca Deco Mix is available in 12 stunning designs, with 26 pieces packed randomly per box.
Names and Designs cannot be ordered separately and are randomly packed.

HAWA MAHAL

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Bianco

Gris

Taupe

Shown: Beige 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	8

V2

Made in India

SIZES

8x48 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

HELENA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Blanco

Gris

Taupe

Shown: Blanco 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in Ecuador

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

HYDRA ISLES

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Grey

Silver

White

Mosaic (White)

Shown: Grey 20x20

SPECIFICATIONS

Application	Floor
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	20x20 (6), 12x24 (8)

V2

Made in India

SIZES

20x20 Matte

12x24 Matte

3x24 Bullnose Matte

3x3 Mosaic
11.75x11.75 Sheet
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ICON
PRESSED

FIELD TILE


Creta NEW!

Mixit Blanco Art NEW!

Mixit Blanco Concept NEW!

Mixit Blanco Plain NEW!

Serene Bianco

Snow


Super White Plain* NEW!


Super White Wind* NEW!

SPECIFICATIONS

Application	Wall
Visual	Décor Wall
Type	Ceramic
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

SIZES

12x36 Matte*

V2

Made in Spain

*Available in Matte & Glossy
Note: Wall use only. Not rated for floor use.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Shown: Mixit Blanco Art & Mixit Blanco Plain 12x36 Matte

Super White Wind Glossy


Mixit Blanco Concept

INDIGO
RECTIFIED

FIELD TILE

Calacatta Blue

Shown: Calacatta Blue 24x48 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in India

SIZES

12x24 Matte & Polished

3"x3" Mosaic
Matte Only
12x12 sheet

24x48 Matte & Polished

3x24 Bullnose
Matte & Polished

4x12 Polished Only

3" Hex Mosaic
Matte & Polished
12x12 sheet

Basketweave Mosaic
Matte & Polished
12x12 sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

INDUSTRIAL
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Grey

Old Rose

Rainbow

Shown: Grey 6.25x15.25 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Grunge Brick
Type	Pressed Gres Porcelain
PEI Rating	5 (R-10)
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	14

SIZES



6.25x15.25 Matte

V4

Made in Italy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ISLA
PRESSED

FIELD TILE

Beige

White



Shown: White 12x24

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	20

V3

Made in Turkey

SIZES

12x24 Matte

3x24 Bullnose Matte

3x3 Mosaic
12x12 Sheet
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

JOYFUL
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Aqua
Ash
Avocado
Azure
Bone
Cherry
Greige
Lava
Lime
Mango
Milk

Navy
Papaya
Pitaya
Sage
Sky
Steel
Turquoise

Shown: Azure 4x16, Mango 4x16 & Milk 4x16

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in Italy

SIZES

4x16 Wall Glossy

3/8x8 Quarter Round Trim Glossy

Joyful Turquoise

Note: Wall use only. Not rated for floor use.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

KALKAREA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Ivory

Pearl

White

Shown: 24x48 Ivory Outdoor

SPECIFICATIONS

Application	Floor & Wall
Visual	Limestone look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (96), 24x48 (24)

V2

Made in Italy

SIZES

12x24 Matte
Outdoor finish also available

24x48 Matte
Outdoor finish also available

3x3 Mosaic Matte
12x12 Sheet
(1 Pc Per SF)
Indoor finish only

3" Hex Shape Mosaic
Matte 12x12 Sheet
(1 Pc. per SF)
Indoor finish only

Special order available in 48x48 (indoor finish), 24x24 2cm paver & 24x48 2cm paver
(Stocked in Italy. Call for ETA)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

KASBAH
PRESSED

TESORO
Quality Products for Life

FIELD TILE



Shown: Fawn Matte Base & Star

SPECIFICATIONS

Application	Floor & Wall
Visual	Solid Color
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	48

V2

Made in Spain

SIZES

4.75x4.75
Matte Base

6.5x6.5
Matte Star

1.25x1.25 Taco
Matte & Glossy

Mud Matte Base & Star

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

KENTIA

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Crayon White

Crayon White Palm

Shown: Crayon White Palm Deco 12x36

SPECIFICATIONS

Application	Wall
Visual	Solid/Floral
Type	Rectified Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Uniform/Low
Screens/Faces	1

V1

Made in Spain

SIZES

12x36 Glossy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

KREA
PRESSED

TESORO
Quality Products for Life

FIELD TILE


Arctic

Arctic Ripple


Arctic Station

Shown: 4x16 Arctic , Arctic Ripple

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	Not rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in USA

SIZES

4x16 Matte &Glossy Wall

1/4x8 Quarter Round Trim

Note: Wall use only. Not rated for floor use.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

La Dolce Vita

RECTIFIED

FIELD TILE



Audrey Bianco

Marilyn Beige

Sophia Grigio

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (40), 24x24 (28) 24x48 (14)

V2*

Made in Italy

SIZES



** Not available in Brigitte & Elizabeth

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life

Shown: Audrey Bianco 24x24

La Dolce Vita (Mosaics)

RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Audrey Bianco Onda

Marylin Beige Onda

Sophia Grigio Onda

Audrey Bianco Rombo

Marylin Beige Rombo

Sophia Grigio Rombo

Audrey Bianco 2x2 Basketweave

Marylin Beige 2x2 Basketweave

Sophia Grigio 2x2 Basketweave

Audrey Bianco 2" Hex

Marylin Beige 2" Hex

Sophia Grigio 2" Hex

Brigitte Chisel Brick

Brigitte Basketweave

Brigitte Diamante

Brigitte Herringbone

Elizabeth Chisel Brick

Elizabeth Basketweave

Elizabeth Diamante

Elizabeth Herringbone

Shown: Brigitte Herringbone

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium*
Screens/Faces	12x24 (40), 24x24 (28) 24x48 (14)

V2*

Made in Italy

SIZES


Diamante Mosaic 14.25x11 Sheet†


Basketweave Mosaic 11.5x11.5 Sheet†

Herringbone Mosaic 12x9.75 Sheet†


Brick Chisel Mosaic 11.75x11.75 Sheet†


9x12 Rombo Mosaic Sheet‡

10x11 Onda Mosaic Sheet‡


2x2 Basketweave 11.75x11.75 Sheet‡


2" Hex Mosaic 11x11.5 Sheet‡

* Audrey Bianco is (V4)
† Brigitte & Elizabeth
‡ Marilyn Beige, Audrey Bianco & Sophia Grigio

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

La Marca

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Arabescato

Paradiso Argento

Calacatta Paonazzo

Statuarietto


Carrara Gioia

Statuario Nuovo

Nero Venato

Travertino Instrata

Onyx Nuvulato

Shown: Statuarietto 24x48 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI	4
Frost Resistant	Yes
Shade	Slight/Medium
Screens/Faces	24x48 (30), 24x24 (54), 32x32 (30), 12x24 (60)

V2 | Made in India | Made in Turkey

SIZES



†Not Available in Travertino Instrata

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

La Marca (Mosaics)

RECTIFIED

FIELD TILE

Arabescato Modella Mosaic

Calacatta Ponazzo Modella Mosaic

Carrara Goia Modella Mosaic

Paradiso Argento Modella Mosaic

Statuarietto Modella Mosaic

Statuario Nuovo Modella Mosaic

Arabescato Picco Mosaic

Calacatta Ponazzo Picco Mosaic

Carrara Goia Picco Mosaic

Paradiso Argento Picco Mosaic

Statuarietto Picco Mosaic

Statuario Nuovo Picco Mosaic

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI	4
Frost Resistant	Yes
Shade	Slight/Medium
Screens/Faces	24x48 (30), 24x24 (54), 32x32 (30), 12x24 (60)

V2

Made in India

Made in Turkey

SIZES



2" Hex Mosaic Matte & Polished 11.75 x 13.25 Sheet



Modella Polished 13.75 x 11.75 Sheet** ††



Picco Matte 8x8 Sheet* ††



2x2 Mosaic Matte 11.75x11.75 Sheet*

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life



Shown: Paradiso Argento Picco Matte Mosaic



6" Hex Mosaic
Matte & Polished
11.5x12 Sheet

*Matte only.
**Polished only
†Not Available in Travertino Instrata
††Not Available in Travertino Instrata, Nero Venato or Onyx Nuvolato

LAPIETRA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Shown: Beige 24x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (22)

V2

Made in India

SIZES

24x24 Matte & Polished

12x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LANSE
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Black (Range)


Blue (Range)

Grey (Range)


White (Range)

Mint (Range)

Navy (Range)

Silver (Range)*

Gold (Range)*

Shown: Blue 2x10

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	White Body Ceramic
Slip Resistant	Not rated
PEI Rating	3
Frost Resistant	No
Shade Variation	Moderate/High

V3

Made in Spain

SIZES

2x10 Picket
Matte

* Must be sealed if installed in wet areas.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LARIX
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Fresh

Natural

Shade

Sun

Shown: Shade 6x30

SPECIFICATIONS

Application	Floor
Visual	Textured/Weathered Wood Plank
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	10x60 (36)

V3

Made in Italy

SIZES

10x60 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LARVIC
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Blanco

Ceniza

Cerezo

Haya

Shown: Haya 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	15

V3

Made in Spain

SIZES

9x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LINEA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE


White Amplitude

White Modulation


White Oblique


White Plane

White Prizmatic

Shown: White Modulation 12x24

SPECIFICATIONS

Application	Wall
Visual	Modern Pattern
Type	Rectified Ceramic
Slip Resistant	Not Rated
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

SIZES

12x24 Glossy

1/4x12 Quarter Round Trim

Note: Wall use only. Not rated for floor use.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LINEWOOD

WHITE BODY

TESORO
Quality Products for Life

FIELD TILE

Haya

Sand

White

Shown: Sand 12x36 Matte

SPECIFICATIONS

Application	Wall
Visual	Wood Relief
Type	White Body Ceramic
Frost Resistant	Yes
PEI	Wall Tile
Shade Variation	Slight/Medium
Screens/Faces	4

V2

Made in Spain

SIZES

12x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LIZART
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Ice

Shown: Ice 24x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x24 (12), 12x24 (24)

V2

Made in India

SIZES

24x24 Matte & Polished

12x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LUCCA

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Calacatta


Volakis


Crema Marfil

Dolomite


Onyx

Statuario

Shown: Volakis 12x24, 3" Hex Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4 (Matte), 3 (Polished)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (16) Onyx (24), Crema Marfil (20) 24x48 (6) Dolomite & Volakis (4) 24x24 (8)

V3

Made in India

SIZES




4x12 Polished*


3x24 Bullnose
Matte & Polished


3" Hex Mosaic
Matte & Polished
12x12 sheet


Basketweave
Matte & Polished
11.5x11.5 sheet


3x3 Mosaic
Matte
12x12 Sheet

*Available in polished only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

LUMINUS
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Perla



Shown: Perla 12x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	48

V2

Made in India

SIZES

12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MADRAS
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Bianco

Grigio

Perla

Shown: Grigio 24x24

SPECIFICATIONS

Application	Floor
Visual	Onyx
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	48x48 (3), 24x48 (4), 32x32 (4), 24x24 (8), 12x24 (6)

V3

Made in India

SIZES



*Available in Polished only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MAJESTIC

RECTIFIED* (12X24 Only)

TESORO
Quality Products for Life

FIELD TILE



Gold

Gris

Perla

Shown: Gold 13x26

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified* Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	12x24 (PEI 3), 13x26 (PEI 4)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	17

V3

Made in Spain

SIZES

12x24 Glossy

13x26 Matte



3x3 Matte Mosaic
12x12 Sheet



3x24 Glossy Bullnose



3x26 Matte Bullnose

*12x24 Rectified. 13x26 Pressed.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MALHEUR
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE


Sand


Tobacco

White

Shown: White 8x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in Ecuador

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MARMI
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Black

Grey

White

Shown: Black 6.25x15.25

SPECIFICATIONS

Application	Wall
Visual	Marble
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	30

V3

Made in Italy

SIZES


6.25x15.25
Ledger Field Tile
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MARRAKECH
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Green

Ivory

Ocean

Seawater

White

Light Blue

Total White

Total White (Satin)

Shown: 2x8 Total White Satin & Glossy

SPECIFICATIONS

Application	Wall
Visual	Brick
Type	Pressed Porcelain
Slip Resistant	No
PEI Rating	†
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	N/A

V2 Made in Italy Made in Spain

SIZES


4x4 Glossy*


2x8 Glossy*

.2x8 Quarter Round Glossy*

† PEI 3 (Ocean, Green); PEI 4 (Light Blue, Sea Water); PEI 5 (Total White, Ivory, White)
* Total White Available in Satin & Glossy

4x4 Made in Spain, 2x8 and Quarter Round Made in Italy.

MARROW
PRESSED

FIELD TILE

Cream



Grey



Ice Blue

SPECIFICATIONS

Application	Wall
Visual	Solid Color & Deco
Type	Pressed Ceramic
Slip Resistance	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	1

V2

Made in Ecuador

SIZES



3x12 Picket
Glossy, Matte (White Only)

3x12 Picket Deco
Glossy, Matte (White Only)

Please Note: Decos are packaged and sold separately from field tile.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life

Midnight

Seafoam

White

Shown: White Glossy Deco Picket

Midnight Glossy Field

Seafoam Glossy Field

MAYFAIR
RECTIFIED

FIELD TILE


Allure Ivory

Calacatta Oro

Statuario Venato

Stella Argento

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	24x48 (12), 24x24 (25), 16x32 (56) 10.5x32 (55), 12x24 (48)

V2

Made in Turkey

SIZES

24x48 Polished*†

24x24 Matte & Polished‡

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life

Strada Ash

Suave Bianco

Volakas Grigio

Zebrino Grigio

Shown: Zebrino Grigio Matte 16x32

16x32 Matte & Polished

10.5x32 Polished*§

12x24 Matte & Polished

4x12 Polished*

3x24 Matte & Polished Bullnose

3x12 Matte & Polished Bullnose

*Polished only.
†Available only in Calacatta Oro, Statuario Venato, Strada Ash, Suave Bianco, Volakas Grigio & Zebrino Grigio.
‡Available only in Allure Ivory, Calacatta Oro, Statuario Venato, Stella Argento & Volakas Grigio.
§Available only in Calacatta Oro, Statuario Venato & Volakas Grigio.

MAYFAIR (CONTINUED)

RECTIFIED

FIELD TILE

Calacatta Oro Piazza Mosaic

Statuario Venato Piazza Mosaic

Strada Ash Piazza Mosaic

Suave Bianco Piazza Mosaic

Volakas Grigio Piazza Mosaic

Zebrino Grigio Piazza Mosaic

Calacatta Oro Arabesque Mosaic



Statuario Venato Arabesque Mosaic

Volakas Arabesque Mosaic

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (12), 24x24 (25), 16x32 (56) 10.5x32 (55), 12x24 (48)



2x2 Matte & Polished Basketweave Mosaic 11.75x11.75 Sheet (1.04 Pcs. Per SF)



1.25" Polished Hexagon Mosaic 12x12 Sheet* (1Pc. Per SF)



Arabesque Polished 11.75x11.75 Sheet*‡ (1.04 Pcs. Per SF)

V3

Made in Turkey

*Polished only.
†Available only in Calacatta Oro, Statuario Venato, Strada Ash, Suave Bianco, Volakas Grigio & Zebrino Grigio.
‡Available only in Calacatta Oro, Statuario Venato & Volakas Grigio.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TESORO®
Quality Products for Life


2x2 Allure Ivory
Basketweave Mosaic

2x2 Calacatta Oro
Basketweave Mosaic

2x2 Statuario Venato
Basketweave Mosaic

2x2 Stella Argento
Basketweave Mosaic

2x2 Strada Ash
Basketweave Mosaic

2x2 Suave Bianco
Basketweave Mosaic

2x2 Volakas Grigio
Basketweave Mosaic

2x2 Zebrino Grigio
Basketweave Mosaic

1.25x1.25 Allure Ivory
Hexagon Mosaic

1.25x1.25 Calacatta Oro
Hexagon Mosaic


1.25x1.25 Statuario Venato
Hexagon Mosaic

1.25x1.25 Stella Argento
Hexagon Mosaic

1.25x1.25 Strada Ash
Hexagon Mosaic

1.25x1.25 Suave Bianco
Hexagon Mosaic

1.25x1.25 Volakas Grigio
Hexagon Mosaic

1.25x1.25 Zebrino Grigio
Hexagon Mosaic

Shown: Statuario Venato Piazza Mosaic


6" Piazza Polished
11.75x11.75 Sheet*†
(1.04 Pcs. Per SF)


3x3 Matte Mosaic
12x12 Sheet
(1Pc. Per SF)

Mayfair Statuario Venato

MEMENTO
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Bianco

Grey

Mosaic (Grey Shown)

Shown: Grey 24x48

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (24), 24x24 (48), 12x24 (60)

V3

Made in Italy

SIZES


24x48 Polished & Matte

24x24 Polished & Matte

12x24 Polished & Matte

3x24 Polished & Matte Bullnose


2x2 Polished & Matte
Mosaic 12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MERRICK

PRESSED

FIELD TILE

Allumina

Moka

Pine

Silver

Shown: Silver 6x36 Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Pressed Gres Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in India

SIZES

6x36 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

MISSOURI

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Bianco

Ivory

Maple

Shown: Maple 8x48 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	10

V2

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Mother of Pearl

RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Ivory



Silver

Shown: Ivory 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Mother of Pearl
Type	Rectified Porcelain
PEI Rating	3 (polished), 4 (matte)
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	12x24 (24), 24x48 (6)

V3

Made in India

SIZES

12x24 Matte & Polished

24x48 Matte & Polished

3" Hex Mosaic
Matte & Polished
11.75x10.25 sheet
(1.19 PC per SF)

Basketweave
Matte & Polished
12x12 sheet
(1 PC per SF)

3x3 Mosaic Matte
12x12 sheet
(1 PC per SF)

4x12 Polished

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NATIVE WOOD
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Birch

Chestnut

Pine

Poplar

White Oak

Shown: 8x48 Mattte Pine & Chestnut

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	30

V2

Made in USA

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NATURA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Dove

Driftwood

Roble

Vail

Shown: 8x48 Dove

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Porcelain
Slip Resistant	R10
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8

V3

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NEO
PRESSED

FIELD TILE

White

Shown: White 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Silk
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	2

V2

Made in Brazil

SIZES

12x24 Matte

3x24 Matte Bullnose

2x2 Matte Mosaic
12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NINSBA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Beige

Camel

Grey

White

Shown: Grey 6x36 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	19

V2

Made in Spain

SIZES

6x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NOE
PRESSED

FIELD TILE

Arce Maple

Gris

Roble Oak

Shown: Roble Oak 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	25

V2

Made in Spain

SIZES

9x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

NOHO
PRESSED

TESORO®
Quality Products for Life

FIELD TILE

Blu

Emerald

Ivory

Light Grey

Sage NEW!

White

Shown: Sage 2x10 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	5* *(Blu & Emerald is PEI 3)*
Frost Resistant	Yes
Shade Variation	Slight/Medium

V2

Made in Italy

SIZES

2x10 Glossy & Matte

1/5x10 Glossy & Matte
Quarter Round



Noho White

*Ivory, Light Grey, Sage & White have PEI rating 5. Blu & Emerald have PEI rating 3.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OCEAN
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Blue

Green

Grey

White

Shown: Green 13x26

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Ceramic
PEI Rating	3 *(White only - 4)*
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	5

V3

Made in Spain

SIZES

13x26 Matte

3x26 Bullnose Matte

3x3 Mosaic
12x12 Sheet
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OLD SAVANNAH
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Berilo 2x10 (Range)

Grey 2x10 (Range)

White 2x10 (Range)

Shown: Berilo 2x10

SPECIFICATIONS

Application	Wall
Visual	Glossy Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Random/Extreme
Screens/Faces	4x4 (36), 2x10 (42)

V4

Made in Spain

SIZES

4x4 Glossy

2x10 Glossy

.5x10 Glossy
Quarter Round

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OLIMPO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Statuario

Shown: Statuario 28x28

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	28 x 28 (15), 12x24 (30)

V2

Made in Brazil

SIZES



12x24 Polished & Matte

28x28 Polished & Matte



3x3 Matte Mosaic
12x12 Sheet*



3x28 Polished & Matte Bullnose

* Available in Matte only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

OYSTER
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Cape Grey

Lagoon Blue

Pearl White

Shell Beige

Semi-polished wet/dry look

Shown: 12x24 Cape Grey Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (64) 24x48 (16)

V2

Made in Italy

SIZES

12x24 Matte

24x48 Matte

3x3 Mosaic Matte
12x12 Sheet
(1 Pc. per SF)

3" Hex Mosaic Matte
11x9.5 Sheet
(1.38 Pcs. per SF)

3x24 Bullnose Matte

Special order available in 24x24, 48x48 & 24x48 Deco (Stocked in Italy. Call for ETA)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

PAONAZZO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Calacatta Gold

Shown: Calacatta Gold 12x24 Polished

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	36x36 (10), 24x24 (26), 12x24 (38)

V3

Made in Spain

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

PORTOFINO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Azzurro

Beige

Bianco

Grigio

Shown: Beige 24x48 & 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Vein Cut Onyx
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (60), 24x48 (15)

V2

Made in Italy

SIZES




3" Hex Mosaic Matte 12x12 Sheet (1PC per SF)


2x2 Mosaic Matte 12x12 Sheet (1PC per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

POWDER

RECTIFIED* (24X48 & 36X36 Only)

TESORO®
Quality Products for Life

FIELD TILE



Argent

Plumb

Snow

Tortora

Shown: Snow 24x24

SPECIFICATIONS

Application	Floor
Visual	Concrete
Type	Rectified* Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	36x36 (11), 24x48 (11), 24x24 (16,) 12x24 (32)

V3

Made in Spain

SIZES



*24x48 & 36x36 Rectified. All other sizes pressed.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

PRISMA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Onyx Crema

Shown: Onyx Crema 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Onyx
Type	Rectified Porcelain
Slip Resistance	Yes (Matte only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	30 (12x24), 14 (24x24)

V2

Made in India

SIZES

24x24 Matte & Polished

12x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

PUKKA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Amber

Basil Green

Cotton White

Midnight

Prussian Blue

Rice Cream

Sage Blue

Steel Blue

Teal Blue

Shown: Rice Cream 2.5x10 Glossy

SPECIFICATIONS

Application	Wall*
Visual	Painted Brick
Type	Pressed Ceramic
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	Infinate

V2

Made in Spain

SIZES

2.5x10 Glossy

*Must be sealed before grouting if going in a wet area

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

PULPIS
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Almond

Beige

Greige

Shown: Almond 40x40

SPECIFICATIONS

Application	Floor
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8

V3

Made in Italy

SIZES

40x40 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

RELIEFS

RECTIFIED

FIELD TILE

White*

Striped White

Canne White

Tweed White

Dorico White

Hammered White

Ribbed White



Shown: Tweed White 24x48 Matte

SPECIFICATIONS

Application	Floor & Wall*
Visual	Pattern/Decorative
Type	Rectified Porcelain
Slip Resistant	Field: Yes, Deco: No
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1

V2

Made in Italy

SIZES

24x48 Matte

*Field Tile: Floor & Wall, Deco: Wall only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ROCK (LEDGERSTONE)
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Cream

Green

Grey

White


Shown: Cream 3x15

SPECIFICATIONS

Application	Wall
Visual	Stone Quarzite
Type	Pressed Porcelain
Slip Resistant	Not rated
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	54

V4

Made in Italy

SIZES

3x15 Ledger Field Tile
Matte

Rock Grey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ROVER
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Beige

Bianco

Natural

Shown: Bianco 8x48 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Rectified Porcelain
Slip Resistance	No
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	Beige & Bianco (10), Natural (9)

V2

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Royal Oakmont

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Grey

Miele



Shown: Grey 8x36 Matte

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	4

V4

Made in Ecuador

SIZES

8x36 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SABINA
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Amber


Canela


Natura

Saddle

Shown: 8x48 Saddle

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Porcelain
Slip Resistant	R10
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	8

V3

Made in India

SIZES

8x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SHELLSTONE
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Amber

Grey

White

Shown: White 24x48

SPECIFICATIONS

Application	Floor
Visual	Coral Shellstone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4 *(White only - PEI Rating 5)*
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x48 (8), 24x24 (16), 12x24 (32)

V3

Made in Italy

SIZES



*Also available in textured outdoor finish.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Canvas White

Cement Chic

Cloud Blue

Gallery Grey

Halo Grey

Loft Grey

Retro Black

Soft Sage

Vintage Grey

Shown: Loft Grey Matte 2x12

SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Ceramic
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium

V2

Made in Turkey

SIZES

8x24 Glossy*

8x16 Glossy*

4x12 Glossy*

6x6 Glossy†

4x12 Beveled Glossy*

2x12 Glossy &Matte

4x16 Glossy &Matte

3x6 Glossy & Matte**

0.5x12 Quarter Round Glossy

3x6 Beveled Glossy†

2x8 Wall Bullnose Glossy & Matte

2x6 Wall Bullnose Glossy

* Available in Canvas White, Gallery Grey, & Vintage Grey Glossy only.
** Matte Available in Canvas White only.
† Available in Canvas White Glossy only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO (BLENDS)
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Afternoon Blend

- Canvas White
- Gallery Grey
- Cloud Blue

Dawn Blend

- Canvas White
- Cloud Blue
- Retro Black

Evening Blend

- Canvas White
- Halo Grey
- Cement Chic

Midnight Blend

- Canvas White
- Loft Grey
- Retro Black

Morning Blend

- Canvas White
- Soft Sage
- Vintage Grey



Shown: Dawn Blend Matte Chain Pattern Mosaic

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium

V2

Made in Turkey

SIZES



Plaid Pattern
Matte Mosaic
13.5x13.5 Sheet
(0.79 Pcs. per SF)



Cubic Pattern
Matte Mosaic
10x10 Sheet
(1.44 Pcs. per SF)



Chain Pattern
Matte Mosaic
11.25x11.25 Sheet
(1.14 Pcs. per SF)



Hexagon Pattern
Matte Mosaic
14.25x8.25 Sheet
(1.22 Pcs. per SF)



Diamond Pattern
Matte Mosaic
13.25x7.75 Sheet
(1.40 Pcs. per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO (ARABESQUE & SCALLOP MOSAICS)
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Canvas White

Cement Chic

Cloud Blue

Gallery Grey

Halo Grey

Loft Grey

Retro Black

Soft Sage

Vintage Grey



SPECIFICATIONS

Application	Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium

SIZES



Arabesque Mosaic
Glossy 13.25x12*
(.91 Pc. per SF)

Scallop Mosaic
Glossy 13.25x10.75*
(1.01 Pc. per SF)

* Product not available in Cement Chic & Retro Black

Shown: Soft Sage Glossy Scallop Mosaic

SPECIFICATIONS

Application	Floor & Wall
Visual	Fume or "Subway"
Type	Pressed Porcelain
Slip Resistant	Yes**
PEI Rating	3 (Glossy), 4 (Matte)
Frost Resistant	Yes
Shade Variation	Slight/Medium

SIZES



.75" Penny Round
Mosaic Glossy & Matte
12.25x11.5 Sheet
(1.02 Pc. per SF)



1" Hex Mosaic
Matte
11.75x11.5 Sheet*
(1.07 Pc. per SF)



1" Hex Mosaic
w/ Insert Matte
11.75x11.5 Sheet†
(1.07 Pc per SF)

* Product not available in Cloud Blue & Soft Sage.
†Product not available in Canvas White, Gallery Grey, Halo Grey, & Vintage Grey.
**Not recommended for commercial floor installation

V2

Made in Turkey

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SOHO (MOSAICS)

PRESSED

FIELD TILE

Canvas White

Cement Chic

Cloud Blue

Gallery Grey

Halo Grey

Loft Grey

Retro Black

Soft Sage

Vintage Grey



.75" Loft Grey Penny Round Mosaic

1" Loft Grey Hex Mosaic

2" Loft Grey Hex Mosaic

Loft Grey 2x2 Mosaic

Loft Grey 2x5 Picket Mosaic

1" Hex Mosaic w/ Loft Grey Insert

Loft Grey Basketweave Mosaic



Loft Grey 2x6 Herringbone Mosaic



Loft Grey 2x6 Staggered Mosaic

Shown: Cement Chic Matte 1" Hex Mosaic



2" Hex Mosaic Matte
11.5x10.75 Sheet
(1.16 Pc per SF)



2x2 Mosaic Matte
12x12 Sheet*
(1 Pc. per SF)



2x6 Herringbone
Mosaic Glossy & Matte
11.75x11.75 Sheet
(1.04 Pcs. per SF)



2x6 Brick Mosaic
Glossy & Matte
11.75x11.75 Sheet*
(1.04 Pcs. per SF)



2x5 Picket Mosaic
Glossy & Matte
12.5x11.5 Sheet
(1.07 Pcs. per SF)



Basketweave
Mosaic Matte
11.75x11.75 Sheet†
(1.04 Pcs. per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

SUPER RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

White

Shown: White 24x24 Polished

SPECIFICATIONS

Application	Floor
Visual	White
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	Matte 4, Polished 3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1

V2

Made in India

SIZES

24x48 Matte & Polished

12x24 Matte & Polished

24x24 Matte & Polished

3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TAJ MAHAL
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

White

Shown: White 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24x24 (16), 12x24 (32)

V3

Made in Italy

SIZES



*Available in White only.

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TAVOL
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE


Bianco

Cenere

Grigio

Miele


Pino

Shown: Cenere 12x48 Satin

SPECIFICATIONS

Application	Floor
Visual	Wood
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in Ecuador

SIZES

12x48 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TERRENO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Marble Plain

White Plain

Marble Bloom

White Bloom

Marble Flow

White Flow

Marble Pitch

White Pitch



Shown: White Bloom 12x24

SPECIFICATIONS

Application	Wall Only
Visual	White Marble
Type	Rectified Ceramic
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	12

V2

Made in Vietnam

SIZES

12x24 Glossy & Matte

0.5x12 Quarter Round*
Glossy & Matte

*Not available in Marble.
Note: Wall use only. Not rated for floor use.
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TINSEL

RECTIFIED

FIELD TILE

Brown

White

SPECIFICATIONS

Application	Wall
Visual	Leaf Relief
Type	Rectified Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	1

V2

Made in Spain

SIZES

24x48 Glossy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Shown: Brown 24x48

White 24x48

TIRRENO TOSCANE

PRESSED

TESORO
Quality Products for Life

FIELD TILE

Siena

Livorno

Firenze

Shown: Livorno 12x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Cement
Type	Pressed Porcelain
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24

V3

Made in Italy

SIZES

12x24 Textured

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TIVOLAZIO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Ivory

Natural

Silver

Shown: Natural 12x24

SPECIFICATIONS

Application	Wall & Floor
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in India

SIZES

12x24 Matte & Polished

3x3 Mosaic*
12x12 Sheet

3x24 Matte & Polished Bullnose

*Available in Matte Only
Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TRUNK
PRESSED

TESORO
Quality Products for Life

FIELD TILE


Blanco

Haya

Honey

Natural

Shown: Blanco 9x48

SPECIFICATIONS

Application	Floor
Visual	Wood Plank
Type	Pressed Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	27

V2

Made in Spain

SIZES

9x48 Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TURIN
PRESSED

TESORO
Quality Products for Life

FIELD TILE



Marmo Beige

Travertino Gris

Shown: Beige 12x24 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Travertino
Type	Pressed Porcelain
Slip Resistance	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12

V2

Made in Italy

SIZES

12x24 Matte



3x3 Mosaic Matte
12x12 sheet

3x24 Bullnose Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

TUSCANY
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Beige

Bianco


Grigio

TUSCANY FIELD TILE! coordinates with **GALLERY TUSCAN MOSAICS***

Page 62

Shown: Grigio 13x22

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Pressed Ceramic
Slip Resistance	No (R-value 8)
PEI Rating	4
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	6

V3

Made in Brazil

SIZES


12x12 Matte

18x18 Matte

13x22 Matte


3x12 Matte Bullnose


Gallery*
3x3 Matte Mosaic
12x12 Sheet
(1 Pc per SF)


Gallery*
2" Hex Mosaic
11x12.5 Sheet
(1.04 Pcs per SF)

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

UDDO

PRESSED

FIELD TILE

Kyoto

Osaka

Shown: 8x24 Osaka Satin

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood Look
Type	Pressed Ceramic
Slip Resistant	No
PEI Rating	N/A
Frost Resistant	No
Shade Variation	Moderate/High
Screens/Faces	8

V3

Made in Brazil

SIZES

8x24 Satin

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

VENATTO
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Almond

Chestnut

Oak

Shown: Almond 10x60, 24x48 Wall

SPECIFICATIONS (WALL)

Application	Wall
Visual	Wood look
Type	Rectified Porcelain
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	7

SPECIFICATIONS

Application	Floor & Wall
Visual	Wood look
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Moderate/High
Screens/Faces	24

V3

Made in Spain

SIZES

10x60 Matte

24x48 Metric Deco Wall Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

VETRI
RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE

Acqua

Naturale

Bianco

Bronzo

Fume

Shown: Naturale 24x24

SPECIFICATIONS

Application	Floor & Wall
Visual	Glass
Type	Rectified Porcelain
Slip Resistant	No
PEI Rating	4+ *(Acqua only - PEI Rating 3)*
Frost Resistant	Yes
Shade Variation	Slight/Medium

V2

Made in Italy

SIZES

24x24 Polished

12x24 Polished

8x24 Polished

4x12 Polished Bullnose

4x12 Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

VIBRANT
PRESSED

TESORO
Quality Products for Life

FIELD TILE

Aqua


Blu

Grey

White

Shown: White 2x9 Glossy

SPECIFICATIONS

Application	Wall
Visual	Random Linear
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	N/A
Frost Resistant	Yes
Shade Variation	Moderate/High

V3

Made in Italy

SIZES

2x9 Glossy

.5x9 Glossy

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

VOLTRA

RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Blend

Bronze

Carbon

Celeste

Shown: Blend 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistant	Yes (Matte Only)
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12"x24" (20), 32"x32" (7), 24"x48" (8)

V2

Made in India

SIZES

12x24 Matte & Polished

3x24 Bullnose
Matte & Polished

24x48 Matte & Polished

32x32 Matte & Polished

3" Hex Mosaic
10.25x11.75 Sheet
(1.16 Pcs per SF)
Matte Only

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

VULCANI
PRESSED

FIELD TILE

Avorio

Grigio

Multicolor

Shown: Grigio 6.5x15.75

SPECIFICATIONS

Application	Wall
Visual	Ledgerstone
Type	Pressed Porcelain
Slip Resistant	N/A
PEI Rating	5
Frost Resistant	Yes
Shade Variation	Random/Extreme
Screens/Faces	15

V4

Made in Italy

SIZES



6.5x15.75
Porcelain Stoneware
Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

WALK

RECTIFIED

FIELD TILE

Ivory

Ivory Deco



White



White Deco

Shown: 24x48 White

SPECIFICATIONS

Application	Floor & Wall
Visual	Stone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (36), 24x48 (9)

V2

Made in Italy

SIZES



24x48 Matte



24x48 Wall Deco Matte



Oval Mosaic Matte
11.75x10.5 Sheet
(1.16 Pcs per SF))



2x2 Mosaic Matte
12x12 Sheet
(1 Pc per SF)

12x24 Matte



3x24 Bullnose Matte

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

WHISTERIA
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Bianco

Shown: Bianco 12x24 Polished

SPECIFICATIONS

Application	Floor & Wall
Visual	Marble
Type	Rectified Porcelain
Slip Resistance	Yes (Matte Only)
PEI Rating	3
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	32

V2

Made in India

SIZES

12x24 Matte & Polished



3x3 Mosaic
Matte & Polished
12x12 sheet

3x24 Bullnose
Matte & Polished

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

YOSEMITE
RECTIFIED

TESORO
Quality Products for Life

FIELD TILE

Lake

Park

Rock

Shown: Rock 36x36

SPECIFICATIONS

Application	Floor
Visual	Limestone
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	36x36 (16), 24x24 (32), 12x24 (64)

V2

Made in Italy

SIZES



Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

*Not available in Park.

ZAFIRA
PRESSED

FIELD TILE

Gray

Noce

Shown: Gray 20x20 Matte

SPECIFICATIONS

Application	Floor & Wall
Visual	Rapolano Stone
Type	Pressed Ceramic
PEI Rating	4
Frost Resistant	No
Shade Variation	Slight/Medium
Screens/Faces	8

V2

Made in Brazil

SIZES

20x20 Matte

3x20 Matte Bullnose

3x3 Matte Mosaic
12x12 Sheet

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

ZERA ANNEX

RECTIFIED

TESORO®
Quality Products for Life

FIELD TILE



Bianco

Olive

Oyster

Silver

Shown: Olive 12x24

SPECIFICATIONS

Application	Floor
Visual	Fabric
Type	Rectified Porcelain
Slip Resistant	Yes
PEI Rating	4
Frost Resistant	Yes
Shade Variation	Slight/Medium
Screens/Faces	12x24 (8)

V2

SIZES

12x24 Matte

3x24 Bullnose Matte

2x2 Mosaic Matte
12x12 Sheet

3x12 Bullnose Matte

Zerra Annex Silver

Note: Refer to the Terms & Definitions page on Installation Guidelines & Standards for Grout Joint Sizes.

Decorative Collection

The Tesoro Decorative Collection, available in a multitude of formats and materials, delivers an eye-catching brilliance that is profoundly timeless.

Shown: Native: Zebrino 2" Hex (Pg. 214)

New Decorative Collection

TESORO
Quality Products for Life

METRO BLENDS

OCEAN STONES

NATIVE

VENICE

Our Decorative collection is carefully sorted & selected in order to offer premium quality products which are available in various colors and finish choices.

iwttesoro.com

Tesoro Decorative Collection

By International Wholesale Tile, LLC

TESORO DECORATIVE COLLECTION is an array of Ceramic, Glass, Metal, Stone and Resin elegantly coordinated to highlight the charming characteristics inherent in each. Utilizing our extensive sourcing capacity, supplier relationships and an experienced Design Team we strive to offer innovative, cutting-edge designs at affordable pricing. A timeless, contemporary design is our goal.

NATURAL STONE

Basalt 164
Beachstones 164-165
Calacatta Gold 166
Carrara 167-168
Cashmere Beige 169
Chateaux 169
Deep Blue 170
Dolomite 171
Ice Beige 172
Ice White 172
Iceberg 173
Imperial Pearl 174
Ledgerstone 174
Metropolitan Blends **NEW!** 175-179
Nova 180
Nuvoloso 180
Ocean Stones **NEW!** 181-184
Sand Key Shellstone 184
Skyline 185
Snow White 186
Thassos 187
Venatino Goia 188-189
Venice **NEW!** 190
Wooden Gray 191
Waterjet 192-199
- Aphordite 192
- Bamboo 192
- Bookmatch 193
- Hera 194
- Picket 195
- Shade 195
- Showtime 196-197
- Venus 198
- Zen 199

DECORATIVE

Bark 200
Cambridge Brick 201
Casino 202
Classic Mirror 202
Clouds 203
Clouds 2 203
Element 204-211
Gemstone 212
Glamour 212
Liquid Rocks 213
Native **NEW!** 214-215
Onix Eco Stone 215
Revere Glass 216
Shower Shelves 217
Terra Bella 217

Learn more at www.iwttesoro.com

Shown: Waterjet Hera (Page 194)

NATURAL STONE FAQ

WHY DOES MY STONE HAVE VARIATION?

Variations in color, shade and finish are inherent in all natural stone products. Per Industry guidelines, all stone products must be inspected and approved prior to Installation. Use constitutes acceptance.

SHOULD I SEAL WATERJET STONE?

YES. All stone should be sealed including marble, travertine, granite and limestone. Sealing products are actually impregnators that repel staining more so than sealing and preventing staining. Sealing will not make your application stain proof but more stain resistant. If the application is in a setting where food will be prepared then a non-toxic sealer should be used. Also sealing can enhance the natural colors in stones often darkening the stone.

HOW DO I CLEAN STAINS?

First identify the type of stain. If it is oil based clean with household detergent, acetone or mineral spirits. Clean gently. If the stain is organic (i.e. coffee, tea, wine etc.) clean with 12% hydrogen peroxide and few drops of ammonia. Once again clean gently. If the stain is Metallic it will have a brownish-orange coloration. These should be cleaned using a poultice. To remove paint use lacquer thinner or scraped very carefully with razor blade. Note that paint thinners can etch the surface and repolishing might be necessary.

MY APPLICATION HAS A WHITE POWDER COATING?

This is called Efflorescence. It is caused by the deposition of mineral salts Carried by water below the surface of the stone. This is natural. The powder shows when the water evaporates. If the installation is new, dust mop or vacuum. You may have to do this several times as water evaporates. Do not use water or liquids to try and clean. It will return once it dries out.

MY STONE HAS SLIGHT SCRATCHES. CAN THESE BE REMOVED?

Slight surface scratches and nicks can be buffed out using dry 0000 steel wool. Deeper scratches should be removed by a re-polishing professional.

I SEE SLIGHT CORNER OR EDGE DAMAGE. IS THIS A DEFECT?

No. This is very common especially with the extremely fine edges found on many waterjet patterns popular today. Most of these will be covered once grouted. Please note that final appearance of your installation will be greatly influenced by your grout choice.

HOW SHOULD I MAINTAIN MY VERTICAL SHOWER APPLICATION?

We highly recommend walls be wiped down with a squeegee after each use. This will prevent buildup of algae, mildew and hard water stains. To clean use pH neutral stone cleaner. Note that use of aggressive chemicals may strip off the sealer leaving your stone prone to staining.

WHY DO I HAVE RUST ON MY NATURAL STONE?

Rust forming on surface of Natural Stone is formed when Iron particles come into contact with moisture and Oxygen. This is a **NATURAL OCCURRENCE**.

HOW DO I PREVENT THIS FROM HAPPENING?

As rust only is activated by moisture rust usually develops in are exposed to water i.e. showers and around kitchen faucets. To prevent internal deposits from rising to surface it is imperative to seal surface with penetrating stone/granite sealer.

HOW DO I CLEAN SURFACE RUST SPOTS?

First try a solution of 3-4% Hydrogen peroxide. Apply to rust area, agitate with stone safe pad or brush and allow to sit 24 hours. If this does not work try a commercial "stone or granite cleaner. If stain still is not removed it is time to call in a Professional Stone Service.

NATURAL STONE

BASALT

Contempo 2" Hex Mosaic
(Multi-Finish) 11.75X11.75 Sheet
(1.04 Pcs. per SF)

BEACHSTONES

Blue Sliced Mosaic
11.5x11.5 Sheet
(1.14 Pcs. per SF)

Green Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

Grey Sliced Mosaic
11.5x11.5 Sheet
(1.14 Pcs. per SF)

Ivory Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

Tan Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

White Sliced Mosaic
11.5x11.5 Sheet
(1.14 Pcs. per SF)

BEACHSTONES (Cont.)

White, Blue Sliced Mosaic
11.5x11.5 Sheet
(1.14 Pcs. per SF)

White, Blue, Grey Sliced Mosaic
11.5x11.5 Sheet
(1.14 Pcs. per SF)

White, Green,Tan Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

White, Tan, Grey Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

NATURAL STONE

CALACATTA GOLD

Basketweave Mosaic
(Polished) 10.75x10.75 Sheet
(1.24 Pcs. per SF)

5/8x5/8 Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)

Herringbone Mosaic
(Polished) 12.5x11 Sheet
(1.04 Pcs. per SF)

3" Hexagon Mosaic
(Polished) 10.5x9 Sheet
(1.52 Pcs. per SF)

Prisma 2x2
(Polished) 12x12 Sheet (1 Pc. per SF)

Random Strip Mosaic
(Polished) 10.75x11.75 Sheet
(1.14 Pcs. per SF)

Pencil Molding .79x12
(Polished)

4x8
(Polished)
(4.5 Pcs. per SF)

4x8 (Range) (Polished)
(4.5 Pcs. per SF)

CARRARA

Contempo Cali Gris Leaf Mosaic
(Multi-Finish) 10.5x12.25 Sheet
(1.12 Pcs. per SF)

Contempo Chevron Mosaic
(Multi-Finish) 10.75x10.25 Sheet
(1.30 Pcs. per SF)

Contempo Diamond Hex Mosaic
(Multi-Finish) 9.5x9 Sheet
(1.69 Pcs. per SF)

Contempo Drops Mosaic
(Polished) 10.5x12 Sheet
(1.14 Pcs. per SF)

Contempo 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)

White Carrara Large Hexagon Mosaic
(Honed) 9.25x10.5 Sheet
(1.48 Pcs. per SF)

White Carrara Herringbone Mosaic (Honed) 12x11.25 Sheet
(1.07 Pcs. per SF)

White Carrara Chevron Mosaic
(Honed) 11.5x11.25 Sheet
(1.11 Pcs. per SF)

White Carrara/Black Basketweave Mosaic Metropolitan Blend
(Honed) 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE

CARRARA (Cont.)



White Carrara Octagon/Black Dot Mosaic Metropolitan Blend
(Honed) 12x12 Sheet
(1 Pc. per SF)

White Carrara Pencil Molding
(Honed) .79x12

White Carrara 4x8
(Honed) (4.5 Pcs. per SF)

White Carrara 4x8 (Honed) (Range)
(4.5 Pcs. per SF)

Shown: White Carrara Octagon/Black Dot Mosaic

Hybrid Carrara Leaf Mosaic
(Polished) 10.5x12.5 Sheet
(1.10 Pcs. per SF)

Hybrid Carrara Arabesque
(Polished) 11.5x12 Sheet
(1.04 Pcs. per SF)

CASHMERE BEIGE

2" Hex Mosaic
(Brushed) 12x12 Sheet
(1 Pc. per SF)

Basketweave
(Brushed) **Mosaic** 12x12 Sheet
(1 Pc. per SF)

0.75 x12 Pencil Rail
(Brushed)

CHATEAUX

2" Hex Mosaic
(Brushed) 11.75x11.75
(1.04 Pcs. per SF)

Contempo 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)

4" Hex Mosaic
(Brushed) 10.25x7.75 Sheet
(1.80 Pcs. per SF)

Herringbone
(Brushed) 10.75x11.25
(1.19 Pcs. per SF)

NATURAL STONE

DEEP BLUE

2" Hexagon Mosaic
(Polished) 11.75x12.5 Sheet
(.98 Pcs. per SF)

Picket Mosaic
(Polished) 12x10 Sheet
(1.20 Pcs. per SF)

Basketweave Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)



Elongated Hex Mosaic
(Polished) 10.25x10.25 Sheet
(1.37 Pcs. per SF)

Diamond Banded Dot Mosaic
(Polished) 10.5x12 Sheet
(1.14 Pcs. per SF)

Octagon Dot Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)

Pencil Molding .79x12
(Polished)

Shown: Deep Blue 2" Hexagon

DOLOMITE

Contempo Dolomite Leaf Mosaic
(Multi-Finish) 12.5x11.75 Sheet
(0.98 Pc. per SF)

White Dolomite 1x4 Stacked Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

White Dolomite 4x8
(Honed)
(4.5 Pcs. per SF)

Dolomite 3x9 (Honed)
(5.3 Pcs. per SF)

White Dolomite 4x8 (Range)
(Honed)
(4.5 Pcs. per SF)

NATURAL STONE

ICE BEIGE

2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)

Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

Field Stone 3x9
(Honed)
(5.3 Pcs. per SF)

ICE WHITE

2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)

Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

Field Stone 3x9
(Honed)
(5.3 Pcs. per SF)



Shown: Ice White 2x2 Mosaic

ICEBERG

3" Hexagon Mosaic
(Polished) 12x11.25 Sheet
(1.06 Pcs. per SF)

2" Hexagon Mosaic
(Polished) 11.75x12 Sheet
(1.02 Pcs. per SF)

Elongated Hex Mosaic
(Polished) 10.25x10.5 Sheet
(1.34 Pcs. per SF)

Arabesque Mosaic
(Polished) 11.5x12 Sheet
(1.04 Pcs. per SF)

Leaf Mosaic
(Polished) 12.25x10.5 Sheet
(1.12 Pcs. per SF)

Diamond Dot Mosaic
(Polished) 10.25x12 Sheet
(1.12 Pcs. per SF)

4x8 (Polished)
(4.5 Pcs. per SF)

Pencil .75x12
(Polished)

NATURAL STONE

IMPERIAL PEARL

Basketweave Mosaic
(Brushed) 12x12 Sheet
(1 Pc. per SF)



Herringbone Mosaic
(Brushed) 10.75x12
(1.11 Pcs. per SF)

4" Hex Mosaic
(Brushed)
10.25x7.75 Sheet
(1.81 Pcs. per SF)

Elongated Hex Mosaic
(Polished) 10.25x10.5 Sheet
(1.34 Pcs. per SF)

4x8
(Available in Polished & Brushed)
(4.5 Pcs. per SF)

3x9 (Honed)
(5.33 Pcs. per SF)

4x4 (Tumbled)
(9 Pcs. per SF)

3x6 (Tumbled)
(8 Pcs. per SF)

Pencil Rail - 0.75x12
(Available in Honed & Brushed)

LEDGERSTONE 6x24 Sheets (1 Pc. per SF)

Beachwalk

MATCHING CORNER
AVAILABLE FOR ALL COLORS.

Carbon

Glacier

Ledgerstone are all natural stone products from the earth and as such may contain iron deposits that can leach rust stain when exposed to the elements. Please select an appropriate sealer, for natural look use a penetrating stone sealer or for a wet 'darker' look use a stone enhancer sealer.

METROPOLITAN BLENDS

Contempo Luna & Carrara 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)

Contempo Marine 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)

Contempo Nova 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)

Contempo Terra Nova/Skyline 3" Hex Blend Mosaic
(Multi-Finish) 11.75x11.75 Sheet
(1.04 Pcs. per SF)

NATURAL STONE

METROPOLITAN BLENDS

Diamond Blue Celeste with White Honed Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Diamond Thassos with Blue Celeste Polished Band & Dot
9x10 Sheet (1.60 Pcs. per SF)



Diamond White Honed with Blue Celeste Polished Band & Dot
9x10 Sheet (1.60 Pcs. per SF)

Diamond Thassos with Light Wood Grain Band & Dot
9x10 Sheet (1.60 Pcs. per SF)

Hexagon
White/Grey/ Black Mosaic
(Honed) 11x11.25 Sheet
(1.16 Pcs. per SF)

Hexagon
White/Beige/Grey Mosaic
(Honed) 11x11.25 Sheet
(1.16 Pcs. per SF)

METROPOLITAN BLENDS (Cont.)

Sliced Basketweave
Bianco Carrara/Thassos/Bianco Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)

Sliced Basketweave
Blu Celeste/Thassos White/Blue Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)

Sliced Basketweave
Ming Green/Thassos White/Ming Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)

Sliced Basketweave
Skyline/Thassos White/Skyline Dot
(Polished) 12x12 Sheet (
1 Pc. per SF)

NEW! **Sliced Basketweave**
Iceberg/Thassos White/Iceberg Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



NEW! **Sliced Basketweave**
Nero/Thassos White/Nero Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)



NEW! **Sliced Basketweave**
Nova/Thassos White/Nero Dot
(Polished) 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE

METROPOLITAN BLENDS (Cont.)

Thassos Black Chevron Mosaic (Polished) 11.5x11.25 Sheet (1.11 Pcs. per SF)

Thassos Black Basketweave Mosaic (Polished) 12x12 Sheet (1 Pc. per SF)



Thassos Octagon & Bardiglio Black Dot Mosaic (Honed) 12x12 Sheet (1 Pc. per SF)



NEW! **Thassos Octagon Blue Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)



NEW! **Thassos Octagon Green Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)



NEW! **Thassos Octagon Iceberg Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)



NEW! **Thassos Octagon Nero Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)

NEW! **Thassos Octagon Nova Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)



NEW! **Thassos Octagon Skyline Dot Mosaic** (Honed) 12x11 Sheet (1.09 Pcs. per SF)

METROPOLITAN BLENDS (Cont.)

NEW! **Thassos Irregular Stacked Blue Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)

NEW! **Thassos Irregular Stacked Green Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)

NEW! **Thassos Irregular Stacked Iceberg Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)



NEW! **Thassos Irregular Stacked Nero Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)

NEW! **Thassos Irregular Stacked Nova Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)

NEW! **Thassos Irregular Stacked Skyline Mosaic** (Honed)
12x12 Sheet (1 Pc. per SF)

NATURAL STONE

NOVA

Hybrid Nova Arabesque
(Honed) 11.5x12 Sheet
(1.04 Pcs. per SF)

Hybrid Nova Leaf Mosaic
(Honed) 10.5x12.5 Sheet
(1.10 Pcs. per SF)

NUVOLOSO

Random Linear Mosaic
(Brushed) 11.75x12 Sheet
(1.02 Pc. per SF)

2" Hex Mosaic
(Brushed) 11.75x12
(1.02 Pcs. per SF)

4" Hex Mosaic
(Brushed) 10.5x8
(1.72 Pcs. per SF)

OCEAN STONES Not recommended or warranted for submerged applications.

Light Grey, Dark Grey, White
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Light Grey, Tan, White
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Swirl, Grey
Coin Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Classic White Pebble Mosaic
11.25X10.75 Sheet (1.19 Pcs. per SF)

Tiger Eye Pebble Mosaic
12.25X11.5 Sheet (1.02 Pcs. per SF)

Matte White Fit Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Sparkly White Fit Mosaic
11.75x12.5 Sheet (.98 Pcs. per SF)

Swirl Grey Fit Mosaic
11.5X11.75 Sheet (1.07 Pcs. per SF)

White Quartz Fit Mosaic
10.75X11 Sheet (1.22 Pcs. per SF)

Tan, White, Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Gray Tumbled Mosaic
11.25X11.25 Sheet (1.14 Pcs. per SF)

Black Sliced Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

NATURAL STONE

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.

Black, White, Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Cream Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Fossil, Light Color Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Fossil, Carrara Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Ivory Sliced Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Java Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Robins Egg Sliced Mosaic 11.25x11.25
Sheet (1.14 Pcs. per SF)

Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Terrazzo, Carrara, Bardiglio, White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo, Carrara, Nero, Smoke
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo, Carrara White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo, Vintage, Light Occhialino
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.

NEW! **Terrazzo, Carrara, Blue, Beige**
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)

NEW! **Terrazzo, White, Green, Tan**
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)

NEW! **Terrazzo, White, Tan, Rose**
Sliced Mosaic 12x12 Sheet (1 Pc. per SF)

NEW! **Terrazzo, White, Tan**
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

Tiger Eye Sliced Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Waves, Bardiglio Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

White Sliced Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

White, Green, Tan Sliced Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Bianco, Carrara
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Calacatta Gold Sliced Marble Polished
Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Italian White, Blue Celeste
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Light Wood Grain
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout). For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

NATURAL STONE

OCEAN STONES (Cont'd) Not recommended or warranted for submerged applications.

NEW! **Milky White**
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NEW! **Wooden White**
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Ivory Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

White, Green, Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

White, Tan, Grey Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

SAND KEY SHELLSTONE

2x4 Staggered Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)

2" Hexagon Mosaic (Brushed)
11.75x12.5 (1.07 Pcs. per SF)

2x2 Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)

Random Linear Mosaic (Brushed)
12x12 Sheet (1 Pc. per SF)

4x8
(Brushed)
(4.5 Pcs. per SF)

0.75x12 Pencil Rail
(Brushed)

SKYLINE

Diamond Mosaic
(Available in Brushed & Polished)
10.25x12 Sheet (1.17 Pcs. per SF)

Elongated Hex Mosaic
(Available in Brushed & Polished)
10.25x10.5 Sheet (1.34 Pcs. Per SF)

Herringbone Mosaic
(Polished) 10.75x11.5
(1.16 Pcs. per SF)

2" Hex Mosaic
(Polished) 12x10.5
(0.87 Pc. per SF)

Basketweave Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)

Chevron Mosaic
(Polished) 9.5x11.75
(1.26 Pcs. per SF)

3x6 Heavy Bevel
(Polished) (8 Pcs. per SF)

0.75x12 Pencil Rail
(Available in Brushed & Honed)

NATURAL STONE

SNOW WHITE

2x2 Square Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

3" Hex Stone Mosaic
(Honed) 13.5x12 Sheet
(0.89 Pc. per SF)

Random Linear Stone Mosaic
(Honed) 12x12 Sheet
(1 Pc. per SF)

3x9 Field Stone
(Honed)
(5.3 Pcs. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

THASSOS

Hexagon Mosaic
(Polished) 11.25x11 Sheet
(1.16 Pcs. per SF)

Random Strip Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)

1x4 Stacked Mosaic
(Polished) 12x12 Sheet
(1 Pc. per SF)

Chevron Mosaic
(Polished) 11.5x11.25 Sheet
(1.11 Pcs. per SF)



Herringbone Mosaic
(Polished) 12x11.25 Sheet
(1.07 Pcs. per SF)

Pencil Molding
(Brushed & Polished) 0.79x12

3x9 (Available in Honed & Polished)
(5.3 Pcs. per SF)

4x8 (Polished)
(4.5 Pcs. per SF)

4x8 (Polished) (Range)
(4.5 Pcs. per SF)

NATURAL STONE

Shown: Venatino Goia, Random Linear Stone Mosaic (Clawed)

VENATINO GOIA

3" Hex Stone Mosaic
(Satin) 12.5x10.75 Sheet
(1.07 Pcs. per SF)

3" Hex Stone Mosaic
(Clawed) 12.5x10.75 Sheet
(1.07 Pcs. per SF)

Picket Stone Mosaic
(Satin) 12.5x7.5 Sheet
(1.54 Pcs. per SF)

Picket Stone Mosaic
(Clawed) 12.5x7.5 Sheet
(1.54 Pcs. per SF)

Random Linear Stone Mosaic
(Satin) 12x10.5 Sheet
(1.14 Pcs. per SF)

Random Linear Stone Mosaic
(Clawed) 12x10.5 Sheet
(1.14 Pcs. per SF)

12x24 (Range)
(Satin)

4x12 (Satin)
(3 Pcs. per SF)

4x12 (Clawed)
(3 Pcs. per SF)

1x12x.75 Pencil Trim (Satin)

NATURAL STONE

VENICE

Blue Chevron Terrazzo Mosaic (Honed) 12x8.5 Sheet (1.41 Pcs. per SF)

Blue Triangle Dolomite Terrazzo Mosaic (Honed) 12x12 Sheet (1 Pc. per SF)

Blue Terrazzo 3" Hex Mosaic (Honed) 10.5x12 Sheet (1.14 Pcs. per SF)



Blue Dolomite/Terrazzo 3" Hex Mosaic (Honed) 10.5x12 Sheet (1.14 Pcs. per SF)

NEW! **Blue Terrazzo 1"x6" Stacked Mosaic** (Honed) 12x12 Sheet (1 Pc. per SF)



NEW! **Blue Terrazzo/Thassos/ Carrara 1" Penny Mosaic** (Honed) 11x11 Sheet (1.19 Pcs. per SF)

NEW! **Blue Terrazzo 3"x9"** (Honed) (5.33 Pcs. per SF)

NEW! **Sand Terrazzo 3" Hex Mosaic** (Honed) 10.5x12 Sheet (1.14 Pcs. per SF)

NEW! **Sand Dolomite/Terrazzo 3" Hex Mosaic** (Honed) 10.5x12 Sheet (1.14 Pcs. per SF)



NEW! **Sand Terrazzo 1"x6" Stacked Mosaic** (Honed) 12x12 Sheet (1 Pc. per SF)



NEW! **Sand Terrazzo/Thassos/ Carrara 1" Penny Mosaic** (Honed) 11x11 Sheet (1.19 Pcs. per SF)

NEW! **Sand Terrazzo 3"x9"** (Honed) (5.33 Pcs. per SF)

WOODEN GRAY

Wooden Gray
2" Hex Mosaic (Range)
11.75x12 Sheet (1.02 Pcs. per SF)

Contempo Wooden Gray 2" Hex Mosaic
(Multi-Finish) 11.75x12 Sheet
(1.02 Pcs. per SF)

Wooden Gray
Random Linear Mosaic (Range)
12x12 Sheet (1 Pc. per SF)

Contempo Wooden Gray
Random Linear Mosaic
(Multi-Finish) 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE

WATERJET



Aphrodite - White Dolomite & Skyline (Polished) 11.75x10.75 Sheet (1.14 Pcs. per SF)

Aphrodite - White Dolomite & Skyline (Range) (Polished) 11.75x10.75 Sheet (1.14 Pcs. per SF)



Bamboo - Cirrus, Skyline & White Dolomite (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

Bamboo - Cirrus, Skyline & White Dolomite (Range) (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

WATERJET

Bookmatch - Cirrus & White Dolomite (Range) (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

2 PIECE SET

Bookmatch is a 2-Design Pattern Waterjet Stone mosaic, meaning there are 2 separate pieces - each with a different pattern that make up the design. Bookmatch is sold in two 2 piece sets, each box containing a total of 4 pieces.



Bookmatch (1 of 2)
Cirrus & White Dolomite (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

Bookmatch (2 of 2)
Cirrus & White Dolomite (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE

WATERJET



Hera - Skyline & White Dolomite
10.25x11.75 Sheet (1.20 Pcs. per SF)

Hera - Skyline & White Dolomite (Range)
10.25x11.75 Sheet (1.20 Pcs. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

WATERJET

Picket - Dolomite & Ocean Gray Mosaic (Range) (Polished) 10.75x11.25 Sheet (1.19 Pcs. per SF)



Picket - Dolomite & Ocean Gray Mosaic (Polished) 10.75x11.25 Sheet (1.19 Pcs. per SF)



Shade - Skyline & White Dolomite (Range) (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)



Shade - Skyline & White Dolomite (Polished) 11.75x11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE

WATERJET



Showtime - Dolomite Sandblasted & Ridged Mosaic 13.25x10.5 (1.04 Pc. per SF)

Showtime - Dolomite Sandblasted & Skyline Honed Mosaic 13.25x10.5 (1.04 Pc. per SF)

Showtime - Thassos/Blu Celeste Honed Mosaic 13.25x10.25 (1.06 Pc. per SF)

Showtime - Thassos/Carrara Honed Mosaic 13.25x10.25 (1.06 Pc. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

WATERJET



Showtime - Thassos/Green
Polished & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)



Showtime - Thassos & Nero Polished Mosaic
13.25x10.25 (1.06 Pc. per SF)



Showtime - Thassos/Nero
Polished & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)



Showtime - Thassos/Carrara
Honed & Metal Inlay Mosaic
13.25x10.25 (1.06 Pc. per SF)

NATURAL STONE

WATERJET



Venus
Cirrus & White Dolomite (Polished)
14.75x11.75 Sheet (0.83 Pc. per SF)



Venus Cirrus & White Dolomite (Range) (Polished)
14.75x11.75 Sheet (0.83 Pc. per SF)

ZEN

WATERJET



Bead
Stone polished Mosaic (Range)
10.5x12 Sheet (1.14 Pcs. per SF)





Bead
Stone polished Mosaic
10.5x12 Sheet (1.14 Pcs. per SF)



Prism
Stone Polished Mosaic (Range)
11x12.5 Sheet (1.05 Pcs. per SF)





Prism
Stone polished Mosaic
11x12.5 Sheet (1.05 Pcs. per SF)

DECORATIVE

BARK 5mm

Aspen Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)



Aspen 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Aspen 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

Bay Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)

Bay 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Bay 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

Cinnamon Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)

Cinnamon 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Cinnamon 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

Linden Multi-linear Mosaic
11.75x11.5 Sheet (1.07 Pcs. per SF)

Linden 3x6 Staggered Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Linden 3" Hex Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

CAMBRIDGE BRICK

Charcoal 2.375x9.5 (6.06 Pcs. per SF)

Silver 2.375x9.5 (6.06 Pcs. per SF)

Smoke 2.375x9.5 (6.06 Pcs. per SF)

White 2.375x9.5 (6.06 Pcs. per SF)

DECORATIVE

CASINO

Bellagio Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

Encore Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

Palazzo Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)



Rio Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

Royale Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

Venetian Random Linear Glass Mosaic
12x11.75 (1.02 Pcs. per SF)

CLASSIC MIRROR

Vintage 6" Hex
(4.83 Pcs. per SF)

Vintage 6" Arabesque
(9 Pcs. per SF)



Vintage 4x12
(3 Pcs. per SF)

CLOUDS 9.5mm

Arcus 3x9 Glass Tile (5.32 Pcs. per SF)

Cirrus 3x9 Glass Tile (5.32 Pcs. per SF)

Stratus 3x9 Glass Tile (5.32 Pcs. per SF)

Thunder 3x9 Glass Tile (5.32 Pcs. per SF)

CLOUDS 2.0



Cumulus 3x12 Glass Tile (4 Pcs. per SF)

Please Read – Important information regarding Clouds:
Exterior installations (pool waterline) requires proper placement of expansion / movement joins per TCNA EJ-171 as well as thinset approved for submerged glass tile installation. Failure to install with industry requirements will result in product failure and void all warranties.

DECORATIVE

ELEMENT

Cloud Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mist Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke Random Linear Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Skylight 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Sand 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Ice 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Mist 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Earth 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Smoke 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

Shadow 3x9 Beveled Glass Tile
(5.32 Pcs. per SF)

ELEMENT (Cont'd)



Cloud Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Ice Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Mist Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Shadow Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Skylight Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke Scallop Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud 3x12 Glass Tile (4 Pcs. per SF)

Earth 3x12 Glass Tile (4 Pcs. per SF)

Ice 3x12 Glass Tile (4 Pcs. per SF)

Mist 3x12 Glass Tile (4 Pcs. per SF)

Sand 3x12 Glass Tile (4 Pcs. per SF)

Shadow 3x12 Glass Tile (4 Pcs. per SF)

Skylight 3x12 Glass Tile (4 Pcs. per SF)

Smoke 3x12 Glass Tile (4 Pcs. per SF)

DECORATIVE

ELEMENT (Cont'd)

Mineral Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)

Natural Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)

Shades of Grey Random Linear Blend Glass Mosaic 11.5x11.5 Sheet (1.09 Pcs. per SF)

Mineral 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)

Natural 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)

Shades of Grey 1x4 Stacked Blend Glass Mosaic 12x12 Sheet (1 Pc. per SF)

Cloud 8x24 Tile

Cloud 8x24 Tidal Tile

Ice 8x24 Tile

Ice 8x24 Tidal Tile

Mist 8x24 Tile

Mist 8x24 Tidal Tile

ELEMENT (Cont'd)

Cloud 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mist 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke 2x6 Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. per SF)

Ice Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)

Mist Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)

Skylight Arabesque Glass Mosaic
11.25x11.75 Sheet (1.09 Pcs. Per SF)

DECORATIVE

ELEMENT (Cont'd)

Cloud Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Earth Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)



Ice Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Sand Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Shadow Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Skylight Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

TESORO
Quality Products for Life
Tesoro Decorative Collection

ELEMENT (Cont'd)

Mist Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke Chevron Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mist Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Smoke Petal Glass Mosaic
12x11.5 Sheet (1.04 Pcs. per SF)

Shown: Ice Petal Glass Mosaic

DECORATIVE

ELEMENT (Cont'd)

Cloud 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mist 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke 1.5x6 Stacked Glass Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud 3x12 Artisan Glass Tile (4 Pcs. per SF)

Earth 3x12 Artisan Glass Tile (4 Pcs. per SF)

Ice 3x12 Artisan Glass Tile (4 Pcs. per SF)

Mist 3x12 Artisan Glass Tile (4 Pcs. per SF)

Sand 3x12 Artisan Glass Tile (4 Pcs. per SF)

Shadow 3x12 Artisan Glass Tile
(4 Pcs. per SF)

Skylight 3x12 Artisan Glass Tile (4 Pcs. per SF)

Smoke 3x12 Artisan Glass Tile (4 Pcs. per SF)

ELEMENT (Cont'd)



Cloud Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Earth Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Ice Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Mist Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Sand Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Shadow Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Skylight Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)



Smoke Penny Round Glass Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)

DECORATIVE

GEMSTONE 8mm (Mesh Mount)

Aquamarine 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)

Royal Blue 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)

Silver 1x2 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Aquamarine 2x6 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Silver 2x6 Staggered Mosaic
12x12 Sheet (1 Pcs. per SF)



Aquamarine 3x9 Glass Tile (Range)
(5.32 Pcs. per SF)

GLAMOUR



Glamour Linear Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)

LIQUID ROCKS 6mm (Mesh Mount)



Abyss Black
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Aqua Blue
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Fresh Water Pearl
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)



Miami Shores
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Oyster Silver
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

River Brown
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Sandy Beige
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Southern Lakes
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Torrent Grey
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

DECORATIVE

NATIVE

Calacatta 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)

Dolomite 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)

Habana Beige 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Howlite 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)

NEW! **Onyx** 2" Hex Glass Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Zebrino 2" Penny Glass Mosaic
11.75x10.25 Sheet (1.19 Pcs. per SF)

Calacatta 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)

Dolomite 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)

Habana Beige 2x4 Picket Glass
Mosaic 12x12 Sheet (1 Pc. per SF)

Howlite 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)

NEW! **Onyx** 2x4 Picket Glass Mosaic
12x12 Sheet (1 Pc. per SF)



NEW! **Zebrino** 2x4 Picket Glass
Mosaic 12x12 Sheet (1 Pc. per SF)

NATIVE (Cont'd)

Calacatta 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

Dolomite 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

Habana Beige 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

NEW! **Howlite** 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

NEW! **Onyx** 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

Zebrino 2" Penny Glass Mosaic
11.5x10.25 Sheet (1.22 Pcs. per SF)

ONIX ECO STONE 6mm



Onice 2x2 Glass Mosaic
12x12 Sheet (1 Pc. per SF)

DECORATIVE

REVERE GLASS

Ash Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Hazel/Natural Glossy & Matte
(Multi-Linear) Random Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

Natural Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Alabaster 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ash 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Natural 3x6 Convex Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Hazel/Natural 3x6 Convex Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

CORNER SHOWER SHELVES

Glass - 9.5x9.5 Recessed & Surface Mount
(shown above)

Allure Crema Polished Marble - 9x9

Berkshire Creama Polished Marble - 9x9

Bianco Venatino Polished Marble - 9x9

TERRA BELLA Glass Mosaic UV sensitive and not for outdoor applications.

Blue Aqua Wave Mosaic*
12x11.75 Sheet (1.02 Pcs. per SF)

Silver Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Silver Blue 1x4 Staggered Mosaic
11.75x12 Sheet (1.02 Pcs. per SF)



Silver Blue Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Silver Blue Foil 2x8 Linear Mosaic
7.75x15.75 Sheet (1.18 Pcs. per SF)

AQUATICA Pool Tile Collection

2026 2027

Pool & Spa Tile Collection

By International Wholesale Tile, LLC

Porcelain Tiles

Alps 220
Ancient 221
Ancient Floridita 222
Asia 222
Bali **NEW!** 223
Baltic II 224
Barbados 224
Bubbles 224
Canyon 224
Cloud **NEW!** 225
Coral 226
Cross 227
District 227
Fiore 228
Fleur 229
Fusion II 228
Gleeze 230-231
Glee 231
Lagoon 232
Maioliche 232-233
Marmi 238
Massa Calacatta II 233
Melange 233
Mystic 233
Marrakech 234-235
Noho **NEW!** 236
Oasis II 236
Ocean Blue 237
Ocean Wave 237
Onyx 237
Paint II 238
Reef 239
Roccia 240
Rock 238
Scavo II 241
Sea Corallo 240
Sol 241-242
States II 243
Stonequartz 243
Stream 244
Summer II 244
Surf 244
Waterplace 244
Waves II 245

Depth Markers

Depth Markers 246

Tile Mosaics

Aqua 247
Botanical 247
Diamond Reflection 248
Harmony 249
Listello 250
Luciana 250
Mini Akron 250
Penny Round 250
Reflection Mosaics 248
Sea Breeze 251
Sunburst 251
Waterside 251

Natural Stone

Beachstones 252
Ledgerstone 252
Ocean Stones **NEW!** 253-257

Glass Mosaics (Cast)

Clouds 258
Clouds 2 259
Dash 259
Liquid Drops **NEW!** 260
Liquid Rocks 261
Superior 262

Glass Mosaics (Crystal)

Aba **NEW!** 266
Alpha 266
Altona 267
Crystal 267
Elegant 268
Element 269-272
Gemstone 273
Hot Springs 272-273
Mercury 274
Nautical 274-275
Piazza 276
Revere 277
Striped 277

Glass Mosaics (Crystal) Cont.

Stromboli **NEW!** 278
Trapezoid **NEW!** 278
Treasure 279
Triangle 280-281
Watercraft 282
Wavy **NEW!** 282

Glass Mosaics (Sintered)

Aloha 285
Bark 286
Bowline 287
Onix Eco Stone 287
Vanguard 287-289

Learn more at www.iwttesoro.com

Cover Photo: Cloud Aqua 6x20

New Pool & Spa Tile Collection

ABA


BALI

CLOUD


LIQUID DROPS

NOHO

OCEAN STONES


STROMBOLI

TRAPEZOID

WAVY

Shown:Treasure Blackstone (pg 279)

www.iwttesoro.com

AQUATICA
Pool Tile Collection

ALPS

V3



Cobalt 6x6 Glossy (Range)



Green 6x6 Glossy (Range)

Ice White 6x6 Glossy (Range)



Marine 6x6 Glossy (Range)



Cobalt 6x24 Glossy

Green 6x24 Glossy

Ice White 6x24 Glossy



Marine 6x24 Glossy

ANCIENT

V3



Barcelona 6x6 Matte (Range)

NEW! **Blanco** 6x6 Matte (Range)



Cordova 6x6 Matte (Range)



San Sebastian 6x6 Matte (Range)

Seville 6x6 Matte (Range)

ANCIENT FLORIDITA

V3



Aqua 6x6 Matte (Range)

Azul Blue 6x6 Matte (Range)



Santa Cruz 6x6 Matte (Range)

ASIA

V3



Blue 6x6 Matte (Range)

AQUATICA
Pool Tile Collection

BALI

V3



NEW! **Cobalt Blue** 6x6 Glossy (Range)



NEW! **Cromium Green** 6x6 Glossy (Range)



NEW! **Ocean Blue** 6x6 Glossy (Range)



NEW! **Cobalt Blue** 6x24 Glossy

NEW! **Cromium Green** 6x24 Glossy



NEW! **Ocean Blue** 6x24 Glossy

BALTIC II

V3



Aqua Marine 6x6 Matte (Range)



Blue 6x6 Matte (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.

BARBADOS

V3



Blue 6x6 Glossy (Range)

BUBBLES

V3



Blue 6x6 Glossy (Range)

CANYON

V3

Sunset 6x6 Glossy (Range)

CLOUD V3

Aqua 6x6 Glossy (Range)
* ALSO AVAILABLE IN 6X6 BULLNOSE.



Aqua 6x20 (Range)



NEW! **Cobalt** 6x6 Glossy (Range)
* ALSO AVAILABLE IN 6X6 BULLNOSE.



NEW! **Cobalt** 6x20 (Range)

CORAL

V3



Blu 6x6 Glossy (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.



Blu 6x20 Glossy (Range)

Green 6x6 Glossy (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.



Green 6x20 Glossy (Range)

CROSS

V3



Blue 6x6 Glossy (Range)



Multicolor 6x6 Glossy (Range)

DISTRICT

V3

Bianco 6x6 Matte (Range)



Beige 6x6 Matte (Range)

Grigio 6x6 Matte (Range)



Nero 6x6 Matte (Range)

FIORE

V2



Brina 6x6 Matte (Range)

CAUTION: Installation requires attention to pattern.



Fiorella 6x6 Matte (Range)

CAUTION: Installation requires attention to pattern.



Gina 6x6 Matte (Range)

Martia 6x6 Matte (Range)

FUSION II

V3



Cobalt 6x6 Glossy (Range) * ALSO AVAILABLE IN 6X6 BULLNOSE.



Denim 6x6 Glossy (Range) *ALSO AVAILABLE IN 6X6 BULLNOSE.

FLEUR

V2



Antoninette 6x6 Matte (Range)

Isabelle 6x6 Matte (Range)

CAUTION: Installation requires attention to pattern.

Laure 6x6 Matte (Range)

CAUTION: Installation requires attention to pattern.

Geraldine 6x6 Matte (Range)

CAUTION: Installation requires attention to pattern.



Janette 6x6 Matte (Range)

GLEEZE

V4

Beige 3x8 Glossy (Range)

Beige 2x6 Glossy (Range)

Bianco 3x8 Glossy (Range)

Bianco 2x6 Glossy (Range)



Giada 3x8 Glossy (Range)



Giada 2x6 Glossy (Range)

Grigio 3x8 Glossy (Range)

Grigio 2x6 Glossy (Range)

GLEEZE (Cont.) V4



Turchese 3x8 Glossy (Range)



Turchese 2x6 Glossy (Range)

GLEE V4



Turchese 6x6 Glossy (Range)



Giada 6x6 Glossy (Range)

LAGOON

V3



Murano 6x6 Glossy (Range)



Torcello 6x6 Glossy (Range)



Venezia 6x6 Glossy (Range)

MAIOLICHE

V3

Grigio 6x6 Glossy (Range)

Maioliche 1 6x6 Glossy (Range)
CAUTION: Installation requires attention to pattern.

Maioliche 3 6x6 Glossy (Range)
CAUTION: Installation requires attention to pattern.

Maioliche 5 6x6 Glossy (Range)

Maioliche 11 6x6 Glossy (Range)



Maioliche 12 6x6 Glossy (Range)

MAIOLICHE (Cont.) V3



Maioliche 18 6x6 Glossy (Range)

MASSA CALACATTA II V2

White 6x6 Matte (Range)

* ALSO AVAILABLE IN 6X6 BULLNOSE.

MELANGE V3



Atlantico Blu Cobalto 6x6 Glossy (Range)



Indiano Azzurro 6x6 Glossy (Range)

(Also Available in 6x12)



Pacifico Acqua 6x6 Glossy (Range)

MYSTIC V3



Blue 6x6 Glossy (Range)

* AVAILABLE IN 6X6 BULLNOSE.



Aqua 6x6 Glossy (Range)

* AVAILABLE IN 6X6 BULLNOSE.

MARRAKECH

V2

Green 4x4 Glossy (Range)

Ivory 4x4 Glossy (Range)

Green 2x8 Glossy (Range)

Ivory 2x8 Glossy (Range)



Light Blue 4x4 Glossy (Range)

Ocean 4x4 Glossy (Range)



Light Blue 2x8 Glossy (Range)

Ocean 2x8 Glossy (Range)

MARRAKECH (Cont.)

Seawater 4x4 Glossy (Range)

Total White 4x4 Glossy (Range)

Seawater 2x8 Glossy (Range)

Total White 2x8 Glossy (Range)

White 4x4 Glossy (Range)

Total White 4x4 Matte (Range)

White 2x8 Glossy (Range)

Total White 2x8 Matte (Range)

NOHO

V2



Blu 2x10 Glossy & Matte Field Tile

Emerald 2x10 Glossy & Matte Field Tile

Ivory 2x10 Glossy & Matte Field Tile

Light Grey 2x10 Glossy & Matte Field Tile

Sage NEW! 2x10 Glossy & Matte Field Tile

White 2x10 Glossy & Matte Field Tile

OASIS II

V3

Blue 6x6 Matte (Range)

Marine 6x6 Matte (Range)

OCEAN BLUE

V3



Blue 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.

OCEAN WAVE

V2

Aqua Green 6x24 Glossy



Charcoal 6x24 Glossy



Cobalt 6x24 Glossy

Ice White 6x24 Glossy

ONYX

V3

Blue 6x6 Glossy (Range)

Green 6x6 Glossy (Range)

PAINT II

V3



Blue 6x6 Glossy (Range)

Green 6x6 Glossy (Range)

MARMI

V3

Black 6.25x15.25 Matte (Field Tile)

Grey 6.25x15.25 Matte (Field Tile)

White 6.25x15.25 Matte (Field Tile)

ROCK

V4

Cream 3x15 Matte (Field Tile)

Green 3x15 Matte (Field Tile)

Grey 3x15 Matte (Field Tile)

White 3x15 Matte (Field Tile)

REEF

V3



Azule 6x6 Glossy (Range)



Bora 6x6 Glossy (Range)



Coral 6x6 (Range)



Jade 6x6 Glossy (Range)

Nacre 6x6 Glossy (Range)

ROCCIA

V2



Black 6x6 Glossy (Range)



Cobalt 6x6 Glossy (Range)



Light Green 6x6 Glossy (Range)

Black 6x24 Glossy

Ice White 6x24 Glossy



Cobalt 6x24 Glossy

Light Green 6x24 Glossy

SEA CORALLO

V3

Aqua 6x6 Glossy (Range)

Blue 6x6 Glossy (Range)

SCAVO II

V3

Almond 6x6 Matte (Range)



Noce 6x6 Matte (Range)



White 6x6 Matte (Range)

SOL

V3



Blu 6x6 Glossy (Range)



Blu Stuttura Foglia 6x6 Glossy (Range)



Verde 6x6 Glossy (Range)



Verde Stuttura Foglia 6x6 Glossy (Range)

SOL (Cont.)



Bianco 6x6 Glossy (Range)



Bianco Stuttura Foglia 6x6 Glossy (Range)

Tappeto 1 6x6 Glossy (Range)



Tappeto 4 6x6 Glossy (Range)



Tappeto 5 6x6 Glossy (Range)

STATES II

V3

Snow 6x6 Matte (Range) ** AVAILABLE IN 6X6 BULLNOSE.

STONEQUARTZ

V3

Bianco 6x6 Matte (Range)

Beige 6x6 Matte (Range)

Grigio 6x6 Matte (Range)

Nero 6x6 Matte (Range)

AQUATICA
Pool Tile Collection

STREAM

V3



Blue 6x6 Glossy (Range)

SUMMER II

V3



Blue 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.

SURF

V3



Blue 6x6 Glossy (Range)

WATERPLACE

V3



Balistone 6x6 Glossy (Range)

Java 6x6 Glossy (Range)



Samoa 6x6 Glossy (Range)

WAVES II

V3



Aqua 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.



Cobalt 6x6 Glossy (Range) * AVAILABLE IN 6X6 BULLNOSE.



Aqua 6x20 Glossy (Range)



Cobalt 6x20 Glossy (Range)

DEPTH MARKERS 6x6

No Diving Flat Skid Resistant

#3 Flat Skid Resistant
or Flat Smooth

#4 Flat Skid Resistant
or Flat Smooth

#5 Flat Skid Resistant
or Flat Smooth

#6 (or 9) Flat Skid Resistant
or Flat Smooth

#8 Flat Skid Resistant
or Flat Smooth

#0.5 Flat Skid Resistant
or Flat Smooth

FT Flat Skid Resistant
or Flat Smooth

IN Flat Skid Resistant
or Flat Smooth

AQUA

Terra Blue Mosaic
12x12 Sheet (1 Pc. per SF)

BOTANICAL



Caribbean Blue Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Cobalt w/Terra Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Lake Blue Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Marble Royal Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Teal Green Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

*ALL SIZES ARE NOMINAL.

DIAMOND REFLECTION

Atlantic Green Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)



Gulf Blue Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)



Pacific Blue Akron Mosaic
12.25x12.25 Sheet (0.96 Pc. per SF)

REFLECTION MOSAICS



Atlantic Green 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Gulf Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Pacific Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

Atlantic Green Random Pattern
12x12 Sheet (1 Pc. per SF)

Gulf Blue Random Pattern
12x12 Sheet (1 Pc. per SF)



Pacific Blue Random Pattern
12x12 Sheet (1 Pc. per SF)

*ALL SIZES ARE NOMINAL.

HARMONY

Cobalt Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Cobalt Blue 2x2 Mosaic
12.5x12.5 Sheet (0.92 Pc. per SF)



Cobalt Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)



Terra Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Terra Blue 2x2 Mosaic
12.5x12.5 Sheet (0.92 Pc. per SF)



Terra Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)



Royal Blue 3x3 Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Royal Blue 1x1 Staggered Mosaic
12x12 Sheet (1 Pc. per SF)

*ALL SIZES ARE NOMINAL.

AQUATICA
Pool Tile Collection

LISTELLO

Atlantic Blue
6x13.25 Border (1.82 Pcs. per SF)

Ocean Sand
6x13.25 Border (1.82 Pcs. per SF)

Pacific Blue
6x13.25 Border (1.82 Pcs. per SF)

Ocean Gold
6x13.25 Border (1.82 Pcs. per SF)

Terra Blue
6x13.25 Border (1.82 Pcs. per SF)

LUCIANA



Blueberry Mosaic
12x13 Sheet (0.87 Pc. per SF)

Terra Mosaic
12x13 Sheet (0.87 Pc. per SF)

MINI AKRON

Blueberry Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Terra Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

PENNY ROUND



Cobalt Blue 3/4" Mosaic
12x12 Sheet (1 Pc. per SF)

*ALL SIZES ARE NOMINAL.

AQUATICA
Pool Tile Collection

SEA BREEZE

Dark 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Medium 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

Light 1x1 Staggered Mosaic
12x12.5 Sheet (0.93 Pc. per SF)

SUNBURST



Cobalt Blue Mosaic
12x12 Sheet (1 Pc. per SF)



Terra Blue Mosaic
12x12 Sheet (1 Pc. per SF)

WATERSIDE



Lake Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Smoke Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)



Royal Blue Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

Terra Mosaic
12.25x12.25 Sheet (0.95 Pc. per SF)

*ALL SIZES ARE NOMINAL.

BEACHSTONES

Not recommended or warranted for submerged applications.

Blue Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Green Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Grey Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Ivory Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Tan Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

White Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

White, Blue Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

White, Blue, Grey Sliced Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

White, Green,Tan Sliced Mosaic
11.75x11.75 Sheet
(1.04 Pcs. per SF)

White, Tan, Grey Sliced Mosaic
11.5x11.5 Sheet (1.14 Pcs. per SF)

LEDGERSTONE

Beachwalk 6x24 Sheet (1 Pc. per SF)

Carbon 6x24 Sheet (1 Pc. per SF)

Glacier 6x24 Sheet (1 Pc. per SF)

OCEAN STONES

Not recommended or warranted for submerged applications.

Lt. Grey, Dk. Grey & White Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Light Grey, Tan & White Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Swirl Grey Coin Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Matte White Fit Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Sparkly White Fit Mosaic
11.75x12.5 Sheet (.98 Pcs. per SF)

Swirl Grey Fit Mosaic
11.5x11.75 Sheet (1.07 Pcs. per SF)

White Quartz Fit Mosaic
10.75x11 Sheet (1.22 Pcs. per SF)

Tan White Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Gray Tumbled Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout).
For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont.)

Not recommended or warranted for submerged applications.

Classic Tan Pebble Mosaic
11.25x10.75 Sheet (1.19 Pcs. per SF)

Classic White Pebble Mosaic
11.25x10.75 Sheet (1.19 Pcs. per SF)

Tiger Eye Pebble Mosaic
12.25x11.5 Sheet (1.02 Pcs. per SF)

Black Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Black White Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Cream Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Fossil Light Color Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Fossil Carrara Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Ivory Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout).
For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

Java Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Robins Egg Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Terrazzo Carrara Bardiglio White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo Carrara Nero Smoke
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo Carrara White
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

Terrazzo Vintage Light Occhialino
Sliced Mosaic 11.25x11.25 Sheet
(1.14 Pcs. per SF)

NEW! **Terrazzo, Carrara, Blue, Beige**
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

NEW! **Terrazzo, White, Green, Tan**
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout).
For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont'd)

Not recommended or warranted for submerged applications.

NEW! **Terrazzo, White, Tan, Rose**
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

NEW! **Terrazzo, White, Tan**
Sliced Mosaic 12x12 Sheet
(1 Pc. per SF)

Tiger Eye Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Waves Bardiglio Sliced Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

White Sliced Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

White Green Tan Sliced Mosaic
11x11 Sheet (1.19 Pcs. per SF)

Ivory Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

White, Green, Tan Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout).
For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

OCEAN STONES (Cont'd)

Not recommended or warranted for submerged applications.

White,Tan, Grey Sliced Flower Mosaic
11.75X11.75 Sheet (1.04 Pcs. per SF)

Bianco Carrara
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.1 4 Pcs. per SF)

Calacatta Gold
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Italian White Blue Celeste
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

Light Wood Grain
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NEW! **Milky White**
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NEW! **Wooden White Blue Celeste**
Sliced Marble Polished Mosaic
11.25x11.25 Sheet (1.14 Pcs. per SF)

NATURAL STONE MUST BE SEALED TO PREVENT STAINING (Preferably prior to grouting if using contrasting color grout).
For natural dry "lighter" look, use penetrating stone sealer. For wet "Darker" look, use a stone enhancer sealer.

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CAST

Cast Glass

The Ancient Art of Glass Mosaics dates back as early as 2500 BC but became more refined as Glass Tile in the 3rd Century BC when the product became known as Smalti Tile. Cast Glass (Smalti) is made in a furnace (2,500 – 3,000 Fahrenheit) melting the ingredients Silica Sand (Silicon Dioxide), Soda Ash (Sodium Carbonate), Limestone (Calcium Carbonate) that are mixed with metal oxides (for color). The source of the materials for cast glass can be from the raw materials or by the addition of recycled glass.

The resulting molten colored liquid is poured into metal molds that are rapidly cooled and broken into individual tiles. The glass tiles then are reheated in an Annealing Kiln where the glass is brought back up to 900 Fahrenheit and slowly cooled over a 2-3 hour process. The annealing process reduces the residual internal stresses. Glass that is not properly annealed retains thermal stress in its molecular structure making them brittle. Some cast glass prior to annealing can have a secondary coating of Iridescence sprayed on the surface to create a reflective rainbow effect face.

The cast glass tiles are then placed into mounting molds where they get arranged into mosaic sheets that are face mounted with Clear Mylar Tape. Darker nontransparent / opaque versions can be Mesh Mounted on the back side of the tile. Larger size tiles can be packaged individually. We do not offer Paper faced mosaics due to installer resistance. IWT's Cast Glass series can be installed in exterior submerged (pool) applications, which require proper installation.

*****ATTENTION***** Cast Glass is prone to expand and contract with exposure to heat (Sun) due to the coloration (Metal Oxides) in the body. Absolutely requires movement / expansion joints be incorporated into the installation.

Easiest way to identify cast glass is to look at the side of the tile, If the color is the same as the face and goes all the way through, it is a Cast Glass.

CLOUDS Color Body 9.5mm

Arcus 3x9 Glass Tile (5.32 Pcs. per SF)

Cirrus 3x9 Glass Tile (5.32 Pcs. per SF)

Stratus 3x9 Glass Tile (5.32 Pcs. per SF)

Thunder 3x9 Glass Tile (5.32 Pcs. per SF)

Please Read – Important information regarding Clouds:
Exterior installations (pool waterline) requires proper placement of expansion / movement joins per TCNA EJ-171 as well as thinset approved for submerged glass tile installation. Failure to install with industry requirements will result in product failure and void all warranties.

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CAST

CLOUDS 2.0



Cumulus 3x12 Glass Tile (4 Pcs. per SF)

DASH Color Body 6mm (Mesh Mount)

Aegean
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

Biscay
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)



Caspian
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

Java
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

Kara
Mixed 1x1 & 1x3 Linear Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CAST

LIQUID DROPS 6mm (Mesh Mount)

NEW! **Aqua**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)

NEW! **Clearwater**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)

NEW! **Fresh Water Pearl**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)

NEW! **Gulfstream**
Penny Matte Glass Mosaic
12x12 Sheet (1 Ps. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CAST

LIQUID ROCKS 6mm (Mesh Mount)



Abyss Black
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Aqua Blue
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Fresh Water Pearl
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Oyster Silver
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

River Brown
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Miami Shores
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Sandy Beige
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Southern Lakes
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Torrent Grey
Random Glass Mosaic
10.5 x10.5 Sheet (1.31 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

Cast

SUPERIOR Color Body 6mm (Face Tape Mount)

Iceberg 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Moon 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Pier 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Shark 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Surf 1x2 Staggered Mosaic
111.75x12.75 Sheet (0.96 Pc. per SF)

Wave 1x2 Staggered Mosaic
11.75x12.75 Sheet (0.96 Pc. per SF)

Please Read – Important information regarding Superior:

This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance

Cast Glass: Installation Instructions

CAST

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

Clear Tape Face Mounted*

(Flower Glass / Superior)

Cast Glass Face Mounted mosaics are made of semi-transparent glass which are face mounting. These products are made using a poured liquid glass process. A certain amount of variation in color, shade, texture, size and tone is a desired feature and is inherent to this production process - **some bubbles, veins, wrinkles and other small irregularities in many of the pieces is typical**, consistent and intended with this production process. Cast Glass tiles can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Mesh Mounted*

(Aurora / Dash / Garden Wall / Liquid Rocks)

Cast Glass Mesh Mounted mosaics are made of semi-transparent glass, lighter colors are back coated to obscure the mesh-mounting. These products are made using a poured liquid glass process. A certain amount of variation in color, shade, texture, size and tone is a desired feature and is inherent to this production process - **some bubbles, veins, wrinkles and other small irregularities in many of the pieces is typical**, consistent and intended with this production process. Cast Glass tiles can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

*****ATTENTION*****
Cast Glass will expand with exposure to heat - Sun!
The metal oxides (coloring) in the body of Cast Glass will absorb heat and cause the tiles to expand.
Cast Glass requires that movement / expansion joints must be incorporated into the installation.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40ºF (4ºC) to 95ºF (35ºC) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar then can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

CAST

Cast Glass: Installation Instructions

Installation Instructions (Cont.)

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges.

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later.

Leveling: Square the sheet and apply to your surface, then "beat in"; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: (CLEAR TAPE FACE MOUNTED) After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and ready for grouting. Remove the Clear Tape from surface, use a nylon bristle brush, a sponge, and warm water to clean any glue or tape residue from the tile surface. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Grout Preparation: (MESH MOUNTED) After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive grouting pressure, this can scratch the surface of the glass.

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

Crystal Glass / Float Glass

Crystal Glass Tiles are typically made from Float Glass (Modern Windowpane Glass) that is cut to size, then decorated typically on the back side. Float Glass is a very stable product and always is produced with the proper annealing of the material. The large sheets of Float Glass are cut into the desired shaped tiles. Fancy shapes like Penny Rounds, Scallop designs are water jet cut, which increases the cost.

Float glass owes its unique name to the process by which it is manufactured wherein the molten glass is introduced into a bath of molten tin, causing the glass to float freely. The body of Float glass is clear, slightly tinted green due to the iron oxide that is in its mixture, like the traditional Coke Bottle. Some of our Ultra White Items (Pure White / Treasure Whitestone) are made with Extra Clear Float Glass that is manufactured with lower iron. Float glass is Manufactured in many a variety of thickness, 6mm and 8 mm are the most popular for Glass Tiles.

Hot Fired versions can be installed interior or exterior applications as well submerged in a pool or fountain. The Pool Approved 'Hot Fired' Crystal Glass version is explained in more detail below.

Hot Fired Crystal Glass

Hot Fired Crystal Glass mosaics are made of clear Float Glass, which is typically back mounted with a fiberglass mesh, though some larger sizes are packaged as individual loose pieces. These products are decorated using a glaze (liquid glass) to create the pattern and color to the back side and a secondary 'masking' coat prior to being refired. The coloration is fused to the glass through this process, making it suitable for exterior submerged applications. Some of our series also have a second Iridescent coating fired onto the top surface face that can create a reflective surface, often rainbow or silver effect

Caution must be taken on the extremely large versions of Crystal Glass (Example 8" x 24" Elements) that are loose piece that require contractors mounting with spacers. Adequate grout lines (minimum 1/16") must be provided, no butt joints. Also, it is imperative to use expansion / movement joint at ever change of plane (all Corners of the installation or where the glass abuts a dissimilar product (tile).

The Majority of IWT Glass lines are of the Hot Fire variation, but if planning an exterior installation and are in doubt, please ask for confirmation.

Shown:Trangle Moon Stone (pg 280)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

ABA 6mm (Mesh Mount)

NEW! **Blue**
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Green**
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Grey**
Multi Random Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



NEW! **Blue**
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Green**
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Grey**
1x2 Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

ALPHA 6mm (Mesh Mount)

Black 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Blue 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt 1x2 Glossy Glass Mosaic
12x12 Sheet (1 Pc. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

ALTONA 8mm (Mesh Mount)

Coral Clay
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Edon Shoal
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Freeport
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mangrove Bay
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Spray Rock
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Tarpon Isle
Random Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

CRYSTAL 6mm (Mesh Mount)

Black Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Cobalt Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

White Solid 3x3 Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

Crystal

ELEGANT 6mm



Cobalt 6x6 Glossy (Range)



Green 6x6 Glossy (Range)



Turquoise 6x6 Glossy (Range)

White 6x6 Glossy (Range)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

ELEMENT 8mm (Mesh Mount)

Cloud 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight 2x6 Staggered Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cloud Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shades of Grey Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight Linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

ELEMENT 8mm (Mesh Mount) (Cont'd)

Cloud 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Earth 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Ice 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Mist 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Sand 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shadow 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Shades of Grey 1x4 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Skylight 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Smoke 1.5x6 Stacked Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

ELEMENT 8mm (Mesh Mount) (Cont'd)



Cloud Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Earth Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Ice Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Mist Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Sand Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Shadow Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Skylight Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Smoke Penny Round Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

ELEMENT 8mm (Mesh Mount) (Cont'd)

Cloud 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Earth 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Ice 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Mist 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Sand 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Shadow 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Skylight 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Smoke 3x12 Artisan Glass Glossy Tile (4 Pcs. per SF)

Cloud 3x12 Glass Glossy Tile (4 Pcs. per SF)

Earth 3x12 Glass Glossy Tile (4 Pcs. per SF)

Ice 3x12 Glass Glossy Tile (4 Pcs. per SF)

Mist 3x12 Glass Glossy Tile (4 Pcs. per SF)

Sand 3x12 Glass Glossy Tile (4 Pcs. per SF)

Shadow 3x12 Glass Glossy Tile (4 Pcs. per SF)

Skylight 3x12 Glass Glossy Tile (4 Pcs. per SF)

Smoke 3x12 Glass Glossy Tile (4 Pcs. per SF)

HOT SPRINGS 8mm (Mesh Mount)

Chico Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

GEMSTONE 8mm (Mesh Mount)



Aquamarine 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)

Royal Blue 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)

Silver 1x2 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)



Aquamarine 2x6 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)

Silver 2x6 Staggered Glossy Mosaic 12x12 Sheet (1 Pcs. per SF)



Aquamarine 3x9 Glass Glossy Tile (Range) (5.32 Pcs. per SF)



Mystic Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Glenwood Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Saratoga Stacked Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

MERCURY 6mm (Mesh Mount)

Blend 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

Cobalt 1x2 Glass Mosaic
12x12 Sheet (1 Pc. per SF)



Green 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

Turquoise 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

NAUTICAL 6mm (Mesh Mount)



Bimini Blue
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Thunder Gray
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Naval Blue
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL



Emerald Green
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Laguna Black
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Naval Blue
2x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Bimini Blue
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

Emerald Green
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Laguna Black
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)



Thunder Gray
1x3 Staggered Glass Glossy Mosaic
11.5 x11.75 Sheet (1.07 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

PIAZZA 6mm (Mesh Mount)



Cobalt 3x3 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



Green 3x3 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

Turquoise 3x3 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

White 3x3 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

Cobalt 3x3 Random Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Green 3x3 Random Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)



Turquoise 3x3 Random Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

White 3x3 3x3 Random Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

CRYSTAL

REVERE (Mesh Mount)

Ash Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Natural Glossy & Matte
(Multi-Linear) Random Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Hazel/Natural Glossy & Matte
(Multi-Linear) Random Mosaic Blend
11.75x11.75 Sheet (1.04 Pcs. per SF)

STRIPED 6mm (Mesh Mount)

Black 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

Cobalt 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Green 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)



Turquoise 1x2 Glass Glossy Mosaic
12x12 Sheet (1 Pc. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

STROMBOLI 6mm (Mesh Mount)

NEW! **Garden Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Petra Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Porto Blue** 1x1 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

TRAPEZOID 6mm (Mesh Mount)

NEW! **Misty**
1x1 Glass Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Horizon**
1x1 Glass Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

CAUTION: Installation requires attention to pattern.

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

TREASURE 6mm (Mesh Mount) (Cont'd)



Blackstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Blendstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Cobaltstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Greenstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Moonstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Topazstone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Whitestone 1x1 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Blackstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Blendstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

TRIANGLE 6mm (Mesh Mount)

Cobaltstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Greenstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Moonstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Topazstone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Whitestone
Random Linear Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Black Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Blend Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Cobalt Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Green Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

TRIANGLE (Cont.) 6mm (Mesh Mount)



Moon Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Topaz Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



White Stone Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Shown:Trangle Blendstone

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

CRYSTAL

WATERCRAFT 6mm (Mesh Mount)



Black Sands 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)



Coral Reef 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

Sea Breeze 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

St Lucia 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

White Sand 1x2 Glass Glossy Mosaic
11.75 x11.75 Sheet (1.04 Pcs. per SF)

WAVY 6mm (Mesh Mount)

NEW! **Deep Blue** 1x2 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

NEW! **Calm Aqua** 1x2 Glass Glossy Mosaic 11.75x11.75 Sheet (1.04 Pcs. per SF)

Crystal Glass: Installation Instructions

CRYSTAL

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

Hot Fired Crystal Glass Series: Mesh Mounted Or Loose Piece

Alpha / Bamboo / Border Wave / Crystal / Elegant / Elements / Fusion
Hot Springs / Lightwaves / Lux Aqua / Nautical / Patchwork / Piazza / Pure White
Rainbow / Revere / Slip Stream / Stardust / Stratos / Subway / Terra Piscina
Treasure / Triangle / Ultraviolet / Watercolors

Hot Fired Crystal Glass tiles are made of clear glass back-mounted with a fiberglass mesh (except those boxed as Loose pieces). These products are made using a hot glaze application process, fired on the backs side for decoration. They can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40ºF (4ºC) to 95ºF (35ºC) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar then can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges.

CRYSTAL

Crystal Glass: Installation Instructions

Installation Instructions (Cont.)

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later. Caution must be taken on the extremely large versions of Crystal Glass (Example 8" x 24" Elements) that are loose piece that require contractors mounting with spacers. Adequate grout lines (minimum 1/16") must be provided, no butt joints. Also, it is imperative to use expansion / movement joint at ever change of plane (all Corners of the installation or where the glass abuts a dissimilar product (tile).

Leveling: Square the sheet and apply to your surface, then "beat in"; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive pressure, which can scratch the surface of the glass.

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA Pool Tile Collection

Sintered Recycled Glass

SINTERED

Sintered Recycled Glass have gained a lot of popularity as very small sized porcelain tiles became difficult to find from traditional manufacturers. This class of glass products are made in a significantly different process than the other two types. Recycled windowpane glass is pulverized into a fine powder which in turn is pressed into shapes like a traditional porcelain tile. It is then glazed with liquid glass glazes (often via ink jet process) on the top surface prior to being fired in the kiln. The traditional Kiln Firing includes the cool down process that we call annealing, which is part of the single fire process and not a second reheating of the product.

The mounting of Sintered Glass can be on fiberglass mesh or in some case using dot mounting.

Note: This process results in some minor variation of the size of the stones, we call that an 'artisan edge'.

ALOHA



Blue Orchid Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)



Clematis Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)



Mucuna Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)

Plumeria Glass Glossy Mosaic
11.25x11.25 Sheet (1.17 Pcs. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

SINTERED

BARK 5mm (Mesh Mount)

Aspen
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Bay
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Cinnamon
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)

Linden
Multi-linear Glossy Mosaic
11.75x11.75 Sheet (1.04 Pcs. per SF)



Aspen
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Bay
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Cinnamon
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Linden
3x6 Staggered Glossy Mosaic
11.5x11.5 Sheet (1.09 Pcs. per SF)

Please Read – Important information regarding Bark:

This Artisan-edge glass mosaic is made with a variety of recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance

Cast

BOWLINE 6mm (Mesh Mount)



Blue Atoll Glass Glossy Mosaic
12x12 Sheet (1 Pcs. per SF)



Coral Sea Glass Glossy Mosaic
12x12 Sheet (1 Pcs. per SF)

ONIX ECO STONE 6mm (Dot Mount)



Onice 2x2 Glass Glossy Mosaic
12.25x12.25 Sheet (0.962 Pc. per SF)

Please Read – Important information regarding Onix Eco Stone:
This Artisan-edge glass mosaic is made with recycled glass. The characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance

VANGUARD 1X1 4mm (Dot Mount)

Arrecife Blue 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)



Arrecife Grey 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)

Forest Blue 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)



Rodas 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)



Tourmaline 1x1 Glass Glossy Mosaic
12.25x18.375 Sheet (0.641 Pc. per SF)
(Also Available in Non-Skid)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

SINTERED

VANGUARD 5mm (Dot Mount) (Cont'd)

Arrecife Blue 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)



Arrecife Green 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)



Arrecife Grey 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)

Forest Aqua 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)

Sena 1x2 Glass Glossy Mosaic 12.25x10 Sheet (1.18 Pc. per SF)



Arrecife Blue 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



Arrecife Green 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

Arrecife Grey 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)



Forest Aqua 2x2 Glass Glossy Mosaic 12x12 Sheet (1 Pc. per SF)

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

SINTERED

VANGUARD 2x2 5mm (Dot Mount)

Forest Blue 2x2 Glass Glossy
Mosaic 12x12 Sheet (1 Pc. per SF)



Rodas 2x2 Glass Glossy
Mosaic 12x12 Sheet (1 Pc. per SF)



Sena 2x2 Glass Glossy
Mosaic 12x12 Sheet (1 Pc. per SF)

Tourmaline 2x2 Glass Glossy
Mosaic 12x12 Sheet (1 Pc. per SF)



Arrecife Blue Penny Glass Glossy
Mosaic 11x11 Sheet (1.19 Pc. per SF)



Arrecife Green Penny Glass Glossy
Mosaic 11x11 Sheet (1.19 Pc. per SF)
)



Arrecife Grey Penny Glass Glossy
Mosaic 11x11 Sheet (1.19 Pc. per SF)



Forest Aqua Penny Glass Glossy
Mosaic 11x11 Sheet (1.19 Pc. per SF)



Sena Penny Glass Glossy
Mosaic 11x11 Sheet (1.19 Pc. per SF)

Glass Mosaic

Aquatica recommends use of Laticrete Glass Tile Adhesive mortar to Install Glass Mosaics. Grout with Laticrete Permacolor Select to minimize Efflorescence Laticrete Hydroban for Waterproofing and Crack Suppression is advised. Always follow TCNA EJ171 guidelines for Exterior Installations, Failure to properly Provide for Glass Tile Expansion will void Warranty.

AQUATICA
Pool Tile Collection

Shown:Vanguard Forest Aqua (pg 289)

Sintered Glass: Installation Instructions

SINTERED

These instructions are meant to be a general guide for installations under normal conditions. Please read and understand this information before installation. These instructions reference industry standards ANSI A108.16, ANSI A137.2, ANSI A108 AN-2, ANSI A118.15, and TCNA EJ-171. Please review these standards for more detailed instruction. If you have no experience with the installation of glass products obtain professional advice or use their services for the installation.

SINTERED GLASS: Mesh or Dot Mounted

Aloha / Bark / Bowline / Illusions / Vanguard

Sintered Recycled Glass are made of recycled windowpane glass, which is pulverized into a fine powder and pressed into shapes like a traditional porcelain tile. They are then glazed with liquid glass glazes (often via ink jet process) on the top surface prior to being fired. The mounting of Sintered Glass can be on fiberglass mesh or in some case using dot mounting. Note, this process results in some minor variation of the size of the stones, we call that an 'artisan edge'.

They can be used for interior and exterior wall applications in wet or dry locations. All submerged, underwater installations must be installed by experts, which may require specific installation procedures and setting materials. Cement backer units and/or concrete masonry block are acceptable substrates. Gypsum wallboard is suitable for interior walls only.

Note: Ceramic Tile Mastic should never be used for the installation of any glass tile.

Installation Instructions: Verify product characteristics **BEFORE** installation for any visible defect and/or other aspects of the product that may be questionable, such as, but not limited to: shade variation, chipped edges, and scratched surfaces, variations between ordered and supplied products. Installation, where a claim to be defective is not caught or the material is not corresponding to customer's expectations, it's **'use' constitutes acceptance of the product "as is" and no claims will be accepted after installation.** Never use products from different lots. Every box is labeled showing production lot #'s, never mix these as part of the same installation.

Surface Preparation: All surfaces must be between 40ºF (4ºC) to 95ºF (35ºC) and structurally sound, dry, clean free of any contaminants which inhibit proper bond must be removed. Substrate preparation should be completed following ANSI A108 AN-2 "General Requirements for Sub-surfaces". All substrates should be plumb and true, surface deviation should not exceed 1/4" in 10'.

Applying Thinset Mortar: Apply a quality glass thinset specified as **ANSI A118.15** approved for use with glass or vitreous tile. IWT Recommends Laticrete 254 White or Laticrete GTA. Apply mortar to the substrate with the flat side of the trowel, with enough pressure to firmly work into the surface. With a notched trowel, immediately follow with a heavier coat of material using the appropriate trowel and enough mortar to provide necessary coverage to the back of the tile.

Do not spread more mortar then can be covered in 15 minutes or before the mortar skins over. Comb the mortar using an appropriate notched trowel in one direction, using the back of the trowel; flatten any notches of the mortar before placing the mosaic glass tile.

Back Butter: Next, spread a thin layer of thinset on the back of the glass mosaic tile sheet with the flat edge of your trowel. This back-buttering step is best used for all glass mosaic tiles, to keep any remaining trowel lines on the substrate from showing through on the edges..

SINTERED

Sintered Glass: Installation Instructions

Installation Instructions (Cont.)

Setting: Set your sheets into the thinset layer spread on your substrate, taking care to square the sheets as you go. Place tiles in mortar; beat in to insure proper coverage. Do not adjust tiles set in mortar after 15 minutes. It is advised to occasionally remove tiles during the installation, to ensure the mortar has not skinned over and check the tile and substrate mortar coverage. Coverage of the thin set mortar is critical to the success of the installation of the tile.

Sheets should be placed onto the newly troweled thinset on your surface immediately. DO NOT delay this step, or your thinset will begin to dry and the tiles will not fully adhere to the surface. The thin-set mortar MUST cover the back of each glass piece pushing up slightly into the joints. You can remove excess thin set from the joints, before grouting later.

Leveling: Square the sheet and apply to your surface, then "beat in"; gently with a rubber float or a beating block and a hammer to insure 100% adhesion and a level surface. Beating in with your float or beating block across the joint between adjacent sheets will achieve a level field across the entire area. Properly beating in and leveling will also prevent air bubbles from being trapped between the thinset and tile.

Align Grout Joints: Align each sheet carefully as it is installed to create uniform grout joints from sheet to sheet. A joint between adjacent sheets should measure the same distance as the joint between the rows of tile within a single sheet. If the joint between the sheets is wider, you will see a series of individual sheets outlined on your surface, instead of a smooth, continuous field of tiles that covers the entire area. Within 15 minutes of applying each section of your area, examine and straighten any joints that are not aligned and move as desired. Adjustments must be done immediately after or during the installation process before the setting material has dried. Do not adjust tiles set in mortar after 15 minutes.

Movement Expansion Joints: Movement (Expansion) joints must be provided to comply with TCA method EJ 171. It is imperative to not grout in the corners where the Glass changes plane. Use acrylic caulk for interior or preferably 100% silicone caulking, which approved for submerged application. This includes the top row which meets any coping in a pool installation as well as all corners. IWT recommends using Laticrete Latasil Silicone Caulk and Latasil Primer for exterior submerged expansion joints.

Grout Preparation: After 24-48 hours (dependent on climate and relative humidity), the thinset will be cured, and the tile will be ready for grouting. Follow the grouting method defined by ANSI A108.10. Hold a rubber grout float at a 45° angle, gently force grout diagonally into joints ensuring joints are completely filled. Remove excess grout using the edge of float held at a 90° angle. Cleanup can begin as soon as the grout becomes firm. Use as little water as possible for grout cleanup. Smooth and level joints in a circular motion while removing excess grout from tile. It is best to change cleaning water and rinse sponge frequently. Remove or buff grout haze from tile surface with a soft, dry cloth. IWT recommends polymer modified sanded grouts, such as Laticrete Permacolor.

Do Not apply excessive pressure, which can scratch the surface of the glass.

AVOID GLASS FAILURE ON POOL INSTALLATIONS

What is a movement or expansion joint?

Pools and other submerged areas with glass mosaic tile require a movement or expansion joint every eight to twelve feet, within the waterline, at corners, at the top of the waterline and raised tiled areas where they meet dissimilar materials, such as decking or pool coping.

Why Expansion Joints?

The concern with glass failure, also known as cracking or spalling, arises when the color-body of the glass heats up and is directly faced with the hot summer sun causing the glass to expand. The major cause is that the cement wall or beam of the pool will not expand proportionately at the same rate as the glass. *(Note: color in glass is made through the addition of metal oxides; examples are: Iron, Copper, Nickel, Manganese, Cobalt and Chromium).*

Glass tile ***does*** expand and contract more than ceramic and porcelain tile. This movement needs to be accommodated during the installation. Thus, the industry standard for any pool tile glass installation requires a movement or expansion joint around the entire perimeter of waterline below the coping, as well as every eight to twelve lineal feet on the waterline and at all corners. This also includes any skimmers, water features and directly over any joints in the concrete shell.

For the movement joint, utilize a flexible sealant recommended for submerged applications. Aquatica recommends high quality 100% silicone caulk. (Do not use acrylic as it will not stand up in a pool environment).

The ***most important*** movement joint is where the glass material meets the coping or the decking! While this recommendation is standard installation procedure for all exterior installations, it is *frequently ignored.*

It is CRITICAL to follow the TCNA guidelines with ALL Glass Tile Installation:
Use only highly modified Thinset approved for Glass Tile Installation
Do not install glass with color body without adhering to these guidelines. Use Constitutes Acceptance.

MOVEMENT JOINT BETWEEN COPING AND TILE



Example of glass failure due to no expansion joints.

Note: Optional Waterproofing / Crack Suppression can also help prevent the Efflorescence commonly seen on failures. Contact your setting material manufacturer for further information.

Movement (Expansion) joints are required to comply with TCNA method EJ 171

Source: Tile Council of North America (TCNA) & Ceramic Tile Institute of America (CTIOA)

WARRANTY & CLAIMS

The Aquatica Pool & Spa Tile and glass mosaics will perform as intended when installed in accordance with the appropriate ANSI specifications and standard industry practices by competent licensed professional installers. All sizes stated are nominal as per industry standard. Installation constitutes acceptance.

EXCLUSIONS:

This warranty excludes chips, scratches and cracking due to substrate movement, shrinkage, moisture or failure due to poor workmanship or a lack of properly-placed perimeter and/or movement joints not consistent with standard industry practices and guidelines.

- Warranty is null and void if proper installation guidelines are not followed and/or material is not properly maintained.
- Commercial and rental property use is excluded.
- Setting material failure is not covered under this warranty.
- Any misuse of the product, including physical or chemical abuse or negligence is not covered by this warranty.

For detailed installation and specification information, please visit www.internationalwholesaletile.com/aquatica or call IWT Technical Services 800 340-8453.

AQUATICA BY TESORO
Tel: (800) 340-TILE (8453) | Fax: (888) 765-TILE (8453)
www.iwttesoro.com | info@iwttesoro.com

LUXURY ENGINEERED PLANKS & TILES

Luxwood

BrekenRidge 296
Bryce 297
Buckeye 298
Cheyenne 299
Destin 300
Malibu 301
Monterrey 302
Palm Coast 303
Santa Fe 304
Sun Valley 305

Luxwood XL

Birch 306
Bliss 307
Chestnut 308
Cinnamon 309
Pebble 310
Reclaimed 311
Sandbar 312
Toffee 313

OakSong

Barnwood 314
Fawn 315
Saddle 316
Sanibel 317

Velluna

Biscotti 318
Bordeaux 319
Castano 320
Dove 321
Saffron 322
Straw 323

Glen Vista

Champagne 324
Oat 325
Sunset 326
Whisper 327

NaturaLux

Cappuccino Oak 328-329
Classic Oak 330
Pickle Oak 331
Sandy Oak 332-333
Saddle Oak 334
Sienna Oak 335
Sugar Oak 336-337
Sunset Oak 338

ForestaLux

Charming Oak 339
Heavenly Oak 340
Honeyed Oak 341
Latte Oak 342
Sweet Oak 343
Toasted Oak 344

PremierLux

Ageless Oak 345
Cheerful Oak 346
Dazzling Oak 347
Delightful Oak 348
Elated Oak 349
Enchanted Oak 350
Lavish Oak 351
Seaside Oak 352
Splendid Oak 353
Stunning Oak 354

Learn more at www.iwttesoro.com

New Luxury Engineered Planks

FORESTALUX

NATURALUX HERRINGBONE

VELLUNA

TESORO®
Quality Products for Life

COMPARISON CHART

TECHNICAL SPECIFICATIONS:	SIZE	LIMITED LIFETIME Residential Warranty	LIMITED Commercial Warranty	WEAR LAYER	STONE CORE	PACKAGING	THICKNESS
LUXWOOD	7.25"x48"	✓	15 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	8 PC/ 19.38 SF per box	6.5 MM 5.0MM Core+ 1.5MM Eva Pad
LUXWOOD XL	9"x60"	✓	15 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	6 PC/ 22.60 SF per box	8 MM 6MM Core+ 2MM Eva Pad
OAKSONG	7"x48" or 9"x60"	✓	10 YR	Very Scratch Resistant 20 Mil	SPC Stone Core	7" 10 PC 23.77 SF | 9" 8 PC 29.71 SF per box	5 MM 4MM Core + 1MM Rubber Pad
VELLUNA	9"x60"	✓	10 YR	Very Scratch Resistant 22 Mil	WPC Core	7 PC/ 22.61 SF per box	10 MM w/ 2 pads for Extra Comfort & Sound**
GLEN VISTA	9"x60"	✓	15 YR	Very Scratch Resistant + AC4	HDF Core	6 PC/ 23.15 SF per box	10 MM 8MM Core + 2 MM Attached Pad
NATURALUX	7.5"x74.8"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	5-ply Core	10 PC/ 38.86 SF per box	3/8" Core + 1.2 MM Oak Veneer
FORESTALUX	8.5"x86"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	7-ply Core	6 PC/ 31.26SF per box	9/16" Core + 3 MM Oak Veneer
PREMIERLUX	9.5"x86"	✓*	3 YR (Finish) 25 YR (Structural)	UV AO Finish	7-ply Core	6 PC/ 34.10SF per box	5/8" Core + 4 MM Oak Veneer

* Residential Structural Limited Lifetime Warranty.
Residential Finish 25 Year Limited Warranty.
** Sizing Nominal.

SEE WEBSITE FOR TEST DATA

BrekenRidge

Lux Wood

TESORO
Quality Products for Life

COLOR:	BrekenRidge
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BRYCE

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Bryce
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BUCKEYE

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Buckeye
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CHEYENNE

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Cheyenne
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

DESTIN

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Destin
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

MALIBU

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Malibu
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

MONTERREY

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Monterrey
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Palm Coast

Lux Wood

TESORO
Quality Products for Life

COLOR:	Palm Coast
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

www.iwttesoro.com

Santa Fe

Lux Wood

TESORO
Quality Products for Life

COLOR:	Santa Fe
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

Residential Limited Lifetime Warranty
Light Commercial Limited 15 Year Warranty
PHTHALATE FREE
GREENGUARD Gold
floor score
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SUN VALLEY

LUX WOOD

TESORO
Quality Products for Life

COLOR:	Sun Valley
SIZE:	7.25″ x 48″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	8 PC - 19.38 SF/Box
THICKNESS:	6.5 MM: 5 MM Core + 1.5 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

UL GREENGUARD GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Birch

LuxWood XL

TESORO
Quality Products for Life

COLOR:	Birch
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

Residential Limited Lifetime Warranty
Light Commercial Limited 15 Year Warranty
PHTHALATE FREE
GREENGUARD
floor score
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Bliss

LuxWood XL

TESORO
Quality Products for Life

COLOR:	Bliss
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

Residential Limited Lifetime Warranty

Light Commercial Limited 15 Year Warranty

Phthalate Free — Waterproof Flooring

GREENGUARD Gold

floor score — Certified by SCS Global Services

Waterproof

UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CHESTNUT

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Chestnut
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CINNAMON

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Cinnamon
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

PEBBLE

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Pebble
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

RECLAIMED

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Reclaimed
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SANDBAR

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Sandbar
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TOFFEE

LUX WOOD XL

TESORO
Quality Products for Life

COLOR:	Toffee
SIZE:	9″ x 60″
EDGE:	4-Sided Painted Bevel
WEAR LAYER:	20 mil Very Scratch Resistant
PACKAGING:	6 PC - 22.60 SF/Box
THICKNESS:	8.0 MM: 6 MM Core + 2 MM EVA Pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE
WATERPROOF FLOORING

GREENGUARD
GOLD

floor score
CERTIFIED BY SCS Global Services

WaterProof

UNICLIC®
Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BARNWOOD

OAKSONG

TESORO
Quality Products for Life

COLOR:	Barnwood
SIZE:	7"x 48" or 9"x60"
EDGE:	SPC Core
WEAR LAYER:	20 mil
PACKAGING:	7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS:	5mm: 4mm with 1mm rubber pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

floor score

PHTHALATE FREE

GREENGUARD GOLD

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

FAWN

OAKSONG

TESORO
Quality Products for Life

COLOR: Fawn
SIZE: 7″x 48″ or 9"x60"
EDGE: SPC Core
WEAR LAYER: 20 mil
PACKAGING: 7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS: 5mm: 4mm with 1mm rubber pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY
floor score
PHTHALATE FREE
GREENGUARD GOLD
WATER PROOF
UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

www.iwttesoro.com

SADDLE

OAKSONG

TESORO
Quality Products for Life

COLOR:	Saddle
SIZE:	7″x 48″ or 9"x60"
EDGE:	SPC Core
WEAR LAYER:	20 mil
PACKAGING:	7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS:	5mm: 4mm with 1mm rubber pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

floor score

PHTHALATE FREE

GREENGUARD GOLD

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SANIBEL

OAKSONG

TESORO
Quality Products for Life

COLOR:	Sanibel
SIZE:	7"x 48" or 9"x60"
EDGE:	SPC Core
WEAR LAYER:	20 mil
PACKAGING:	7" (10 PC/23.77 SF) | 9" (8 PC/29.71 SF) PER BOX
THICKNESS:	5mm: 4mm with 1mm rubber pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

floor score

PHTHALATE FREE

GREENGUARD GOLD

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

Biscotti

VELLUNA

TESORO
Quality Products for Life

COLOR: Biscotti NEW!
SIZE: 9”x 60”
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

Residential Limited Lifetime Warranty
Light Commercial Limited 15 Year Warranty
Phthalate Free — Waterproof Flooring
GREENGUARD Gold
floor score — Certified by SCS Global Services
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

BORDEAUX

VELLUNA

TESORO
Quality Products for Life

COLOR: Bordeaux NEW!
SIZE: 9"x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

RESIDENTIAL LIMITED LIFE TIME WARRANTY
LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY
PHTHALATE FREE
GREENGUARD
floor score
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CASTANO

VELLUNA

TESORO
Quality Products for Life

COLOR: Castano NEW!
SIZE: 9"x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

RESIDENTIAL LIMITED LIFE TIME WARRANTY
LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY
PHTHALATE FREE
WATERPROOF FLOORING
UL GREENGUARD GOLD
floor score CERTIFIED BY SCS Global Services
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

DOVE

VELLUNA

TESORO
Quality Products for Life

COLOR: Dove NEW!
SIZE: 9”x 60”
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

RESIDENTIAL LIMITED LIFE TIME WARRANTY
LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY
PHTHALATE FREE
WATERPROOF FLOORING
GREENGUARD GOLD
floor score
CERTIFIED BY SCS Global Services
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SAFFRON

VELLUNA

TESORO
Quality Products for Life

COLOR: Saffron NEW!
SIZE: 9"x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

RESIDENTIAL LIMITED LIFE TIME WARRANTY
LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY
PHTHALATE FREE WATERPROOF FLOORING
UL GREENGUARD GOLD
floor score CERTIFIED BY SCS Global Services
WaterProof
UNICLIC® Patented Technology

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

STRAW

VELLUNA

TESORO
Quality Products for Life

COLOR: Straw NEW!
SIZE: 9"x 60"
EDGE: 4-Sided Painted Bevel
WEAR LAYER: 22 mil – Very Scratch Resistant
PACKAGING: 7 PC, 26.11 SF/BOX, 1148.95 SF/PA
THICKNESS: 10 MM: WPC Core + 2 Pads for Comfort/Sound Control

RESIDENTIAL LIMITED LIFE TIME WARRANTY
LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY
PHTHALATE FREE
GREENGUARD GOLD
floor score
WaterProof
UNICLIC® Patented Technology

www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

CHAMPAGNE

GLEN VISTA

TESORO
Quality Products for Life

COLOR:	Champagne
SIZE:	9"x 60"
EDGE:	4-Sided Bevel Edge
WEAR LAYER:	EIR + AC4- Very Scratch Resistant
PACKAGING:	6 PC / 23.15 SF PER BOX
THICKNESS:	10MM: 8mm Core + 2mm attached pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE

GREENGUARD GOLD

floor score

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

OAT

GLEN VISTA

TESORO
Quality Products for Life

COLOR:	Oat
SIZE:	9”x 60”
EDGE:	4-Sided Bevel Edge
WEAR LAYER:	EIR + AC4- Very Scratch Resistant
PACKAGING:	6 PC / 23.15 SF PER BOX
THICKNESS:	10MM: 8mm Core + 2mm attached pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE

GREENGUARD GOLD

floor score

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

SUNSET

GLEN VISTA

TESORO
Quality Products for Life

COLOR:	Sunset
SIZE:	9”x 60”
EDGE:	4-Sided Bevel Edge
WEAR LAYER:	EIR + AC4- Very Scratch Resistant
PACKAGING:	6 PC / 23.15 SF PER BOX
THICKNESS:	10MM: 8mm Core + 2mm attached pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE

GREENGUARD GOLD

floor score

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

WHISPER

GLEN VISTA

TESORO
Quality Products for Life

COLOR:	Whisper
SIZE:	9"x 60"
EDGE:	4-Sided Bevel Edge
WEAR LAYER:	EIR + AC4- Very Scratch Resistant
PACKAGING:	6 PC / 23.15 SF PER BOX
THICKNESS:	10MM: 8mm Core + 2mm attached pad

RESIDENTIAL LIMITED LIFE TIME WARRANTY

LIGHT COMMERCIAL LIMITED 15 YEAR WARRANTY

PHTHALATE FREE

GREENGUARD GOLD

floor score

WATER PROOF

UNICLIC®

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

NATURALUX

TESORO
Quality Products for Life

CAPPUCINO OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

NATURALUX

TESORO
Quality Products for Life

CAPPUCINO OAK HERRINGBONE NEW!

SIZE:	5 X 25 - FIXED LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

NATURALUX

TESORO
Quality Products for Life

CLASSIC OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

NATURALUX

TESORO
Quality Products for Life

PICKLE OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

NATURALUX

TESORO
Quality Products for Life

SANDY OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

NATURALUX

TESORO
Quality Products for Life

SANDY OAK HERRINGBONE NEW!

SIZE:	5 X 25 - FIXED LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

NATURALUX

TESORO
Quality Products for Life

SADDLE OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

NATURALUX

TESORO
Quality Products for Life

SIENNA OAK NEW!

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwfltesoro.com

NATURALUX

TESORO
Quality Products for Life

SUGAR OAK

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

NATURALUX

TESORO
Quality Products for Life

SUGAR OAK HERRINGBONE NEW!

SIZE:	5 X 25 - FIXED LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

NATURALUX

TESORO
Quality Products for Life

SUNSET OAK NEW!

SIZE:	7.5 X 74.8 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	10 PC/ 38.86 SF PER BOX
THICKNESS:	3/8" 5-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

ForestaLux

TESORO
Quality Products for Life

CHARMING OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

TESORO
Quality Products for Life

HEAVENLY OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA TITLE VI

CARB PHASE 2 COMPLIANT

floor score CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL COMMERCIAL LIMITED WARRANTY

ForestaLux

TESORO
Quality Products for Life

HONEYED OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

ForestaLux

TESORO
Quality Products for Life

LATTE OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

ForestaLux

TESORO
Quality Products for Life

SWEET OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

ForestaLux

TESORO
Quality Products for Life

TOASTED OAK NEW!

SIZE:	8.5 X 86 - RANDOM LENGTH
FINISH:	LIGHT WIRE BRUSH MATTE UV AO FINISH
PACKAGING:	6 PC/ 31.26 SF PER BOX
THICKNESS:	9/16" 7-PLY EUCALYPTUS CORE W/ 3MM VENEER
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

PremierLux

TESORO
Quality Products for Life

AGELESS OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

PremierLux

TESORO
Quality Products for Life

CHEERFUL OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8” 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

PremierLux

TESORO
Quality Products for Life

DAZZLING OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

PremierLux

TESORO
Quality Products for Life

DELIGHTFUL OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

PremierLux

TESORO
Quality Products for Life

ELATED OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

PremierLux

TESORO
Quality Products for Life

ENCHANTED OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

PremierLux

TESORO
Quality Products for Life

LAVISH OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

PremierLux

TESORO
Quality Products for Life

SEASIDE OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8” 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

PremierLux

TESORO
Quality Products for Life

SPLENDID OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

www.iwftesoro.com

PremierLux

TESORO
Quality Products for Life

STUNNING OAK

SIZE:	9.5 X 86 - RANDOM LENGTH
FINISH:	UV AO FINISH
PACKAGING:	6 PC/ 34.10 SF PER BOX
THICKNESS:	5/8" 7-PLY EUCALYPTUS CORE
SPECIES:	FINEST EUROPEAN WHITE OAK

U.S. EPA TSCA
TITLE VI

CARB PHASE 2 COMPLIANT

floor score
CERTIFIED BY SCS Global Services

MICRO BEVEL EDGE

RESIDENTIAL
COMMERCIAL
LIMITED WARRANTY

TESORO®
Quality Products for Life

LuxWood BrekenRidge

LuxWood Bryce

LuxWood Buckeye

LuxWood Cheyenne

LuxWood Destin

LuxWood Malibu

LuxWood Monterrey

LuxWood Palm Coast

LuxWood Santa Fe

www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles.
Samples must be used to confirm current materials available at time of specifying.

LUXURY ENGINEERED PLANKS & TILES

LuxWood Sun Valley

LuxWood XL Birch

LuxWood XL Bliss



LuxWood XL Chestnut

LuxWood XL Cinnamon

LuxWood XL Pebble

LuxWood XL Reclaimed

LuxWood XL Sandbar

LuxWood XL Toffee

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TESORO®
Quality Products for Life

OakSong Barnwood

OakSong Fawn

OakSong Saddle

OakSong Sanibel

Glen Vista Champagne

Glen Vista Oat

Glen Vista Sunset

Glen Vista Whisper

www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles.
Samples must be used to confirm current materials available at time of specifying.

LUXURY ENGINEERED PLANKS & TILES

VELLUNA **Biscotti**

VELLUNA **Bordeaux**

VELLUNA **Castano**

VELLUNA **Dove**

VELLUNA **Saffron**

VELLUNA **Straw**

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles. Samples must be used to confirm current materials available at time of specifying.

TESORO®
Quality Products for Life



NATURALUX **Cappucino**
Also Available in Herringbone

NATURALUX **Classic Oak**

NATURALUX **Pickle Oak**

NATURALUX **Sandy Oak**
Also Available in Herringbone

NATURALUX **Saddle Oak**

NATURALUX **Sienna Oak**

NATURALUX **Sugar Oak**
Also Available in Herringbone

NATURALUX **Sunset Oak**

www.iwttesoro.com

Note: Images are not always accurate. Variation in color, shade and finish are inherent for all Luxury Engineered Planks & Tiles.
Samples must be used to confirm current materials available at time of specifying.

LUXURY ENGINEERED PLANKS & TILES

ForestaLux **Charming Oak**

ForestaLux **Heavenly Oak**

ForestaLux **Honeyed Oak**

ForestaLux **Latte Oak**

ForestaLux **Sweet Oak**

ForestaLux **Toasted Oak**

PremierLux **Ageless Oak**

PremierLux **Cheerful Oak**

PremierLux **Dazzling Oak**

PremierLux **Delightful Oak**

PremierLux **Elated Oak**

PremierLux **Enchanted Oak**

PremierLux **Lavish Oak**

PremierLux **Seaside Oak**

PremierLux **Splendid Oak**

PremierLux **Stunning Oak**

Vinyl Coordinating Moldings

Matches Color & Design of Floor

LUXWOOD

T- Molding 94″	**End Cap / Reducer 94″**	**Square Nose Full Size Stair Tread** 1.38″ x12″ x 48″	**Square Nose Landing Step with Locking Edge** 1.38″ x12″ x 48″	**Rounded Flush Stair Nose Molding with Locking Edge** 1.38″ x 5″ x 94″

LUXWOOD XL

T- Molding 94″	**End Cap / Reducer 94″**	**Square Nose Full Size Stair Tread** 1.38″ x12″ x 48″	**Square Nose Landing Step with Locking Edge** 1.38″ x 5″ x 60″	**Rounded Flush Stair Nose Molding with Locking Edge** 1.38″ x 5″ x 94″

OAKSONG

T- Molding 94″	**End Cap / Reducer 94″**	**Square Nose Landing Step with Locking Edge** 1.38″ x 5″ x 48″	**Rounded Flush Stair Nose Molding with Locking Edge** 1.38″ x 5″ x 94″

VELLUNA

T- Molding 94″	**End Cap / Reducer 94″**	**Square Nose Full Size Stair Tread** 1.38″ x12″ x 48″	**Square Nose Landing Step with Locking Edge** 1.38″ x 5″ x 60″	**Rounded Flush Stair Nose Molding with Locking Edge** 1.38″ x 5″ x 94″

TESORO®
Quality Products for Life

Laminate Coordinating Moldings

Matches Color & Design of Floor

GLEN VISTA

Flush Stair Nose **.94″ x 4.53″ x 94″**	**End Cap** **.59″ x 1.38″ x 94″**	**Reducer** **.59″ x 1.77″ x 94″**	**T-Molding** **.47″ x 1.77″ x 94″**

Hardwood Coordinating Moldings

Matches Color & Design of Floor

NATURALUX

				
Threshold 84″	**T-Molding 84″**	**Reducer 84"**	**Flush Round Stair Nose 84"**	**Beveled Edge Square Nose Stair Tread 42"**

FORESTALUX

		
End Cap/Reducer Baby Threshold 86″	**T-Molding 86″**	**Beveled Edge Square Nose Stair Tread 42"**

PREMIERLUX

		
End Cap/Reducer Baby Threshold 86″	**T-Molding 86″**	**Beveled Edge Square Nose Stair Tread 42"**

IWT TESORO Quality Products for Life

AQUATICA Pool Tile Collection

LUXURY ENGINEERED PLANKS & TILES

TILE STUDIO

INTERNATIONAL WHOLESALE TILE, LLC

Tel: (800) 340-TLE (8453) | Fax: (888) 765-TILE (8453)
3500 SW 42nd Avenue, Palm City, FL 34990
Email: info@iwttesoro

iwttesoro.com